

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

FIAMM Technologies, LLC
1550 Leeson Ave
Cadillac, MI 49601
Ph: 231-775-2900
Fx: 231-775-4402

Horns - Antennas

DESCRIPTION: ELECTROMAGNETIC HORN –HIGH TONE


HK9

Cod. 428522714

Main specifications and performances / Principali caratteristiche


Nominal voltage / Voltage nominale	**12**	Vdc
Voltage range / Voltaggio di utilizzo	**11,5-13,8**	Vdc
Current consumption / Assorbimento	**6**	A
Sound pressure level / Livello sonoro	**113 (2m)**	dB(A)
Frequency 'L' / Frequenza tono basso	**340**	Hz
Frequency 'H' / Frequenza tono alto	**425**	Hz
Operating temperature / Temp. di utilizzo	**-30° to +80°**	°C
Storage temperature / Temp. stoccaggio	**-30° to +80°**	°C
Corrosion resistance / Resist. alla corrosione	**> 480** (salt spray test)	Hours
Operating relative humidity / Umidità di esercizio	**30 to 80**	%
Durability (1 sec ON, 4 sec OFF) **/** Durata	**>50 000**	Cycles
Continuous blowing	**> 3**	min
Electrical insulation / Isolamento elettrico	**1000**	Vdc
Vibration (30 min, 3 axis) **/** Vibrazioni	**1**	g
Weight (each) / Peso (cad.)	**270**	gr
Main materials / Principali materiali	Steel, Aluminum	
Main applications / Principali applicazioni	Trucks, Industrial vehicles	

Dimensions (mm) / Dimensioni (mm)



Available Electrical Connection / Connessioni elettriche disponibili

Two Terminals 6,3x0,8 mm / 2 Spine 6,3x0,8 mm



Other specifications / Ulteriori specifiche

Mechanical connection: flat and rigid surface facing the bracket edge
Montaggio meccanico: fissare la staffa a una superficie piana e rigida.
Horn's Protection: choose an installation area protected from direct water and mud splash
Protezione: installare al riparo da spruzzi d'acqua e fango.
Packaging: color box 190 x 93 x h85 mm
Imballo: scatola cartone 190x93xh85 mm
Master carton: 30 pieces
Imballo multiplo: cartone da 30 pezzi

Conformity to Standards of / Conformità agli Standard

PRODUCT
PRODOTTO

- ✓ CEE 70/388
- ✓ REG. 28 ECE
- ✓ REG.10 ECE

MANUFACTURING
PRODUZIONE

- ✓ ISO/TS 16949
- ✓ ISO 9001
- ✓ ISO 14001

Product and packaging / Prodotto e confezione



Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP