ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Fisher Scientific Accumet* at our website: ***Click HERE***





model 15
pH/mV/temperature meter

For dependable testing of pH, mV and temperature from a superb research-grade pH meter, select the model 15.

model 15

An exceptional pH meter. It is, in fact, the same meter in pH mode as the top-of-the-line model 50. The model 15 autorecognizes 11 different buffers, including a custom set of user-entered buffers, and accepts manual entry for occasionally used buffers. The model 15 is the easiest-to-use meter available and, of course, includes great GLP/ISO support with time/date stamping of all standards, RS-232-C interface and complete sample datalog.

		Model 15	Model 10	Model 5
Ranges	pH	-2.000 to +20.000	0 to 14.00	0 to 14.0
	mV	0.0 to ±1800.0	0.0 to ±1999	0 to ±700
	°C	-5.0° to +105.0°		
Relative Accuracy	pH	±0.002	±0.02	±0.1
	mV	±0.1	±1	±15
	°C	±0.2°		
Repeatability	pH	±0.001	±0.01	±0.05
	mV	±0.1	±1	±5
	°C	±0.1°		
Stability	mV (drift/month)	<±0.1	<±1	Negligible on display
Temperature Compensation		Automatic or manual -5° to +105°C	Automatic or manual † 0° to 100°C	Manual 0° to 100°C
Slope Control		Automatic or manual 90 to 105%	Manual 90 to 105%	Manual 90 to 105%
Environmental	Humidity	0 - 90% (noncondensing)	0 - 90% (noncondensing)	0 - 90% (noncondensing)
	Temperature	15° to 40°C	15° to 40°C	15° to 40°C

Model 15 Supplied with meter, power pack, flexible electrode support arm, glass combination pH electrode and an ATC probe.
Model 15A Includes meter and power pack only.
Models 5 and 10 Supplied with meter, power pack, flexible electrode support arm and a glass combination pH electrode.
Models 5A and 10A Includes meter and power pack only.

† Model 10 offers automatic temperature compensation with optional ATC probe.



model 10
pH/mV meter

Performance, reliability and economy in a digital pH meter. The model 10 uses manual standardization, and is ideal for student and educational use. The model 10 is designed to provide accurate measurement, dependable performance and long life. Also offers automatic temperature compensation with optional ATC probe. Stable, reliable circuitry assures negligible drift and continued accuracy. An excellent economical alternative for education and industry—or anywhere durability and value are important.

model 10

The model 5 is an analog meter, useful for indicating the rate of change in pH. Solid-state accuracy, stability and analog convenience—all at a budget price.

model 5

Analog meter. The 5 1/2"-wide analog display is mounted at an optimum angle for easy viewing and has separate scales for pH and mV readings.



model 5
pH/mV meter

Denver Model Selector Guide

Features	150	100	50	30	25	20	15	BASIC
Titration Mode	✓	✓						
pH Mode	✓		✓		✓	✓	✓	✓
Selectable pH Resolution 0.1/0.01/0.001	✓		✓		✓	✓	✓	
Automatic Temperature Compensation	✓		✓	✓	✓	✓	✓	✓
Maximum Number of Calibration Points	5		5		5	5	5	3
Stability Icon	✓		✓		✓	✓	✓	✓
Auto Recognition of Buffers	✓		✓		✓	✓	✓	✓
ISE Mode	✓		✓		✓			
Max. number of standards	5		5		5			
Incremental Techniques	✓		✓		✓			
Conductivity Mode	✓		✓	✓		✓		
Conductivity Autoranging	✓		✓	✓		✓		
Replatinizing Current	✓		✓	✓		✓		
mV and Relative mV Modes	✓		✓		✓	✓	✓	✓
Temperature Display	✓		✓	✓	✓	✓	✓	✓
Multi-line LCD	✓	✓	✓	✓	✓	✓	✓	
Calibration Data Display	✓		✓	✓	✓	✓	✓	✓
Dual Channel Display	✓		✓		✓	✓		
Dual Electrode Inputs	✓		✓		✓	✓		✓
Print When Stable	✓	✓	✓		✓	✓	✓	
Internal 50 Point Datalog	✓	✓	✓	✓	✓	✓	✓	
Date & 24-hour Clock	✓	✓	✓	✓	✓	✓	✓	
Two-Way RS232 Communications	✓	✓	✓	✓	✓	✓	✓	
Recorder output	✓		✓		✓	✓	✓	

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP