

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.


- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.


Visit our website - *Click HERE*

FITEL
Inter-Connectivity Corp.




Data Sheet
S323/S324 High Precision Cleavers
October, 2000

S323 and S324 High Precision Cleavers



S323 High
Precision Cleaver



S324 High
Precision Cleaver

Key Features For S323 & S324:

- Cutting blade locks in place after scoring, preventing double scoring of the fiber and ensuring minimal cleave angles.
- Automatic cleave function provides consistency and improves long-term cleave quality.

For 323 only:


- Waste fibers deposit automatically into a collection chamber, increasing efficiency and eliminating hazardous waste fiber in the work area.
- Easily removable collection chamber allows for safe and secure waste fiber disposal.

Specifications

Fiber types	All fiber types, single fiber to 12-fiber ribbons (appropriate fiber holder is required for ribbons)
Clad diameter:	0.125mm
Coating diameter:	0.25mm and 0.9mm for single fiber; 0.3mm to 0.4mm thickness for ribbons
Cleave length	**Type A:** fixed length of 16mm or adjustable to 3–20mm with scale for single fiber; 10mm for ribbons. **Type B:** fixed length of 10mm or adjustable to 3–20mm with scale for single fiber; 10mm for ribbons
Dimensions/Weight	3.7"L X 2.5"W X 2"H **S323:** 1.25lbs (including cover and attached fiber holder for single fiber) **S324:** 1.21lbs (including cover and attached fiber holder for single fiber)

S323/S324 High Precision Cleavers
October, 2000

S323 4-step cleaving process



(For S324 omit step 3.)

Model

Model Number	Waste Fiber Collection	Cleave Length
		(Refer to the Cleave Length)
S323A	Available	Type A 16mm
S323B	Available	Type B 10mm
S324A	Not Available	Type A 16mm
S324B	Not Available	Type B 10mm

Standard Package

Description	Model Number		Quantity
	S323A/B	S324A/B	
Main Body	S323X-01	S324X-01	1
Cover	S323X-02	S323X-02	1
Collection Chamber	S323X-03	NA	3 (2spares)
Single Fiber Adaptor	S323X-04 (*for Model S323A/S324A*)		1
	S323X-05 (*for Model S323B/S324B*)		1

FITEL® We can. Inter=Connectivity Corp.

Fitel Interconnectivity, Inc.
200 Westpark Drive
Suite 190
Peachtree City, GA 30269

Tel: 800-274-8335
O.S.P. Sales ext. 113
O.E.M. Sales ext. 120
EM: sales@fitelconn.com
www.fitelconn.com

24 hour Tech Support:
800-756-1121

Fitel Interconnectivity Corp. reserves the right to improve, enhance and modify the features and specifications of FITEL products without prior notifications. 10.3.00

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP