ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Emerson / Motorola / Force Computers CPU-30BE/16* at our website: *Click HERE*

SYS 68K CPU-30

Low to mid-range 68K performance for control applications

Benefits



The CPU-30 provides an ideal platform for embedded applications where real-time response is crucial. The CPU-30 is targeted at low- to mid-range industrial applications and allows 68K users to protect their software investments while moving to the newest component technology and guaranteeing longevity of supply. The CPU-30 is supported by a broad and mature range of real-time OS including VxWorks, pSOS+, VRTX-32, OS-9 and LynxOS.

Solid performance in a single slot.

The MC68030 is binary compatible to the 680x0 family series and therefore ensures that all the existing 680x0 user software can run on the CPU-30. The CPU-30 is a solid performing, fully featured single board computer for real-time embedded control applications.

SPECIFICATIONS ▶

ABOUT FORCE | NEWS & EVENTS | PRODUCTS & SERVICES | TECHNOLOGIES & STANDARDS | MARKETS & APPLICATIONS | CAREER OPPORTUNITIES | YEAR 2000 | CONTACT | HOME

© Copyright 1998 Force Computers Inc. All Rights Reserved.
webmaster@forcecomputers.com

SYS 68K CPU-30

Specifications

1. **Processor**
   1. MC68030 at 25 MHz with MMU
2. **Coprocessor**
   1. MC68882 at 25 MHz
3. **Cache**
   1. Data and Instruction, each 256 KByte
4. **DMA Controller**
   1. On-board via the FGA-002B
5. **Shared Memory**
   1. 16 MByte DRAM with Byte Parity
6. **System Flash**
   1. 4 MByte, 32-bit
7. **Boot Memory**
   1. Two sockets for up to 512 KByte flash memory devices per socket
   2. Standard: 128 KByte
8. **Local SRAM**
   1. Standard: 32 KByte
9. **SCSI-2**
   1. MB 87034, DMA support, I/O on P2
10. **Ethernet**
    1. Am 79C90, 10Base5 on front panel
11. **Floppy Disk**
    1. WD 37C65C, I/O routed to P2
12.

Serial I/O

1. Two channels via 85C30 SCC, preconfigured as RS-232 RS-422 and RS-485 as field upgrade option I/O on front panel or P2

13. **Parallel I/O**
    1. 20-bit available via optional 5-row VMEbus P2 connector
14. **RTC**
    1. Interrupt capability, battery back-up
15. **Counters/Timers**
    1. Two 24-bit, 500 ns resolution
16. **Firmware**
    1. VMEPROM installed
17. **VMEbus Interface**
    1. 32-bit master/slave
        1. **Master**
            1. A32, A24, A16 D32, D16, D8 UAT, RMW
        2. **Slave**
            1. A32, D32, D16, D8 UAT, RMW
        3. **Interrupt Handler**
            1. 7 VME levels
        4. **Arbiter**
            1. Single-level, Arbitration watchdog
        5. **Mailbox**
            1. 8 Interrupts
        6. **Force Message Broadcast**
            1. 1 FIFO with 8 Byte
            2. 1 FIFO with 1 Byte
        7. **P2 Connector**
            1. 3-row, option: 5-row

18. **Additional Features**
    1. Reset and abort switches, Status LEDs, Watchdog Timer
19.

Power Consumption(CPU-30DZBE without Ethernet connection)

1. +5V 3,0 2,4 A
2. +12V 0,1 A
3. -12V 0,1 A

20. **Environmental Conditions**
    1. **Temperature (Operating)**
        1. 0^{o}C to $+55^{o}$C
    2. **Temperature (Storage)**
        1. -40^{o}C to $+85^{o}$C
    3. **Humidity**
        1. 0% to 95% noncondensing
21. **Measurements**
    1. 6U VMEbus form factor
    2. 1 VMEbus slot

© Copyright 1998 Force Computers Inc. All Rights Reserved.
webmaster@forcecomputers.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP