

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

Oilless Rocking Piston *4.35 and 5.5 cfm*




71R/72R Series
Twin Cylinder Compressor

MODELS 71R645/71R655
25 PSI MAX. PRESSURE, 4.35 CFM OPEN FLOW

MODELS 72R645/72R655
15 PSI MAX. PRESSURE, 5.5 CFM OPEN FLOW

(mm) (inches)



PRODUCT FEATURES

- Oilless operation
- All wetted aluminum parts treated for corrosion protection from moisture
- Rugged motor shell construction

INCLUDES

- Dry-cell capacitor AT250 (D303X Motor), AT251 (D304X Motor) - not pictured, shipped unattached
- Rubber feet (4) AB319

COMMON MOTOR OPTIONS

- 115V, 60 Hz, single phase
- 220-240V, 50 Hz, single phase

RECOMMENDED ACCESSORIES


- Relief valve AA600
- Pressure gauge AA644B

Product Specifications

Model Number	Motor	Type	RPM 60 Cycle	RPM 50 Cycle	HP	kw	Net Wt. lbs.	Net Wt. kg
71R645-P112-D303X	115-60-1	PSC (4 Pole)	1650	-	1/3	0,25	15.6	7,09
71R655-P112-D304X	220-240-50-1	PSC (4 Pole)	-	1425	1/3	0,25	16.0	7,27
72R645-P112-D303X	115-60-1	PSC (4 Pole)	1650	-	1/3	0,25	15.6	7,09
72R655-P112-D304X	220-240-50-1	PSC (4 Pole)	-	1425	1/3	0,25	16.0	7,27

Product Performance (Metric, U.S.)

Dotted line indicates intermittent duty.



Note: Consult factory for 100 psi models.


®Registered Trademark/™Trademark of Gast Manufacturing Inc., Copyright © 2000 Gast Manufacturing Inc. All rights reserved.

Oilless Rocking Piston *2.6, 4.5 and 5.5 cfm*

71R/72R Series Twin Cylinder Vacuum Pump



(mm) (inches)



MODEL 71R645/71R655
28" HG MAX. VACUUM, 4.5 CFM OPEN FLOW

MODEL 72R547/72R555
29" HG MAX. VACUUM, 2.6 CFM OPEN FLOW

MODEL 72R645/72R655
28" HG MAX. VACUUM, 5.5 CFM OPEN FLOW

PRODUCT FEATURES

- Oilless operation
- All wetted aluminum parts treated for corrosion protection from moisture
- Rugged motor shell construction

INCLUDES

- Dry-cell capacitor AT250 (D303X Motors, AT251 (D304X Motor) - not pictured, shipped unattached
- Rubber feet (4) AB319

COMMON MOTOR OPTIONS

- 115V, 60 Hz, single phase
- 220-240V, 50 Hz, single phase


RECOMMENDED ACCESSORIES

- Relief valve AA840A
- Vacuum gauge AA640

Product Specifications

Model Number	Motor	Type	RPM 60 Cycle	RPM 50 Cycle	HP	kw	Net Wt. lbs.	Net Wt. kg
71R645-V114-D303X	115-60-1	PSC (4 Pole)	1650	-	1/3	0,25	15.6	7,09
71R655-V114-D304X	220-240-50-1	PSC (4 Pole)	-	1425	1/3	0,25	16.0	7,27
72R547-V116-D303X	115-60-1	PSC (4 Pole)	1650	-	1/3	0,25	15.6	7,09
72R555-V116B-D304X	220-240-50-1	PSC (4 Pole)	-	1425	1/3	0,25	16.0	7,27
72R645-V114-D303X	115-60-1	PSC (4 Pole)	1650	-	1/3	0,25	15.6	7,09
72R655-V114-D304X	220-240-50-1	PSC (4 Pole)	-	1425	1/3	0,25	16.0	7,27

Product Performance (Metric, U.S.)



®Registered Trademark/™Trademark of Gast Manufacturing Inc., Copyright © 2000 Gast Manufacturing Inc. All rights reserved.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP