ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *GE CEMA P9B01VN* at our website: *Click HERE*

Contact blocks

Logic Reed

A new range of LOGIC REED contact blocks with faston terminals for use with power lower than 12V - 5mA.

		Cat. no.	Ref. no.
Contact type	1NO or 1NC	**P9B01FH**	187014
Rated voltage	AC2 to 120V max.		
	DC2 to 30V max.		
Rated current	AC/DC - 0.001 to 0.15A max.		
Rated power	AC - 8VA max.		
	DC - 4.5W max.		
Minimum centerline distance	30x32 mm.		
Mounting on operators	through specific bayonet flange adaptor.	**P9ACFSM**	187846
Full voltage		**P9PDHF**	187056

With screw



min. 1 of 22 AWG (0.32 mm²)
max. 2 of 12 AWG (3.3 mm²)












Contact type		Cat. no.	Ref. no.
NC+NO		**P9B11VN**	187000
NC+NC		**P9B02VN**	187008
NO+NO		**P9B20VN**	187009
NC		**P9B01VN**	187001
standard NO		**P9B10VN**	187002
low power NO		**P9B10FH**	
NC late opening		P9B01VR	187003
NO early closing		P9B10VA	187004
NC+NO delayed	0.1-30 sec	P9B11T3	187010
	10-180 sec	P9B11T8	187011

Faston



1 x (6.35 x 0.8 mm)
2 x (2.8 x 0.8 mm)




NC		P9B01FN	187012
NO		P9B10FN	187013

The catalogue numbers **in bold** are available from stock.










Power supplies

With screw




min. 1 of 22 AWG (0.32 mm²)
max. 2 of 12 AWG (3.3 mm²)




Position on flange 2 3 1	Contact type	Cat. no.	Ref. no.
	Full voltage ≅ IEC: BA9S max 380V-2W not included UL-CSA: BA9S max 250V-2W not included	**P9PDNV0**	187020
	Long life 110/120V ≅ BA9S 130V-2W included	P9PRLVJ	187021
	Logic Reed idem for low power flange for P9PDHF (see E.00)	P9PDHF P9ACFSM	187056 187846
	Resistor + Diode 220/240 V ~ BA9S 130V-2W included	P9PRDVN	187022
	Resistor 110/120V ≅ BA9S 60V-1.2W included	**P9PRNVJ**	187023
	220/240V ≅ BA9S 130V-2W included	**P9PRNVN**	187024
	Resistor ENEL version BA9S 48V-2W included 110V ≅	P9PREVJ	187025
	125/127V ≅	P9PREVL	187026
	UL-CSA: BA9S max 250V-2W not included Test full voltage (1) ≅ IEC: BA9S max 380V-2W not included	P9PDTV0	187027
	Test resistor (1) 220/240 V ≅ BA9S 130V-2W included	P9PRTVN	187028
	Transformer 50/60 Hz BA9S 6V-1.5W included	**P9PTNV♦**	*see bottom*
	Multifunction (2) full voltage 24V ≅ BA9S 24V-2W included	**P9PDMVD**	187040
	Multifunction (2) full voltage 110V ≅ BA9S 130V-2W included	P9PDMVJ	187041
	Multifunction (2) Transformer 50/60 Hz BA9S 6V-0.6W included	**P9PTMV♦**	*see bottom*

Faston







1 x (6.35 x 0.8 mm)
2 x (2.8 x 0.8 mm)

	Full voltage IEC:BA9S max 380V-2W not included UL-CSA: BA9S max 250V-2W not included	P9PDNF0	187055

Integrated LED



	Standard light		
	24V AC/DC	**P9PLNVD•**	*see bottom*
	120V AC	**P9PLNVJ•**	*see bottom*
	230V AC	**P9PLNVN•**	*see bottom*
	Flashing light		
	24V AC/DC	**P9PLFVD•**	*see bottom*
	120V AC	**P9PLFVJ•**	*see bottom*
	230V AC	**P9PLFVJ•**	*see bottom*



(2) Y1 Y2 Do not connect for flashing light

Link to external contact in order to have steady or flashing light

Y1 Y2
C closed = Steady light
C open = Flashing light

LED colour•	orange	white	yellow	blue	red	green
	A	B	G	L	R	V

The catalogue numbers **in bold** are available from stock.

Voltage	110-120	220-250	380	415-440	480-500
♦	**J**	**N**	U	W	Y

For reference numbers, see chapter X, pg. X.10

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP