

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*


Gel-Pak®
Protecting the World's Valuable Devices

APPLICATION NOTE

GP-PortaVac Users Guide

1. Slide off the outer clip and remove the lid from the VR Tray (-00B Configuration). For tray in box version (-02), open hinged box and remove VR Tray.	
2. Place the VR Tray on the GP-PortaVac vacuum plate (Blue metal block with black o-ring).	
3. Make sure the VR Tray backside vacuum hole is correctly aligned with the vacuum plate o-ring to obtain a tight seal.	
4. The vacuum valve ON/OFF directions are printed on the handle. The valve system is located on the hose.	

31398 Huntwood Avenue, Hayward, CA 94544-7818
Ph: (510) 576-2220, Fax: (510) 576-2282 Website: www.gelpak.com

5. Turn the valve to ON position as shown in picture.	
6. With valve in the ON position, press and hold the blue oval button for about 3 seconds to apply vacuum to the VR Tray. This will put the VR Tray into "Release Mode" and allow for devices to be easily unloaded.	
7. While in "Release Mode" carefully off-load the devices as required using a vacuum pick-up tip tool.	
8. After off-loading devices, remove vacuum from VR Tray by turning the valve clockwise 90 degrees to the OFF position. VR Tray will return to its normal condition.	
9. Take VR Tray off of vacuum plate fixture and put back into original storage carrier.	
To replace the batteries on the GP-PortaVac, locate the battery cover on the bottom handle, remove the single screw using a small Phillips screwdriver and install six new AA alkaline batteries.	

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP