

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

**Artisan Technology Group**
(217) 352-9330 | sales@artisantg.com | artisantg.com

**Full-service, independent repair center**
with experienced engineers and technicians on staff.

**We buy your excess, underutilized, and idle equipment**
along with credit for buybacks and trade-ins.

**Custom engineering**
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

**Expert team | Trust guarantee | 100% satisfaction**

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

**Visit our website - *Click HERE***

## Lipped straight shrink boots-Type 1 high performance elastomer

- -75° C to +165° C
- Excellent resistance to fuels, oils, solvents and heat.



Fully recovered boot shown. As supplied part will vary.

| Boot Size | Shell Size | | | Part Number |
|---|---|---|---|---|
| | Series 800, 801, 802, 803, 804 | Series 805 | Series 811 | Pre-Coated with W1 Hi-Temp Hot-Melt Adhesive |
| 1 | 5/6 | 8 | 5 | 809S060-1 |
| 2 | 7 | 9 | 6,7 | 809S060-2 |
| 3 | 8, 9 | 10, 11 | 8,9 | 809S060-3 |
| 4 | 10, 11, 12, 13 | 12, 15 | N/A | 809S060-4 |
| 5 | 14, 15, 16, 17 | 18, 19 | N/A | 809S060-5 |
| 6 | 19, 21 | 23 | N/A | 809S060-6 |

## Lipped straight shrink boots- Type 2 zero halogen

- Low Smoke, Zero Halogen
- Meets U.S. and E.U. toxicity requirements.



Fully recovered boot shown. As supplied part will vary.

| Boot Size | Shell Size | | | Part Number |
|---|---|---|---|---|
| | Series 800, 801, 802, 803, 804 | Series 805 | Series 811 | Pre-Coated with W1 Hi-Temp Hot-Melt Adhesive |
| 1 | 5/6 | 8 | 5 | 809S060-1H |
| 2 | 7 | 9 | 6,7 | 809S060-2H |
| 3 | 8, 9 | 10, 11 | 8,9 | 809S060-3H |
| 4 | 10, 11, 12, 13 | 12, 15 | N/A | 809S060-4H |
| 5 | 14, 15, 16, 17 | 18, 19 | N/A | 809S060-5H |
| 6 | 19, 21 | 23 | N/A | 809S060-6H |

## Lipped 90° right angle shrink boots- Type 1 high performance elastomer

- -75° C to +165° C
- Excellent resistance to fuels, oils, solvents and heat.



Fully recovered boot shown. As supplied part will vary.

| Boot Size | Shell Size | | | Part Number |
|---|---|---|---|---|
| | Series 800, 801, 802, 803, 804 | Series 805 | Series 811 | Pre-Coated with W1 Hi-Temp Hot-Melt Adhesive |
| 1 | 5/6 | 8 | 5 | 809A060-1 |
| 2 | 7 | 9 | 6,7 | 809A060-2 |
| 3 | 8, 9 | 10, 11 | 8,9 | 809A060-3 |
| 4 | 10, 11, 12, 13 | 12, 15 | N/A | 809A060-4 |
| 5 | 14, 15, 16, 17 | 18, 19 | N/A | 809A060-5 |
| 6 | 19, 21 | 23 | N/A | 809A060-6 |

## Lipped 90° right angle shrink boots- Type 2 zero halogen

- Low Smoke, Zero Halogen
- Meets U.S. and E.U. toxicity requirements.



Fully recovered boot shown. As supplied part will vary.

| Boot Size | Shell Size | | | Part Number |
|---|---|---|---|---|
| | Series 800, 801, 802, 803, 804 | Series 805 | Series 811 | Pre-Coated with W1 Hi-Temp Hot-Melt Adhesive |
| 1 | 5/6 | 8 | 5 | 809A060-1H |
| 2 | 7 | 9 | 6,7 | 809A060-2H |
| 3 | 8, 9 | 10, 11 | 8,9 | 809A060-3H |
| 4 | 10, 11, 12, 13 | 12, 15 | N/A | 809A060-4H |
| 5 | 14, 15, 16, 17 | 18, 19 | N/A | 809A060-5H |
| 6 | 19, 21 | 23 | N/A | 809A060-6H |

## Lipped 45° angle shrink boots- Type 1 high performance elastomer

- -75° C to +165° C
- Excellent resistance to fuels, oils, solvents and heat.



Fully recovered boot shown. As supplied part will vary.

| Boot Size | Shell Size | | Part Number |
|---|---|---|---|
| | Series 800, 801, 802, 803, 804 | Series 805 | Pre-Coated with W1 Hi-Temp Hot-Melt Adhesive |
| 1 | 5/6 | 8 | 809B060-1 |
| 2 | 7 | 9 | 809B060-2 |
| 3 | 8, 9 | 10, 11 | 809B060-3 |
| 4 | 10, 11,12, 13 | 12, 15 | 809B060-4 |
| 5 | 14, 15, 16, 17 | 18, 19 | 809B060-5 |
| 6 | 19, 21 | 23 | 809B060-6 |

Dimensions in Inches (millimeters) are subject to change without notice.

© 2014 Glenair, Inc.

**Artisan Technology Group** is an independent supplier of quality pre-owned equipment

## Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

## Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP