ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Grainger / Dayton Electric 3N350BD* at our website: *Click HERE*

REV	ECO	REV BY	DATE	APPD	DATE
A	ECO-0017665	TH	12-09-2010	KG	12-09-2010

INDUSTRIAL MOTOR

Dayton® Mod No **3N350BD**

E47479 701887

HP:1/3
VOLTS:208-230/460
AMPS:1.3-1.3/0.7
RPM:1725
DUTY:CONTINUOUS
SFA: 1.3-1.3/0.7
KVA CODE:N
DESIGN:B
NEMA NOM EFF:68.9
BRGS: SE 6202DU OSE 6202DU
BALL BRG: Permanently Lubricated, Relubrication not required

PH: 3
HZ: 60
FR: 48
INS CL: B
AMB: 40°C
SF: 1.0
ENCL: TENV
PF:66.7


50 Hz DATA	HP: 1/4 RPM: 1425 SF:1.0
	VOLTS: 190/380 AMPS:1.2/0.6

Read Instructions and Warning label Before Installing Motor. Motor Not Suitable for use in Hazardous Locations.


MFG. No. P48AA29A11 Mfd for Dayton Electric Mfg Co, Niles, IL 60714 USA Assembled in Mexico 2510978-001


Lead Connections

Disconnect Power Before Making Any Electrical Connections or Charges



TO REVERSE ROTATION FOR EITHER VOLTAGE, INTERCHANGE ANY 2 LINE LEADS





GEOMETRIC CHARACTERISTICS & SYMBOLS
- FLATNESS
- STRAIGHTNESS
- ANGULARITY
- PERPENDICULARITY (SQUARENESS)
- PARALLELISM
- ROUNDNESS (CIRCULARITY)
- CYLINDRICITY
- PROFILE OF ANY SURFACE
- PROFILE OF ANY LINE
- RUNOUT
- TRUE POSITION
- CONCENTRICITY
- SYMMETRY

UNLESS OTHERWISE SPECIFIED DIM. TOLERANCES ARE AS FOLLOWS:

	X	XX	XXX	XXXX
INCH	±.1	±.02	±.005	±.0005
mm	±0.5	±0.13	±0.013	

ANG. ±.50 DEG
REMOVE BURRS & BREAK SHARP EDGES: INCH .003-.015 mm 0.1-0.4
CORNER FILLETS TO: INCH .020 mm 0.5
MACHINE SURFACES: INCH 125 mm 3.2
METRIC DIMS. SHOWN IN [BRACKETS]

DR BY: TH 12-09-2010
APPD: KG 12-09-2010
THIRD ANGLE PROJECTION
EDS DATE 02-22-2008
FORMAT REV F

CONFIDENTIAL: THIS DRAWING AND ITS INFORMATION ARE THE EXCLUSIVE AND CONFIDENTIAL PROPERTY OF THE MANUFACTURER AND ARE NOT TO BE DISCLOSED, DUPLICATED, DISTRIBUTED OR OTHERWISE USED WITHOUT THE WRITTEN CONSENT OF THE MANUFACTURER -ALL RIGHTS RESERVED.
ASME Y14.5M 1994

Dayton DAYTON ELECTRIC MANUFACTURING CO.
Niles, Illinois 60714 USA

DESCRIPTION: OUTLINE

SIZE C | DWG NO 3N350BD | SCALE NONE | SHEET 1

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP