ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Grass Valley / Canopus DVStorm-RT* at our website: *Click HERE*

>>Storm Encoder


> Key Benefits
> Requirements
> Package Contents



> Press Release
> PDF Datasheet
> PDF Manual
> Drivers

> MPEG Module
> DVStorm w/Module





The optional hardware MPEG encoder module provides high-quality MPEG 1 & 2 encoding in Realtime*. Creating Video CD's and preparing media for DVD authoring is a fast and easy.

Encode directly from a live DV Source - A Canopus first. With the recently developed MediaCruise application, the DVStormSE fitted with the StormEncoder provides realtime encoding from a live DV source (as well as analog). MediaCuise will also playback encoded MPEG files through DVStormSE's video out.

*Realtime encoding directly from the timeline in StormEdit (near realtime in Adobe Premiere). Realtime encoding directly from live analog and DV source.

> No slot necessary - attaches directly to DVStorm board
> Direct realtime capture to MPEG-1 and MPEG-2
> MPEG-2 D1, Half-D1 and MPEG-1 encoding
> Encodes I,P,B frames (MP@ML DVD-compatible encoding)
> Bitrate 1-15Mb/s user adjustable (CBR/VBR)
> PAL (720x576)/NTSC (720x480), CCIR-601
> Prefiltering 4:2:2 to 4:2:0
> Output from StormEdit or Adobe Premiere 5.1 timelines
> Specify MPEG output size without re-rendering
> MPEG-1: Elementary and System streams
> MPEG-2: Elementary and Program streams
> Audio: PCM WAV or MPEG Layer II

<1> StormEncoder module
<2> Installation & Set-up CD
<3> Installation & User Guide

> DVStorm card
> System requirements are the same as DVStorm:
> one open PCI V2.1 Slot
> single 700MHz Pentium III CPU
> 256MB RAM
> AV rated hard disk drive (10MB/sec min. sustained transfer)
> CD-ROM Drive
> Windows 98SE, 2000, ME, XP
> Microsoft® IntelliMouse® or compatible
> Graphics card with hardware DirectDraw overlay

> Three-year parts and labor limited warranty

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP