

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*



SC200 Controller

The SC200 Universal Controller is the most versatile controller on the market. It allows the use of digital and analog sensors, either alone or in combination, to provide compatibility with the broadest range of sensors. It replaces the Hach SC100 digital and GLI53 analog controllers with advanced features for easier operator use. The SC200 controller can be configured to operate two digital sensor inputs, two analog sensor inputs, or a combination of one digital and one analog input. Customers may add communication modules for a variety of protocols including Modbus 232/485, Profibus DPV1, and Hart.

Maximum Versatility

Ease of Use and Confidence in Results

Wide Variety of Communication Options

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.70552	24 VDC	2x 4-20 mA Out	Digital	Digital	Digital	$2,338.00
LXV404.99.70502	24 VDC	2x 4-20 mA Out	Digital	Digital	None	$2,157.00
LXV404.99.70202	24 VDC	2x 4-20 mA Out	Analog	Analog Conductivity	None	$1,691.00
LXV404.99.75552	24 VDC	Hart	Digital	Digital	Digital	$2,742.00
LXV404.99.70222	24 VDC	2x 4-20 mA Out	Analog	Analog Conductivity	Analog Conductivity	$2,009.00
LXV404.99.75502	24 VDC	Hart	Digital	Digital	None	$2,579.00
LXV404.99.70112	24 VDC	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,009.00
LXV404.99.75102	24 VDC	Hart	Analog	Analog pH/ORP/DO	None	$2,099.00
LXV404.99.70102	24 VDC	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	None	$1,691.00
LXV404.99.79222	24 VDC	5x 4-20mA Out	Analog	Analog Conductivity	Analog Conductivity	$2,283.00
LXV404.99.79552	24 VDC	5x 4-20mA Out	Digital	Digital	Digital	$2,569.00
LXV404.99.70212	24 VDC	2x 4-20 mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,009.00
LXV404.99.75202	24 VDC	Hart	Analog	Analog Conductivity	None	$2,099.00
LXV404.99.73552	24 VDC	Profibus DP	Digital	Digital	Digital	$2,741.00
LXV404.99.71552	24 VDC	Modbus RS232/ RS485	Digital	Digital	Digital	$2,742.00
LXV404.99.73502	24 VDC	Profibus DP	Digital	Digital	None	$2,579.00
LXV404.99.71212	24 VDC	Modbus RS232/ RS485	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,417.00
LXV404.99.79212	24 VDC	5x 4-20mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,283.00
LXV404.99.75222	24 VDC	Hart	Analog	Analog Conductivity	Analog Conductivity	$2,417.00

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.70302	24 VDC	2x 4-20 mA Out	Analog	Analog Flow	None	
LXV404.99.79112	24 VDC	5x 4-20mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,283.00
LXV404.99.71502	24 VDC	Modbus RS232/ RS485	Digital	Digital	None	$2,579.00
LXV404.99.70512	24 VDC	2x 4-20 mA Out	Digital	Digital	Analog pH/ORP/DO	$2,424.00
LXV404.99.70522	24 VDC	2x 4-20 mA Out	Digital	Digital	Analog Conductivity	$2,424.00
LXV404.99.75112	24 VDC	Hart	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,417.00
LXV404.99.70542	24 VDC	2x 4-20 mA Out	Digital	Digital	4-20mA Input	$2,424.00
LXV404.99.71102	24 VDC	Modbus RS232/ RS485	Analog	Analog pH/ORP/DO	None	$2,099.00
LXV404.99.75212	24 VDC	Hart	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,417.00
LXV404.99.70412	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	$2,009.00
LXV404.99.71202	24 VDC	Modbus RS232/ RS485	Analog	Analog Conductivity	None	$2,099.00
LXV404.99.73212	24 VDC	Profibus DP	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,417.00
LXV404.99.73402	24 VDC	Profibus DP	Analog	4-20mA Input	None	$2,099.00
LXV404.99.73542	24 VDC	Profibus DP	Digital	Digital	4-20mA Input	$2,836.00
LXV404.99.75312	24 VDC	Hart	Analog	Analog Flow	Analog pH/ORP/DO	$2,629.00
LXV404.99.75512	24 VDC	Hart	Digital	Digital	Analog pH/ORP/DO	$2,836.00
LXV404.99.70312	24 VDC	2x 4-20 mA Out	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.71112	24 VDC	Modbus RS232/ RS485	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,417.00
LXV404.99.73102	24 VDC	Profibus DP	Analog	Analog pH/ORP/DO	None	$2,099.00
LXV404.99.73202	24 VDC	Profibus DP	Analog	Analog Conductivity	None	$2,099.00
LXV404.99.79322	24 VDC	5x 4-20mA Out	Analog	Analog Flow	Analog Conductivity	
LXV404.99.70532	24 VDC	2x 4-20 mA Out	Digital	Digital	Analog Flow	$2,636.00
LXV404.99.75302	24 VDC	Hart	Analog	Analog Flow	None	$2,315.00
LXV404.99.75322	24 VDC	Hart	Analog	Analog Flow	Analog Conductivity	$2,629.00
LXV404.99.75332	24 VDC	Hart	Analog	Analog Flow	Analog Flow	$2,841.00
LXV404.99.75402	24 VDC	Hart	Analog	4-20mA Input	None	$2,099.00
LXV404.99.75412	24 VDC	Hart	Analog	4-20mA Input	Analog pH/ORP/DO	$2,417.00
LXV404.99.75422	24 VDC	Hart	Analog	4-20mA Input	Analog Conductivity	$2,417.00
LXV404.99.75432	24 VDC	Hart	Analog	4-20mA Input	Analog Flow	$2,629.00
LXV404.99.75442	24 VDC	Hart	Analog	4-20mA Input	4-20mA Input	$2,417.00
LXV404.99.75522	24 VDC	Hart	Digital	Digital	Analog Conductivity	$2,836.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.75532	24 VDC	Hart	Digital	Digital	Analog Flow	$3,049.00
LXV404.99.75542	24 VDC	Hart	Digital	Digital	4-20mA Input	$2,836.00
LXV404.99.70322	24 VDC	2x 4-20 mA Out	Analog	Analog Flow	Analog Conductivity	
LXV404.99.70332	24 VDC	2x 4-20 mA Out	Analog	Analog Flow	Analog Flow	
LXV404.99.70402	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	None	$1,691.00
LXV404.99.70422	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	Analog Conductivity	$2,009.00
LXV404.99.70432	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	Analog Flow	
LXV404.99.70442	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	4-20mA Input	$2,009.00
LXV404.99.71222	24 VDC	Modbus RS232/ RS485	Analog	Analog Conductivity	Analog Conductivity	$2,417.00
LXV404.99.71302	24 VDC	Modbus RS232/ RS485	Analog	Analog Flow	None	
LXV404.99.71312	24 VDC	Modbus RS232/ RS485	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.71322	24 VDC	Modbus RS232/ RS485	Analog	Analog Flow	Analog Conductivity	
LXV404.99.71332	24 VDC	Modbus RS232/ RS485	Analog	Analog Flow	Analog Flow	
LXV404.99.71402	24 VDC	Modbus RS232/ RS485	Analog	4-20mA Input	None	$2,099.00
LXV404.99.71412	24 VDC	Modbus RS232/ RS485	Analog	4-20mA Input	Analog pH/ORP/DO	$2,417.00
LXV404.99.71422	24 VDC	Modbus RS232/ RS485	Analog	4-20mA Input	Analog Conductivity	$2,417.00
LXV404.99.71432	24 VDC	Modbus RS232/ RS485	Analog	4-20mA Input	Analog Flow	
LXV404.99.71442	24 VDC	Modbus RS232/ RS485	Analog	4-20mA Input	4-20mA Input	$2,417.00
LXV404.99.71512	24 VDC	Modbus RS232/ RS485	Digital	Digital	Analog pH/ORP/DO	$2,836.00
LXV404.99.71522	24 VDC	Modbus RS232/ RS485	Digital	Digital	Analog Conductivity	$2,836.00
LXV404.99.71532	24 VDC	Modbus RS232/ RS485	Digital	Digital	Analog Flow	$3,049.00
LXV404.99.71542	24 VDC	Modbus RS232/ RS485	Digital	Digital	4-20mA Input	$2,836.00
LXV404.99.73112	24 VDC	Profibus DP	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,417.00
LXV404.99.73222	24 VDC	Profibus DP	Analog	Analog Conductivity	Analog Conductivity	$2,417.00
LXV404.99.73302	24 VDC	Profibus DP	Analog	Analog Flow	None	
LXV404.99.73312	24 VDC	Profibus DP	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.73322	24 VDC	Profibus DP	Analog	Analog Flow	Analog Conductivity	

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.73332	24 VDC	Profibus DP	Analog	Analog Flow	Analog Flow	
LXV404.99.73412	24 VDC	Profibus DP	Analog	4-20mA Input	Analog pH/ORP/DO	$2,417.00
LXV404.99.73422	24 VDC	Profibus DP	Analog	4-20mA Input	Analog Conductivity	$2,417.00
LXV404.99.73432	24 VDC	Profibus DP	Analog	4-20mA Input	Analog Flow	
LXV404.99.73442	24 VDC	Profibus DP	Analog	4-20mA Input	4-20mA Input	$2,417.00
LXV404.99.73512	24 VDC	Profibus DP	Digital	Digital	Analog pH/ORP/DO	$2,836.00
LXV404.99.73522	24 VDC	Profibus DP	Digital	Digital	Analog Conductivity	$2,836.00
LXV404.99.73532	24 VDC	Profibus DP	Digital	Digital	Analog Flow	$3,049.00
LXV404.99.79102	24 VDC	5x 4-20mA Out	Analog	Analog pH/ORP/DO	None	$1,965.00
LXV404.99.79302	24 VDC	5x 4-20mA Out	Analog	Analog Flow	None	
LXV404.99.79312	24 VDC	5x 4-20mA Out	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.79332	24 VDC	5x 4-20mA Out	Analog	Analog Flow	Analog Flow	
LXV404.99.79402	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	None	$1,965.00
LXV404.99.79412	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	$2,283.00
LXV404.99.79422	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	Analog Conductivity	$2,283.00
LXV404.99.79432	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	Analog Flow	
LXV404.99.79442	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	4-20mA Input	$2,283.00
LXV404.99.79502	24 VDC	5x 4-20mA Out	Digital	Digital	None	$2,441.00
LXV404.99.79512	24 VDC	5x 4-20mA Out	Digital	Digital	Analog pH/ORP/DO	$2,700.00
LXV404.99.79522	24 VDC	5x 4-20mA Out	Digital	Digital	Analog Conductivity	$2,700.00
LXV404.99.79532	24 VDC	5x 4-20mA Out	Digital	Digital	Analog Flow	$2,913.00
LXV404.99.79542	24 VDC	5x 4-20mA Out	Digital	Digital	4-20mA Input	$2,700.00

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP