ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Hach SC200* at our website: ***Click HERE***



SC200 Controller

The SC200 Universal Controller is the most versatile controller on the market. It allows the use of digital and analog sensors, either alone or in combination, to provide compatibility with the broadest range of sensors. It replaces the Hach SC100 digital and GLI53 analog controllers with advanced features for easier operator use. The SC200 controller can be configured to operate two digital sensor inputs, two analog sensor inputs, or a combination of one digital and one analog input. Customers may add communication modules for a variety of protocols including Modbus 232/485, Profibus DPV1, and Hart.

Maximum Versatility

Ease of Use and Confidence in Results

Wide Variety of Communication Options

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.00552	100-240V AC, No Power Cord	2x 4-20 mA Out	Digital	Digital	Digital	$2,097.00
LXV404.99.00502	100-240V AC, No Power Cord	2x 4-20 mA Out	Digital	Digital	None	$1,905.00
LXV404.99.00102	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	None	$1,442.00
LXV404.99.00202	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	None	$1,442.00
LXV404.99.00112	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$1,759.00
LXV404.99.70552	24 VDC	2x 4-20 mA Out	Digital	Digital	Digital	$2,338.00
LXV404.99.00222	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	Analog Conductivity	$1,759.00
LXV404.99.00302	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Flow	None	
LXV404.99.01552	100-240V AC, No Power Cord	Modbus RS232/ RS485	Digital	Digital	Digital	$2,499.00
LXV404.99.05502	100-240V AC, No Power Cord	Hart	Digital	Digital	None	$2,328.00
LXV404.99.70502	24 VDC	2x 4-20 mA Out	Digital	Digital	None	$2,157.00
LXV404.99.70202	24 VDC	2x 4-20 mA Out	Analog	Analog Conductivity	None	$1,691.00
LXV404.99.03502	100-240V AC, No Power Cord	Profibus DP	Digital	Digital	None	$2,328.00
LXV404.99.05202	100-240V AC, No Power Cord	Hart	Analog	Analog Conductivity	None	$1,855.00

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.75552	24 VDC	Hart	Digital	Digital	Digital	$2,742.00
LXV404.99.05102	100-240V AC, No Power Cord	Hart	Analog	Analog pH/ORP/DO	None	$1,855.00
LXV404.99.09552	100-240V AC, No Power Cord	5x 4-20mA Out	Digital	Digital	Digital	$2,367.00
LXV404.99.05552	100-240V AC, No Power Cord	Hart	Digital	Digital	Digital	$2,499.00
LXV404.99.50552	100-240V AC, US Power Cord	2x 4-20 mA Out	Digital	Digital	Digital	$2,147.00
LXV404.99.70222	24 VDC	2x 4-20 mA Out	Analog	Analog Conductivity	Analog Conductivity	$2,009.00
LXV404.99.00212	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	$1,759.00
LXV404.99.00522	100-240V AC, No Power Cord	2x 4-20 mA Out	Digital	Digital	Analog Conductivity	$2,178.00
LXV404.99.03552	100-240V AC, No Power Cord	Profibus DP	Digital	Digital	Digital	$2,499.00
LXV404.99.00512	100-240V AC, No Power Cord	2x 4-20 mA Out	Digital	Digital	Analog pH/ORP/DO	$2,178.00
LXV404.99.70212	24 VDC	2x 4-20 mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,009.00
LXV404.99.70112	24 VDC	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,009.00
LXV404.99.75102	24 VDC	Hart	Analog	Analog pH/ORP/DO	None	$2,099.00
LXV404.99.01502	100-240V AC, No Power Cord	Modbus RS232/ RS485	Digital	Digital	None	$2,328.00
LXV404.99.75502	24 VDC	Hart	Digital	Digital	None	$2,579.00
LXV404.99.01512	100-240V AC, No Power Cord	Modbus RS232/ RS485	Digital	Digital	Analog pH/ORP/DO	$2,589.00
LXV404.99.70102	24 VDC	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	None	$1,691.00
LXV404.99.05402	100-240V AC, No Power Cord	Hart	Analog	4-20mA Input	None	$1,855.00
LXV404.99.73552	24 VDC	Profibus DP	Digital	Digital	Digital	$2,741.00
LXV404.99.01202	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	Analog Conductivity	None	$1,855.00
LXV404.99.55502	100-240V AC, US Power Cord	Hart	Digital	Digital	None	$2,380.00
LXV404.99.50102	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	None	$1,495.00
LXV404.99.00332	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog Flow	
LXV404.99.75202	24 VDC	Hart	Analog	Analog Conductivity	None	$2,099.00
LXV404.99.79222	24 VDC	5x 4-20mA Out	Analog	Analog Conductivity	Analog Conductivity	$2,283.00
LXV404.99.79552	24 VDC	5x 4-20mA Out	Digital	Digital	Digital	$2,569.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.59552	100-240V AC, US Power Cord	5x 4-20mA Out	Digital	Digital	Digital	$2,287.00
LXV404.99.01112	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,171.00
LXV404.99.50302	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Flow	None	
LXV404.99.01102	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	Analog pH/ORP/DO	None	$1,855.00
LXV404.99.50502	100-240V AC, US Power Cord	2x 4-20 mA Out	Digital	Digital	None	$1,960.00
LXV404.99.71212	24 VDC	Modbus RS232/ RS485	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,417.00
LXV404.99.11222	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	Analog Conductivity	Analog Conductivity	$2,209.00
LXV404.99.73502	24 VDC	Profibus DP	Digital	Digital	None	$2,579.00
LXV404.99.00542	100-240V AC, No Power Cord	2x 4-20 mA Out	Digital	Digital	4-20mA Input	$2,178.00
LXV404.99.79212	24 VDC	5x 4-20mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,283.00
LXV404.99.71552	24 VDC	Modbus RS232/ RS485	Digital	Digital	Digital	$2,742.00
LXV404.99.00532	100-240V AC, No Power Cord	2x 4-20 mA Out	Digital	Digital	Analog Flow	$2,390.00
LXV404.99.01212	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,171.00
LXV404.99.75222	24 VDC	Hart	Analog	Analog Conductivity	Analog Conductivity	$2,417.00
LXV404.99.51502	100-240V AC, US Power Cord	Modbus RS232/ RS485	Digital	Digital	None	$2,380.00
LXV404.99.50112	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$1,813.00
LXV404.99.09112	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,034.00
LXV404.99.10552	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Digital	Digital	Digital	$2,132.00
LXV404.99.70302	24 VDC	2x 4-20 mA Out	Analog	Analog Flow	None	
LXV404.99.00312	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.01302	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	Analog Flow	None	
LXV404.99.05222	100-240V AC, No Power Cord	Hart	Analog	Analog Conductivity	Analog Conductivity	$2,171.00
LXV404.99.50222	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	Analog Conductivity	$1,811.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.59512	100-240V AC, US Power Cord	5x 4-20mA Out	Digital	Digital	Analog pH/ORP/DO	$2,506.00
LXV404.99.01312	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.03402	100-240V AC, No Power Cord	Profibus DP	Analog	4-20mA Input	None	$1,855.00
LXV404.99.09512	100-240V AC, No Power Cord	5x 4-20mA Out	Digital	Digital	Analog pH/ORP/DO	$2,454.00
LXV404.99.00442	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	4-20mA Input	$1,759.00
LXV404.99.00402	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	None	$1,442.00
LXV404.99.50512	100-240V AC, US Power Cord	2x 4-20 mA Out	Digital	Digital	Analog pH/ORP/DO	$2,231.00
LXV404.99.03202	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Conductivity	None	$1,855.00
LXV404.99.05312	100-240V AC, No Power Cord	Hart	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.10502	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Digital	Digital	None	$1,944.00
LXV404.99.70512	24 VDC	2x 4-20 mA Out	Digital	Digital	Analog pH/ORP/DO	$2,424.00
LXV404.99.09222	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	Analog Conductivity	$2,034.00
LXV404.99.10302	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Flow	None	
LXV404.99.79112	24 VDC	5x 4-20mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,283.00
LXV404.99.15552	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Digital	Digital	Digital	$2,539.00
LXV404.99.55552	100-240V AC, US Power Cord	Hart	Digital	Digital	Digital	$2,552.00
LXV404.99.01442	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	4-20mA Input	$2,171.00
LXV404.99.05532	100-240V AC, No Power Cord	Hart	Digital	Digital	Analog Flow	$2,800.00
LXV404.99.51302	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	Analog Flow	None	
LXV404.99.51552	100-240V AC, US Power Cord	Modbus RS232/ RS485	Digital	Digital	Digital	$2,552.00
LXV404.99.71502	24 VDC	Modbus RS232/ RS485	Digital	Digital	None	$2,579.00
LXV404.99.50532	100-240V AC, US Power Cord	2x 4-20 mA Out	Digital	Digital	Analog Flow	$2,443.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.50202	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	None	$1,495.00
LXV404.99.75112	24 VDC	Hart	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,417.00
LXV404.99.09522	100-240V AC, No Power Cord	5x 4-20mA Out	Digital	Digital	Analog Conductivity	$2,454.00
LXV404.99.51102	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	Analog pH/ORP/DO	None	$1,905.00
LXV404.99.70522	24 VDC	2x 4-20 mA Out	Digital	Digital	Analog Conductivity	$2,424.00
LXV404.99.03102	100-240V AC, No Power Cord	Profibus DP	Analog	Analog pH/ORP/DO	None	$1,855.00
LXV404.99.13202	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Conductivity	None	$1,892.00
LXV404.99.50332	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog Flow	
LXV404.99.50212	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	$1,813.00
LXV404.99.01532	100-240V AC, No Power Cord	Modbus RS232/ RS485	Digital	Digital	Analog Flow	$2,800.00
LXV404.99.50542	100-240V AC, US Power Cord	2x 4-20 mA Out	Digital	Digital	4-20mA Input	$2,231.00
LXV404.99.05512	100-240V AC, No Power Cord	Hart	Digital	Digital	Analog pH/ORP/DO	$2,589.00
LXV404.99.09312	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.09542	100-240V AC, No Power Cord	5x 4-20mA Out	Digital	Digital	4-20mA Input	$2,454.00
LXV404.99.19552	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Digital	Digital	Digital	$2,403.00
LXV404.99.70542	24 VDC	2x 4-20 mA Out	Digital	Digital	4-20mA Input	$2,424.00
LXV404.99.00322	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog Conductivity	
LXV404.99.01522	100-240V AC, No Power Cord	Modbus RS232/ RS485	Digital	Digital	Analog Conductivity	$2,589.00
LXV404.99.01542	100-240V AC, No Power Cord	Modbus RS232/ RS485	Digital	Digital	4-20mA Input	$2,589.00
LXV404.99.51222	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	Analog Conductivity	Analog Conductivity	$2,223.00
LXV404.99.71102	24 VDC	Modbus RS232/ RS485	Analog	Analog pH/ORP/DO	None	$2,099.00
LXV404.99.75212	24 VDC	Hart	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,417.00
LXV404.99.03112	100-240V AC, No Power Cord	Profibus DP	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,171.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.05112	100-240V AC, No Power Cord	Hart	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,171.00
LXV404.99.05332	100-240V AC, No Power Cord	Hart	Analog	Analog Flow	Analog Flow	$2,594.00
LXV404.99.09202	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	None	$1,717.00
LXV404.99.09502	100-240V AC, No Power Cord	5x 4-20mA Out	Digital	Digital	None	$2,187.00
LXV404.99.10102	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	None	$1,480.00
LXV404.99.10202	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Conductivity	None	$1,480.00
LXV404.99.11552	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Digital	Digital	Digital	$2,539.00
LXV404.99.20502	100-240V AC, EU Power Cord	2x 4-20 mA Out	Digital	Digital	None	$1,960.00
LXV404.99.50402	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	None	$1,495.00
LXV404.99.51532	100-240V AC, US Power Cord	Modbus RS232/ RS485	Digital	Digital	Analog Flow	$2,854.00
LXV404.99.53552	100-240V AC, US Power Cord	Profibus DP	Digital	Digital	Digital	$2,552.00
LXV404.99.70412	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	$2,009.00
LXV404.99.71202	24 VDC	Modbus RS232/ RS485	Analog	Analog Conductivity	None	$2,099.00
LXV404.99.73212	24 VDC	Profibus DP	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,417.00
LXV404.99.73402	24 VDC	Profibus DP	Analog	4-20mA Input	None	$2,099.00
LXV404.99.73542	24 VDC	Profibus DP	Digital	Digital	4-20mA Input	$2,836.00
LXV404.99.05302	100-240V AC, No Power Cord	Hart	Analog	Analog Flow	None	
LXV404.99.03512	100-240V AC, No Power Cord	Profibus DP	Digital	Digital	Analog pH/ORP/DO	$2,589.00
LXV404.99.21552	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Digital	Digital	Digital	$2,552.00
LXV404.99.50522	100-240V AC, US Power Cord	2x 4-20 mA Out	Digital	Digital	Analog Conductivity	$2,231.00
LXV404.99.51112	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,223.00
LXV404.99.55332	100-240V AC, US Power Cord	Hart	Analog	Analog Flow	Analog Flow	$2,622.00
LXV404.99.75312	24 VDC	Hart	Analog	Analog Flow	Analog pH/ORP/DO	$2,629.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.75512	24 VDC	Hart	Digital	Digital	Analog pH/ORP/DO	$2,836.00
LXV404.99.00412	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	$1,759.00
LXV404.99.01332	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	Analog Flow	Analog Flow	
LXV404.99.05212	100-240V AC, No Power Cord	Hart	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,171.00
LXV404.99.05522	100-240V AC, No Power Cord	Hart	Digital	Digital	Analog Conductivity	$2,589.00
LXV404.99.09102	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog pH/ORP/DO	None	$1,717.00
LXV404.99.09212	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,034.00
LXV404.99.09432	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog Flow	
LXV404.99.09532	100-240V AC, No Power Cord	5x 4-20mA Out	Digital	Digital	Analog Flow	$2,664.00
LXV404.99.10442	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	4-20mA Input	4-20mA Input	$1,799.00
LXV404.99.11522	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Digital	Digital	Analog Conductivity	$2,625.00
LXV404.99.19112	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,074.00
LXV404.99.19302	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Flow	None	
LXV404.99.19532	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Digital	Digital	Analog Flow	$2,702.00
LXV404.99.20102	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	None	$1,495.00
LXV404.99.20402	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	None	$1,495.00
LXV404.99.50312	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.50412	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	$1,813.00
LXV404.99.50432	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog Flow	$2,025.00
LXV404.99.50442	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	4-20mA Input	$1,813.00
LXV404.99.51332	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	Analog Flow	Analog Flow	

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.59222	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	Analog Conductivity	$2,089.00
LXV404.99.59432	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog Flow	
LXV404.99.70312	24 VDC	2x 4-20 mA Out	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.71112	24 VDC	Modbus RS232/ RS485	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,417.00
LXV404.99.73102	24 VDC	Profibus DP	Analog	Analog pH/ORP/DO	None	$2,099.00
LXV404.99.73202	24 VDC	Profibus DP	Analog	Analog Conductivity	None	$2,099.00
LXV404.99.79322	24 VDC	5x 4-20mA Out	Analog	Analog Flow	Analog Conductivity	
LXV404.99.03522	100-240V AC, No Power Cord	Profibus DP	Digital	Digital	Analog Conductivity	$2,589.00
LXV404.99.03532	100-240V AC, No Power Cord	Profibus DP	Digital	Digital	Analog Flow	$2,800.00
LXV404.99.03542	100-240V AC, No Power Cord	Profibus DP	Digital	Digital	4-20mA Input	$2,589.00
LXV404.99.51202	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	Analog Conductivity	None	$1,905.00
LXV404.99.51212	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,223.00
LXV404.99.59212	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,089.00
LXV404.99.70532	24 VDC	2x 4-20 mA Out	Digital	Digital	Analog Flow	$2,636.00
LXV404.99.05412	100-240V AC, No Power Cord	Hart	Analog	4-20mA Input	Analog pH/ORP/DO	$2,171.00
LXV404.99.05422	100-240V AC, No Power Cord	Hart	Analog	4-20mA Input	Analog Conductivity	$2,171.00
LXV404.99.05432	100-240V AC, No Power Cord	Hart	Analog	4-20mA Input	Analog Flow	$2,384.00
LXV404.99.05442	100-240V AC, No Power Cord	Hart	Analog	4-20mA Input	4-20mA Input	$2,171.00
LXV404.99.15102	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	Analog pH/ORP/DO	None	$1,892.00
LXV404.99.15112	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,209.00
LXV404.99.15202	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	Analog Conductivity	None	$1,892.00
LXV404.99.15212	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,209.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.15222	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	Analog Conductivity	Analog Conductivity	$2,209.00
LXV404.99.15302	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	Analog Flow	None	$2,104.00
LXV404.99.15312	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	Analog Flow	Analog pH/ORP/DO	$2,420.00
LXV404.99.15322	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	Analog Flow	Analog Conductivity	$2,420.00
LXV404.99.15332	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	Analog Flow	Analog Flow	$2,632.00
LXV404.99.15402	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	4-20mA Input	None	$1,892.00
LXV404.99.15412	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	4-20mA Input	Analog pH/ORP/DO	$2,209.00
LXV404.99.15422	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	4-20mA Input	Analog Conductivity	$2,209.00
LXV404.99.15432	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	4-20mA Input	Analog Flow	$2,420.00
LXV404.99.15442	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Analog	4-20mA Input	4-20mA Input	$2,209.00
LXV404.99.15502	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Digital	Digital	None	$2,364.00
LXV404.99.15512	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Digital	Digital	Analog pH/ORP/DO	$2,625.00
LXV404.99.15522	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Digital	Digital	Analog Conductivity	$2,625.00
LXV404.99.15532	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Digital	Digital	Analog Flow	$2,839.00
LXV404.99.15542	100-240V AC, No Power Cord, 2x Strain Relief	Hart	Digital	Digital	4-20mA Input	$2,625.00
LXV404.99.25102	100-240V AC, EU Power Cord	Hart	Analog	Analog pH/ORP/DO	None	$1,905.00
LXV404.99.25112	100-240V AC, EU Power Cord	Hart	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,223.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.25202	100-240V AC, EU Power Cord	Hart	Analog	Analog Conductivity	None	$1,905.00
LXV404.99.25212	100-240V AC, EU Power Cord	Hart	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,223.00
LXV404.99.25222	100-240V AC, EU Power Cord	Hart	Analog	Analog Conductivity	Analog Conductivity	$2,223.00
LXV404.99.25302	100-240V AC, EU Power Cord	Hart	Analog	Analog Flow	None	$2,118.00
LXV404.99.25312	100-240V AC, EU Power Cord	Hart	Analog	Analog Flow	Analog pH/ORP/DO	$2,435.00
LXV404.99.25322	100-240V AC, EU Power Cord	Hart	Analog	Analog Flow	Analog Conductivity	$2,435.00
LXV404.99.25332	100-240V AC, EU Power Cord	Hart	Analog	Analog Flow	Analog Flow	$2,648.00
LXV404.99.25402	100-240V AC, EU Power Cord	Hart	Analog	4-20mA Input	None	$1,905.00
LXV404.99.25412	100-240V AC, EU Power Cord	Hart	Analog	4-20mA Input	Analog pH/ORP/DO	$2,223.00
LXV404.99.25422	100-240V AC, EU Power Cord	Hart	Analog	4-20mA Input	Analog Conductivity	$2,223.00
LXV404.99.25432	100-240V AC, EU Power Cord	Hart	Analog	4-20mA Input	Analog Flow	$2,435.00
LXV404.99.25442	100-240V AC, EU Power Cord	Hart	Analog	4-20mA Input	4-20mA Input	$2,223.00
LXV404.99.25502	100-240V AC, EU Power Cord	Hart	Digital	Digital	None	$2,380.00
LXV404.99.25512	100-240V AC, EU Power Cord	Hart	Digital	Digital	Analog pH/ORP/DO	$2,642.00
LXV404.99.25522	100-240V AC, EU Power Cord	Hart	Digital	Digital	Analog Conductivity	$2,642.00
LXV404.99.25532	100-240V AC, EU Power Cord	Hart	Digital	Digital	Analog Flow	$2,854.00
LXV404.99.25542	100-240V AC, EU Power Cord	Hart	Digital	Digital	4-20mA Input	$2,642.00
LXV404.99.25552	100-240V AC, EU Power Cord	Hart	Digital	Digital	Digital	$2,552.00
LXV404.99.55102	100-240V AC, US Power Cord	Hart	Analog	Analog pH/ORP/DO	None	$1,905.00
LXV404.99.55112	100-240V AC, US Power Cord	Hart	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,223.00
LXV404.99.55202	100-240V AC, US Power Cord	Hart	Analog	Analog Conductivity	None	$1,905.00
LXV404.99.55212	100-240V AC, US Power Cord	Hart	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,223.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.55222	100-240V AC, US Power Cord	Hart	Analog	Analog Conductivity	Analog Conductivity	$2,223.00
LXV404.99.55302	100-240V AC, US Power Cord	Hart	Analog	Analog Flow	None	$2,094.00
LXV404.99.55312	100-240V AC, US Power Cord	Hart	Analog	Analog Flow	Analog pH/ORP/DO	$2,408.00
LXV404.99.55322	100-240V AC, US Power Cord	Hart	Analog	Analog Flow	Analog Conductivity	$2,408.00
LXV404.99.55402	100-240V AC, US Power Cord	Hart	Analog	4-20mA Input	None	$1,905.00
LXV404.99.55412	100-240V AC, US Power Cord	Hart	Analog	4-20mA Input	Analog pH/ORP/DO	$2,223.00
LXV404.99.55422	100-240V AC, US Power Cord	Hart	Analog	4-20mA Input	Analog Conductivity	$2,223.00
LXV404.99.55432	100-240V AC, US Power Cord	Hart	Analog	4-20mA Input	Analog Flow	$2,435.00
LXV404.99.55442	100-240V AC, US Power Cord	Hart	Analog	4-20mA Input	4-20mA Input	$2,223.00
LXV404.99.55512	100-240V AC, US Power Cord	Hart	Digital	Digital	Analog pH/ORP/DO	$2,641.00
LXV404.99.55522	100-240V AC, US Power Cord	Hart	Digital	Digital	Analog Conductivity	$2,642.00
LXV404.99.55532	100-240V AC, US Power Cord	Hart	Digital	Digital	Analog Flow	$2,854.00
LXV404.99.55542	100-240V AC, US Power Cord	Hart	Digital	Digital	4-20mA Input	$2,642.00
LXV404.99.75302	24 VDC	Hart	Analog	Analog Flow	None	$2,315.00
LXV404.99.75322	24 VDC	Hart	Analog	Analog Flow	Analog Conductivity	$2,629.00
LXV404.99.75332	24 VDC	Hart	Analog	Analog Flow	Analog Flow	$2,841.00
LXV404.99.75402	24 VDC	Hart	Analog	4-20mA Input	None	$2,099.00
LXV404.99.75412	24 VDC	Hart	Analog	4-20mA Input	Analog pH/ORP/DO	$2,417.00
LXV404.99.75422	24 VDC	Hart	Analog	4-20mA Input	Analog Conductivity	$2,417.00
LXV404.99.75432	24 VDC	Hart	Analog	4-20mA Input	Analog Flow	$2,629.00
LXV404.99.75442	24 VDC	Hart	Analog	4-20mA Input	4-20mA Input	$2,417.00
LXV404.99.75522	24 VDC	Hart	Digital	Digital	Analog Conductivity	$2,836.00
LXV404.99.75532	24 VDC	Hart	Digital	Digital	Analog Flow	$3,049.00
LXV404.99.75542	24 VDC	Hart	Digital	Digital	4-20mA Input	$2,836.00
LXV404.99.00422	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog Conductivity	$1,759.00
LXV404.99.00432	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog Flow	

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.01322	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	Analog Flow	Analog Conductivity	
LXV404.99.01402	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	None	$1,855.00
LXV404.99.01412	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	Analog pH/ORP/DO	$2,171.00
LXV404.99.01422	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	Analog Conductivity	$2,171.00
LXV404.99.01432	100-240V AC, No Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	Analog Flow	
LXV404.99.03212	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,171.00
LXV404.99.03222	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Conductivity	Analog Conductivity	$2,171.00
LXV404.99.03302	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Flow	None	
LXV404.99.03312	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.03322	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Flow	Analog Conductivity	
LXV404.99.03332	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Flow	Analog Flow	
LXV404.99.03412	100-240V AC, No Power Cord	Profibus DP	Analog	4-20mA Input	Analog pH/ORP/DO	$2,171.00
LXV404.99.03422	100-240V AC, No Power Cord	Profibus DP	Analog	4-20mA Input	Analog Conductivity	$2,171.00
LXV404.99.03432	100-240V AC, No Power Cord	Profibus DP	Analog	4-20mA Input	Analog Flow	
LXV404.99.03442	100-240V AC, No Power Cord	Profibus DP	Analog	4-20mA Input	4-20mA Input	$2,171.00
LXV404.99.05322	100-240V AC, No Power Cord	Hart	Analog	Analog Flow	Analog Conductivity	$2,384.00
LXV404.99.05542	100-240V AC, No Power Cord	Hart	Digital	Digital	4-20mA Input	$2,589.00
LXV404.99.09302	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Flow	None	
LXV404.99.09322	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog Conductivity	
LXV404.99.09332	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog Flow	
LXV404.99.09402	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	4-20mA Input	None	$1,717.00
LXV404.99.09412	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	$2,034.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.09422	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog Conductivity	$2,034.00
LXV404.99.09442	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	4-20mA Input	4-20mA Input	$2,034.00
LXV404.99.10112	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$1,799.00
LXV404.99.10212	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	$1,799.00
LXV404.99.10222	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Conductivity	Analog Conductivity	$1,799.00
LXV404.99.10312	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.10322	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Flow	Analog Conductivity	
LXV404.99.10332	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Flow	Analog Flow	
LXV404.99.10402	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	4-20mA Input	None	$1,480.00
LXV404.99.10412	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	$1,799.00
LXV404.99.10422	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	4-20mA Input	Analog Conductivity	$1,799.00
LXV404.99.10432	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	4-20mA Input	Analog Flow	
LXV404.99.10512	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Digital	Digital	Analog pH/ORP/DO	$2,216.00
LXV404.99.10522	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Digital	Digital	Analog Conductivity	$2,216.00
LXV404.99.10532	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Digital	Digital	Analog Flow	$2,427.00
LXV404.99.10542	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Digital	Digital	4-20mA Input	$2,216.00
LXV404.99.11102	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	Analog pH/ORP/DO	None	$1,892.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.11112	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,209.00
LXV404.99.11202	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	Analog Conductivity	None	$1,892.00
LXV404.99.11212	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,209.00
LXV404.99.11302	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	Analog Flow	None	
LXV404.99.11312	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.11322	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	Analog Flow	Analog Conductivity	
LXV404.99.11332	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	Analog Flow	Analog Flow	
LXV404.99.11402	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	4-20mA Input	None	$1,892.00
LXV404.99.11412	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	4-20mA Input	Analog pH/ORP/DO	$2,209.00
LXV404.99.11422	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	4-20mA Input	Analog Conductivity	$2,209.00
LXV404.99.11432	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	4-20mA Input	Analog Flow	
LXV404.99.11442	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Analog	4-20mA Input	4-20mA Input	$2,209.00
LXV404.99.11502	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Digital	Digital	None	$2,364.00
LXV404.99.11512	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Digital	Digital	Analog pH/ORP/DO	$2,625.00
LXV404.99.11532	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Digital	Digital	Analog Flow	$2,839.00
LXV404.99.11542	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/ RS485	Digital	Digital	4-20mA Input	$2,625.00
LXV404.99.13102	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog pH/ORP/DO	None	$1,892.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.13112	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,209.00
LXV404.99.13212	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,209.00
LXV404.99.13222	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Conductivity	Analog Conductivity	$2,209.00
LXV404.99.13302	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Flow	None	
LXV404.99.13312	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.13322	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Flow	Analog Conductivity	
LXV404.99.13332	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Flow	Analog Flow	
LXV404.99.13402	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	4-20mA Input	None	$1,892.00
LXV404.99.13412	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	4-20mA Input	Analog pH/ORP/DO	$2,209.00
LXV404.99.13422	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	4-20mA Input	Analog Conductivity	$2,209.00
LXV404.99.13432	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	4-20mA Input	Analog Flow	
LXV404.99.13442	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	4-20mA Input	4-20mA Input	$2,209.00
LXV404.99.13502	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Digital	Digital	None	$2,364.00
LXV404.99.13512	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Digital	Digital	Analog pH/ORP/DO	$2,625.00
LXV404.99.13522	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Digital	Digital	Analog Conductivity	$2,625.00
LXV404.99.13532	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Digital	Digital	Analog Flow	$2,839.00
LXV404.99.13542	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Digital	Digital	4-20mA Input	$2,625.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.13552	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Digital	Digital	Digital	$2,539.00
LXV404.99.19102	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog pH/ORP/DO	None	$1,755.00
LXV404.99.19202	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Conductivity	None	$1,755.00
LXV404.99.19212	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,074.00
LXV404.99.19222	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Conductivity	Analog Conductivity	$2,074.00
LXV404.99.19312	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.19322	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Flow	Analog Conductivity	
LXV404.99.19332	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Flow	Analog Flow	
LXV404.99.19402	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	4-20mA Input	None	$1,755.00
LXV404.99.19412	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	$2,074.00
LXV404.99.19422	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	4-20mA Input	Analog Conductivity	$2,074.00
LXV404.99.19432	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	4-20mA Input	Analog Flow	
LXV404.99.19442	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	4-20mA Input	4-20mA Input	$2,074.00
LXV404.99.19502	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Digital	Digital	None	$2,224.00
LXV404.99.19512	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Digital	Digital	Analog pH/ORP/DO	$2,491.00
LXV404.99.19522	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Digital	Digital	Analog Conductivity	$2,491.00
LXV404.99.19542	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Digital	Digital	4-20mA Input	$2,491.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.20112	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$1,813.00
LXV404.99.20202	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	None	$1,495.00
LXV404.99.20212	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	$1,813.00
LXV404.99.20222	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	Analog Conductivity	$1,813.00
LXV404.99.20302	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Flow	None	
LXV404.99.20312	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.20322	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog Conductivity	
LXV404.99.20332	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog Flow	
LXV404.99.20412	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	$1,813.00
LXV404.99.20422	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog Conductivity	$1,813.00
LXV404.99.20432	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog Flow	
LXV404.99.20442	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	4-20mA Input	$1,813.00
LXV404.99.20512	100-240V AC, EU Power Cord	2x 4-20 mA Out	Digital	Digital	Analog pH/ORP/DO	$2,231.00
LXV404.99.20522	100-240V AC, EU Power Cord	2x 4-20 mA Out	Digital	Digital	Analog Conductivity	$2,231.00
LXV404.99.20532	100-240V AC, EU Power Cord	2x 4-20 mA Out	Digital	Digital	Analog Flow	$2,443.00
LXV404.99.20542	100-240V AC, EU Power Cord	2x 4-20 mA Out	Digital	Digital	4-20mA Input	$2,231.00
LXV404.99.20552	100-240V AC, EU Power Cord	2x 4-20 mA Out	Digital	Digital	Digital	$2,147.00
LXV404.99.21102	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	Analog pH/ORP/DO	None	$1,905.00
LXV404.99.21112	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,223.00
LXV404.99.21202	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	Analog Conductivity	None	$1,905.00
LXV404.99.21212	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,223.00
LXV404.99.21222	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	Analog Conductivity	Analog Conductivity	$2,223.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.21302	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	Analog Flow	None	
LXV404.99.21312	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.21322	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	Analog Flow	Analog Conductivity	
LXV404.99.21332	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	Analog Flow	Analog Flow	
LXV404.99.21402	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	None	$1,905.00
LXV404.99.21412	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	Analog pH/ORP/DO	$2,223.00
LXV404.99.21422	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	Analog Conductivity	$2,223.00
LXV404.99.21432	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	Analog Flow	
LXV404.99.21442	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	4-20mA Input	$2,223.00
LXV404.99.21502	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Digital	Digital	None	$2,380.00
LXV404.99.21512	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Digital	Digital	Analog pH/ORP/DO	$2,642.00
LXV404.99.21522	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Digital	Digital	Analog Conductivity	$2,642.00
LXV404.99.21532	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Digital	Digital	Analog Flow	$2,854.00
LXV404.99.21542	100-240V AC, EU Power Cord	Modbus RS232/ RS485	Digital	Digital	4-20mA Input	$2,642.00
LXV404.99.23102	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog pH/ORP/DO	None	$1,905.00
LXV404.99.23112	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,223.00
LXV404.99.23202	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Conductivity	None	$1,905.00
LXV404.99.23212	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,223.00
LXV404.99.23222	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Conductivity	Analog Conductivity	$2,223.00
LXV404.99.23302	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Flow	None	
LXV404.99.23312	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.23322	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Flow	Analog Conductivity	

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.23332	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Flow	Analog Flow	
LXV404.99.23402	100-240V AC, EU Power Cord	Profibus DP	Analog	4-20mA Input	None	$1,905.00
LXV404.99.23412	100-240V AC, EU Power Cord	Profibus DP	Analog	4-20mA Input	Analog pH/ORP/DO	$2,223.00
LXV404.99.23422	100-240V AC, EU Power Cord	Profibus DP	Analog	4-20mA Input	Analog Conductivity	$2,223.00
LXV404.99.23432	100-240V AC, EU Power Cord	Profibus DP	Analog	4-20mA Input	Analog Flow	
LXV404.99.23442	100-240V AC, EU Power Cord	Profibus DP	Analog	4-20mA Input	4-20mA Input	$2,223.00
LXV404.99.23502	100-240V AC, EU Power Cord	Profibus DP	Digital	Digital	None	$2,380.00
LXV404.99.23512	100-240V AC, EU Power Cord	Profibus DP	Digital	Digital	Analog pH/ORP/DO	$2,642.00
LXV404.99.23522	100-240V AC, EU Power Cord	Profibus DP	Digital	Digital	Analog Conductivity	$2,642.00
LXV404.99.23532	100-240V AC, EU Power Cord	Profibus DP	Digital	Digital	Analog Flow	$2,854.00
LXV404.99.23542	100-240V AC, EU Power Cord	Profibus DP	Digital	Digital	4-20mA Input	$2,642.00
LXV404.99.23552	100-240V AC, EU Power Cord	Profibus DP	Digital	Digital	Digital	$2,552.00
LXV404.99.29102	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog pH/ORP/DO	None	$1,771.00
LXV404.99.29112	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,089.00
LXV404.99.29202	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	None	$1,771.00
LXV404.99.29212	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,089.00
LXV404.99.29222	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	Analog Conductivity	$2,089.00
LXV404.99.29302	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Flow	None	
LXV404.99.29312	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.29322	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog Conductivity	
LXV404.99.29332	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog Flow	
LXV404.99.29402	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	4-20mA Input	None	$1,771.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.29412	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	$2,089.00
LXV404.99.29422	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog Conductivity	$2,089.00
LXV404.99.29432	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog Flow	
LXV404.99.29442	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	4-20mA Input	4-20mA Input	$2,089.00
LXV404.99.29502	100-240V AC, EU Power Cord	5x 4-20mA Out	Digital	Digital	None	$2,243.00
LXV404.99.29512	100-240V AC, EU Power Cord	5x 4-20mA Out	Digital	Digital	Analog pH/ORP/DO	$2,506.00
LXV404.99.29522	100-240V AC, EU Power Cord	5x 4-20mA Out	Digital	Digital	Analog Conductivity	$2,506.00
LXV404.99.29532	100-240V AC, EU Power Cord	5x 4-20mA Out	Digital	Digital	Analog Flow	$2,719.00
LXV404.99.29542	100-240V AC, EU Power Cord	5x 4-20mA Out	Digital	Digital	4-20mA Input	$2,506.00
LXV404.99.29552	100-240V AC, EU Power Cord	5x 4-20mA Out	Digital	Digital	Digital	$2,418.00
LXV404.99.50322	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog Conductivity	
LXV404.99.50422	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog Conductivity	$1,813.00
LXV404.99.51312	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.51322	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	Analog Flow	Analog Conductivity	
LXV404.99.51402	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	None	$1,905.00
LXV404.99.51412	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	Analog pH/ORP/DO	$2,223.00
LXV404.99.51422	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	Analog Conductivity	$2,223.00
LXV404.99.51432	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	Analog Flow	
LXV404.99.51442	100-240V AC, US Power Cord	Modbus RS232/ RS485	Analog	4-20mA Input	4-20mA Input	$2,223.00
LXV404.99.51512	100-240V AC, US Power Cord	Modbus RS232/ RS485	Digital	Digital	Analog pH/ORP/DO	$2,641.00
LXV404.99.51522	100-240V AC, US Power Cord	Modbus RS232/ RS485	Digital	Digital	Analog Conductivity	$2,642.00
LXV404.99.51542	100-240V AC, US Power Cord	Modbus RS232/ RS485	Digital	Digital	4-20mA Input	$2,642.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.53102	100-240V AC, US Power Cord	Profibus DP	Analog	Analog pH/ORP/DO	None	$1,905.00
LXV404.99.53112	100-240V AC, US Power Cord	Profibus DP	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,223.00
LXV404.99.53202	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Conductivity	None	$1,905.00
LXV404.99.53212	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Conductivity	Analog pH/ORP/DO	$2,223.00
LXV404.99.53222	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Conductivity	Analog Conductivity	$2,223.00
LXV404.99.53302	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Flow	None	
LXV404.99.53312	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.53322	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Flow	Analog Conductivity	
LXV404.99.53332	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Flow	Analog Flow	
LXV404.99.53402	100-240V AC, US Power Cord	Profibus DP	Analog	4-20mA Input	None	$1,905.00
LXV404.99.53412	100-240V AC, US Power Cord	Profibus DP	Analog	4-20mA Input	Analog pH/ORP/DO	$2,223.00
LXV404.99.53422	100-240V AC, US Power Cord	Profibus DP	Analog	4-20mA Input	Analog Conductivity	$2,223.00
LXV404.99.53432	100-240V AC, US Power Cord	Profibus DP	Analog	4-20mA Input	Analog Flow	
LXV404.99.53442	100-240V AC, US Power Cord	Profibus DP	Analog	4-20mA Input	4-20mA Input	$2,223.00
LXV404.99.53502	100-240V AC, US Power Cord	Profibus DP	Digital	Digital	None	$2,380.00
LXV404.99.53512	100-240V AC, US Power Cord	Profibus DP	Digital	Digital	Analog pH/ORP/DO	$2,642.00
LXV404.99.53522	100-240V AC, US Power Cord	Profibus DP	Digital	Digital	Analog Conductivity	$2,642.00
LXV404.99.53532	100-240V AC, US Power Cord	Profibus DP	Digital	Digital	Analog Flow	$2,854.00
LXV404.99.53542	100-240V AC, US Power Cord	Profibus DP	Digital	Digital	4-20mA Input	$2,642.00
LXV404.99.59102	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog pH/ORP/DO	None	$1,771.00
LXV404.99.59112	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,089.00
LXV404.99.59202	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	None	$1,771.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.59312	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.59322	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog Conductivity	
LXV404.99.59332	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog Flow	
LXV404.99.59402	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	4-20mA Input	None	$1,771.00
LXV404.99.59412	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	$2,089.00
LXV404.99.59422	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog Conductivity	$2,089.00
LXV404.99.59442	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	4-20mA Input	4-20mA Input	$2,089.00
LXV404.99.59502	100-240V AC, US Power Cord	5x 4-20mA Out	Digital	Digital	None	$2,243.00
LXV404.99.59522	100-240V AC, US Power Cord	5x 4-20mA Out	Digital	Digital	Analog Conductivity	$2,506.00
LXV404.99.59532	100-240V AC, US Power Cord	5x 4-20mA Out	Digital	Digital	Analog Flow	$2,719.00
LXV404.99.59542	100-240V AC, US Power Cord	5x 4-20mA Out	Digital	Digital	4-20mA Input	$2,506.00
LXV404.99.70322	24 VDC	2x 4-20 mA Out	Analog	Analog Flow	Analog Conductivity	
LXV404.99.70332	24 VDC	2x 4-20 mA Out	Analog	Analog Flow	Analog Flow	
LXV404.99.70402	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	None	$1,691.00
LXV404.99.70422	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	Analog Conductivity	$2,009.00
LXV404.99.70432	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	Analog Flow	
LXV404.99.70442	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	4-20mA Input	$2,009.00
LXV404.99.71222	24 VDC	Modbus RS232/ RS485	Analog	Analog Conductivity	Analog Conductivity	$2,417.00
LXV404.99.71302	24 VDC	Modbus RS232/ RS485	Analog	Analog Flow	None	
LXV404.99.71312	24 VDC	Modbus RS232/ RS485	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.71322	24 VDC	Modbus RS232/ RS485	Analog	Analog Flow	Analog Conductivity	
LXV404.99.71332	24 VDC	Modbus RS232/ RS485	Analog	Analog Flow	Analog Flow	
LXV404.99.71402	24 VDC	Modbus RS232/ RS485	Analog	4-20mA Input	None	$2,099.00
LXV404.99.71412	24 VDC	Modbus RS232/ RS485	Analog	4-20mA Input	Analog pH/ORP/DO	$2,417.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.71422	24 VDC	Modbus RS232/ RS485	Analog	4-20mA Input	Analog Conductivity	$2,417.00
LXV404.99.71432	24 VDC	Modbus RS232/ RS485	Analog	4-20mA Input	Analog Flow	
LXV404.99.71442	24 VDC	Modbus RS232/ RS485	Analog	4-20mA Input	4-20mA Input	$2,417.00
LXV404.99.71512	24 VDC	Modbus RS232/ RS485	Digital	Digital	Analog pH/ORP/DO	$2,836.00
LXV404.99.71522	24 VDC	Modbus RS232/ RS485	Digital	Digital	Analog Conductivity	$2,836.00
LXV404.99.71532	24 VDC	Modbus RS232/ RS485	Digital	Digital	Analog Flow	$3,049.00
LXV404.99.71542	24 VDC	Modbus RS232/ RS485	Digital	Digital	4-20mA Input	$2,836.00
LXV404.99.73112	24 VDC	Profibus DP	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	$2,417.00
LXV404.99.73222	24 VDC	Profibus DP	Analog	Analog Conductivity	Analog Conductivity	$2,417.00
LXV404.99.73302	24 VDC	Profibus DP	Analog	Analog Flow	None	
LXV404.99.73312	24 VDC	Profibus DP	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.73322	24 VDC	Profibus DP	Analog	Analog Flow	Analog Conductivity	
LXV404.99.73332	24 VDC	Profibus DP	Analog	Analog Flow	Analog Flow	
LXV404.99.73412	24 VDC	Profibus DP	Analog	4-20mA Input	Analog pH/ORP/DO	$2,417.00
LXV404.99.73422	24 VDC	Profibus DP	Analog	4-20mA Input	Analog Conductivity	$2,417.00
LXV404.99.73432	24 VDC	Profibus DP	Analog	4-20mA Input	Analog Flow	
LXV404.99.73442	24 VDC	Profibus DP	Analog	4-20mA Input	4-20mA Input	$2,417.00
LXV404.99.73512	24 VDC	Profibus DP	Digital	Digital	Analog pH/ORP/DO	$2,836.00
LXV404.99.73522	24 VDC	Profibus DP	Digital	Digital	Analog Conductivity	$2,836.00
LXV404.99.73532	24 VDC	Profibus DP	Digital	Digital	Analog Flow	$3,049.00
LXV404.99.79102	24 VDC	5x 4-20mA Out	Analog	Analog pH/ORP/DO	None	$1,965.00
LXV404.99.79302	24 VDC	5x 4-20mA Out	Analog	Analog Flow	None	
LXV404.99.79312	24 VDC	5x 4-20mA Out	Analog	Analog Flow	Analog pH/ORP/DO	
LXV404.99.79332	24 VDC	5x 4-20mA Out	Analog	Analog Flow	Analog Flow	
LXV404.99.79402	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	None	$1,965.00
LXV404.99.79412	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	$2,283.00
LXV404.99.79422	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	Analog Conductivity	$2,283.00
LXV404.99.79432	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	Analog Flow	
LXV404.99.79442	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	4-20mA Input	$2,283.00
LXV404.99.79502	24 VDC	5x 4-20mA Out	Digital	Digital	None	$2,441.00

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.79512	24 VDC	5x 4-20mA Out	Digital	Digital	Analog pH/ORP/DO	$2,700.00
LXV404.99.79522	24 VDC	5x 4-20mA Out	Digital	Digital	Analog Conductivity	$2,700.00
LXV404.99.79532	24 VDC	5x 4-20mA Out	Digital	Digital	Analog Flow	$2,913.00
LXV404.99.79542	24 VDC	5x 4-20mA Out	Digital	Digital	4-20mA Input	$2,700.00

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP