

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

CompactPCI® system platform Basic

	CPCI Basic 3,5 HE 42 TE Tiefe 280 mm	*CPCI Basic 3.5 U* *42 HP* *Depth 280 mm*





Maße
B: 269,4 mm
H: 162,4 mm
T: 280,6 mm

Dimensions
B: 269.4 mm
H: 162.4 mm
D: 280.6 mm

Das Wichtigste in Kürze

- 3,5 HE/42 TE-CompactPCI-Systemplattform mit Rear I/O
- Baugruppenträger gemäß IEEE 1101.1, 1101.10/11 und IEC 60297-3-101, -102, -103
- CompactPCI-Backplane: 7 Slot
- 180 W ATX-Netzgerät
- Kühlung durch 4 Lüfter (Luftstrom von unten nach oben)
- Komplett montiert und verdrahtet

Essential features at a glance

- *3.5 U/42 HP CompactPCI system platform with rear I/O*
- *Card rack acc. to IEEE 1101.1, 1101.10/11 and IEC 60297-3-101, -102, -103*
- *CompactPCI backplane: 7 slots*
- *180 W ATX power supply*
- *Cooled by 4 fans (air flow from bottom to top)*
- *Completely assembled and wired*

1 1 x CompactPCI-Baugruppenträger: Deckblech gelocht, mit Lüfterwanne, Ausführung in Aluminium, mit IEEE-Führungsschienen und ESD-Clip unten montiert
2 1 x CompactPCI-Backplane: 3 HE, 7 Slot, 32 Bit/33 MHz, Systemslot rechts, mit Rear I/O, mit ATX-Steckverbinder
3 1 x ATX-Netzgerät 180 W mit Weitbereich-seingang 115–230 V_{AC}, 47 - 63 Hz (3,3 V/12 A, 5 V/14 A, 12 V/14 A, –12 V/0,3 A und Mindest-last: +12 V / 0,1 A) mit PFC, Tiefe 220 mm, mit Lüfter und Schalter, mit Kabelbaum zum Anschluss an Back-plane, inkl. Frontplatte 3 HE/10 TE und Abstützwinkel
4 4 x DC Lüfter: 2 x 80 x 80 x 15 mm, 29,9 CFM, 33,4 dB(A). 2 x 80 x 80 x 25 mm, 38,8 CFM, 34,0 dB(A)
5 1 x Blindplatte 14 TE/3 HE *
6 1 x Blindplatte 4 TE/3 HE *
* mit EMV-Feder

1 1 x CompactPCI card rack: cover plate perforated, with fan tray, executed in aluminium, with IEEE guide rails and ESD clip mounted at the bottom
2 1 x CompactPCI backplane: 3 U, 7 slots, 32-bit/33 MHz, system slot on right side, with rear I/O, with ATX connector
3 1 x ATX power supply unit 180 W with wide range input 100–240 V_{AC}, 47 - 63 Hz (3.3 V/12 A, 5 V/14 A, 12 V/14 A, –12 V/0.3 A and min. load: +12 V / 0.1 A) with PFC, depth 220 mm, with fan and switch, with cable harness for connection to backplane, incl. front panel 3 U/10 HP and side panel for fixing
4 4 x DC fans: 2 x 80 x 80 x 15 mm, 29.9 CFM, 33.4 dB(A). 2 x 80 x 80 x 25 mm, 38.8 CFM, 34.0 dB(A)
*5 1 x Blanking plate 14 HP/3 U **
*6 1 x Blanking plate 4 HP/3 U **
** with EMC spring*

Bestellnummer

Order number

LMH0000391	CPCI-Systemplattform 7 Slot 5 V 42 TE / 3,5 HE ATX	*CPCI system platform 7 slots 5 V* *42 HP / 3.5 U ATX*
LMH0000401	CPCI-Systemplattform 7 Slot 3,3 V 42 TE / 3,5 HE ATX	*CPCI system platform 7 slots 3.3 V* *42 HP / 3.5 U ATX*

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP