

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Hexagon / Romer / Cimcore Infinite 5024* at our website: ***Click HERE***

cimcore

HEXAGON METROLOGY



INFINITE® 2.0

Portable Coordinate Measurement Machines

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

INFINITE® 2.0 Portable CMM

The new INFINITE 2.0 is CimCore's easiest-to-use and most accurate articulating arm ever. New handling and performance features—along with patented infinite rotation, quick-change probes, exclusive wireless connectivity and battery power—provide *INFINITE* portability and measuring power. INFINITE 2.0 Plus models, with unsurpassed repeatability and volumetric accuracy, are ideal for the most demanding inspection tasks. CimCore also offers system verification "in the field" with a NIST-traceable calibrated length standard with every arm. This allows the operator to easily verify and document system performance for ISO or vendor requirements.



Back view of base



The interchangeable ScanShark V4ix probe can be used with Brown & Sharpe bridge-type CMMs.

INFINITE 2.0 seven-axis CMM with new ScanShark™ non-contact laser scanner

Combine portable CMM flexibility with laser scanning for real-time surface inspection in a complete turnkey package. It's ideal for large workpieces that can't be moved, difficult-to-access areas and flexible, fragile or soft-bodied parts that could be marred or deflected by a contact probe. ScanShark can gather up to 25 times more points per second than other laser systems, so it's perfect for large complex areas and generating point clouds for reverse engineering.



1. Patented infinite rotation of principle axes allows inspection in difficult-to-reach areas.

2. With the new Bridge-CMM class TESA kinematic multiwire probe joint, you get unsurpassed measuring performance. Carbon fiber probes feature automatic probe recognition.

3. A new smaller, easy-grip head features an LED worklight and an integrated digital camera that allows the operator to graphically document a setup.

4. New SpinGrip infinite-rotating grips at elbow and forearm provide two low friction grip positions for better ergonomics. SpinGrips allow the CMM to "float" in the operator's hands, maximizing accuracy and minimizing operator fatigue.

5. Heidenhain encoders, manufactured to our specifications, offer "wide-track" bearing support that enhances performance.

6. Advanced carbon fiber arm tubes are strong, light weight, thermally stable and feature a lifetime warranty.

7. An improved, low-profile Zero-G counterbalance reduces operator fatigue and delivers effortless control in all positions, including above and below the centerline.

8. An upgraded 802.11g WIFI connection—transmitting up to 6 times farther and 50 times faster than Bluetooth — allows the operator to position the computer where it is most convenient.

9. A Li-Ion battery allows on-site inspection without AC power or cables. A sealed battery cover prevents contamination of the battery compartment or accidental dislodging of the battery.

10. A quick-clip probe holster keeps three spare probes and the change key safe and handy.

11. The universal mounting system attaches to a variety of bases, including a magnetic mount for a smaller footprint and simplified set-up.

PC-DMIS Portable is standard

With the world's largest installed base of any dimensional measurement and inspection software, PC-DMIS is the ideal match for the INFINITE 2.0. PC-DMIS Portable makes it easy to inspect parts in real-time, quickly generate new inspection programs and produce customizable results reports. PC-DMIS is compatible with most CAD files, and is available with optional direct CAD interfaces for even faster programming and improved accuracy.



Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com



INFINITE 2.0 Specifications

INFINITE 2.0 (Six Axis)



INFINITE 2.0 (Seven Axis)



INFINITE 2.0 Plus (Six Axis)



Measuring Range	Point Repeatability	Volume Length Accuracy	Arm Weight
1.2 m	0.010 mm	0.016 mm	6.89 kg
1.8 m	0.016 mm	0.023 mm	7.57 kg
2.4 m	0.020 mm	0.029 mm	7.82 kg
2.8 m	0.029 mm	0.041 mm	7.97 kg
3.0 m	0.034 mm	0.050 mm	8.22 kg
3.6 m	0.050 mm	0.068 mm	8.65 kg
1.8 m	0.024 mm	0.035 mm	8.05 kg
2.4 m	0.028 mm	0.040 mm	8.33 kg
2.8 m	0.045 mm	0.064 mm	8.33 kg
3.0 m	0.050 mm	0.071 mm	8.85 kg
3.6 m	0.070 mm	0.100 mm	9.13 kg
2.4 m	0.017 mm	0.025 mm	7.82 kg
3.6 m	0.043 mm	0.058 mm	8.65 kg

Humidity: 5% - 95% noncondensing
Shock & Impact: 6ms, <1000 ms/s^2
Certification : CE compliant
Vibration: (55 to 2000Hz): < 100 ms/s^2
Power requirement: Universal worldwide voltage 110-240

Point Repeatability Test (also known as Single Point Articulation Test, or S.P.A.T.): Results analyzed via Range/2 method. The probe is placed within a trihedral seat or conical socket, and individual points are measured from multiple approach angles with maximum articulation of all of the principal joints. Each individual point measurement is analyzed as a range of deviations about the average value for the point locations. This test is to assess the arm's ability to provide similar values of a point coordinate, when the arm is articulated through the maximum possible range of motion for that single point.

Volumetric Length Accuracy Test (Volumetric Performance Test): Results analyzed via Range/2 method. Volumetric length accuracy is determined by using certified length standards (included with all arms) that are measured at various locations and orientations throughout the measuring volume. This test most accurately represents the reasonable expectations for machine performance in practical measuring applications. The Volumetric Length Accuracy Test is the most appropriate test for determining machine accuracy and repeatability since it involves measuring a certified length standard many times in several locations and orientations and compares the resultant measurements to the actual length.

CimCore, a brand of ROMER Inc.
Hexagon Metrology, Inc.
51170 Grand River Avenue
Wixom, MI 48393-3327
Phone: (800) 218-7125
Fax: (248) 449-9445
Email: sales@cimcore.com
www.cimcore.com

Features and specifications in this brochure may change without notice. Please visit www.cimcore.com for the latest product information.

© 2008 Hexagon Metrology, Inc. 3/08 Printed in U.S.A. #9900xx

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP