

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Anson / HIOS HP-100* at our website: ***Click HERE***

●HP添付内容

※Power of charger for U-element, 100V(Product #:TCH-100N) 110V-120V(Product #:TCH-120N) 220V-240V(Product #:TCH-230G) 220V-240V(Product #:TCH-2306)

Nation	Type	Safe cover install Fidaptor	Screw install shaft	Spring	Grease
China Japan Korea Taiwan Hongkong Singapore	HP-10	Hios shank φ 4 Measure range: (Yellow spring) 1piece Product #:TF4G-Z(Flg-2)			
	HP-100	Hios shank φ 4 Measure range : (Yellow spring) 1 piece Product #:TF5G-Z(Flg-1)	Hexagon shank (2floor shaft)1 piece Top: opposite side 5mm Bottom: opposite side 6.35mm Product #:TF6XG-0010(Flg-5) Hios shank φ 4 1piece Product #:TF5G-0010-4(Flg-6)	Yellow spring :1 piece Measure range : Product # : CL65-0040	Grease 1 piece Product #: TF-G3
Europe U.S.A Canada U.K. Australia	HP-10	Hexagon shank(2floor shaft) Measure range : (Yellow spring) 1 piece Top: opposite side 5mm Bottom: opposite side6.35mm Product #:TF6SG-0010(Flg-4)			
	HP-100	Hexagon shank (2floor shaft) Measure range : (Black spring)1 piece Top: opposite side 5mm Bottom: opposite side 6.35mm Product #:TF6XG-0010(Flg-3)		Yellow spring : 1 piece Measure range : Product # :CL65 -0040	

●Fidaptor

In checking electric driver's set torque value, absorbs and eases the inertia caused in high speed rotation, it's the adaptor to revive the tapping screw fastening.

●Screw install shaft

When the bit opening of measured driver doesn't fit Hios Shank φ 5, you can use the attached screw install shaft.


Fig-1


Fig-2


Fig-3


Fig-4


Fig-5


Fig-6

Kinds of Fidaptor options

Product number	Measure range	Bit opening shape	Measuring objects
TF4S-Z	Less than0.25Nm	Hios Shank 4	CL/ /SS Mini type driver
TF6U-Z		Hexagon Shank opposite side 6.35mm	VZ driver (120V) Charge type driver : F-9000
TF6UP-Z		Hexagon Shank opposite side 6.35mm	

●HDP added contexts

Nation	Type	Context			
		Bit	Exclusive charger	Detecting part code	Assisting arm
	HDP-5	Hios Shank 4 + Bit :..... 1 piece each - Bit : blade axis 1 piece	100V Product #:TCH-100N 110V~120V Product #:TCH-120N 220V~240V Product #:TCH-23DG 220V~240V Product #:	1 piece Product #:DPC -0508	
	HDP-50	Hios Shank 5 + Bit :..... 1 piece each - Bit : blade axis 1 piece			1piece
	HDP-5	Hexagon Shank opposite side: 6.35 + Bit :..... 1 piece each - Bit : blade axis 1 piece			
	HDP-50	Hexagon Shank opposite side: 6.35 + Bit :..... 1 piece each - Bit : blade axis 1 piece			1piece

● HM added contexts Use exclusive Fidaptor when measuring electric driver.


(Fig-1)


(Fig-2)


(Fig-3)

Standard Fidaptor U-element

HM-10
+#1 bit
Measure range
(Yellow spring)1 piece
Product number :
TFM26-Z (FIG-1)

HM-100
+#2 bits
Measure range
(Black spring)1 piece
Product number :
TFM40-Z(FIG-2)

Option Fidaptor

+#0 bit
Measure range: for measuring less than 0.25Nm
(Yellow spring)
Product number :
TFM20-Z(Fig-3)

Measuring device order code

●HP-10

Model	Order code	Voltage	※
HP-10	HP-10	100V	H
	HP-10H-110	110V~120V	H
	HP-10X-120	110V~120V	X
	HP-10H-220	220V~240V	H
	HP-10X-220	220V~240V	X

●HP-100

Model	Order code	Voltage	※
HP-100	HP-100	100V	H
	HP-100H-110	110V~120V	H
	HP-100X-120	110V~120V	X
	HP-100H-220	220V~240V	H
	HP-100X-220	220V~240V	X

●HDP-5

Model	Order code	Voltage	※
HDP-5	HDP-5	100V	H
	HDP-5H-110	110V~120V	H
	HDP-5X-120	110V~120V	X
	HDP-5H-220	220V~240V	H
	HDP-5X-220	220V~240V	X

●HDP-50

Model	Order code	Voltage	※
HDP-50	HDP-50	100V	H
	HDP-50H-110	110V~120V	H
	HDP-50X-120	110V~120V	X
	HDP-50H-220	220V~240V	H
	HDP-50X-220	220V~240V	X

※H: Hios Shank Fidaptor
X: 1/4HEX Shank Fidaptor

●Detecting code

Model	Order code
DPC-0506	DPC-0506

●HM-10

Model	Order code	Voltage
HM-10	HM-10	100V
	HM-10-120	110V~120V
	HM-10-220	220V~240V

●HM-100

Model	Order code	Voltage
HM-100	HM-100	100V
	HM-100-120	110V~120V
	HM-100-220	220V~240V

●HIT-200

Model	Order code	Voltage
HIT-200	HIT-200	100V
	HIT-200-120	110V~120V
	HIT-200-220	220V~240V

●HIT-500

Model	Order code	Voltage
HIT-500	HIT-500	100V
	HM-500-120	110V~120V
	HM-500-220	220V~240V

●HIT-2000

Model	Order code	Voltage
HIT-2000	HIT-2000	100V
	HM-2000-120	110V~120V
	HM-2000-220	220V~240V

Charger types and its equivalent countries

100V


TCH-100N

120V


TCH-120N

220V-240V


TCH-230G


TCH-230B

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP