ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *HP / Compaq NetFlex-2* at our website: *Click HERE*

MODELS

NetFlex-2 DualPort TR
142132-001

High-performance Token Ring controller, combining two Token Ring interfaces on a single EISA board

STANDARD FEATURES

Performance
Exceptional performance through each of two channels; two packet blasters, one per channel

Affordability
Aggressively priced below two Compaq 32-Bit 4/16 Token Ring controllers; leverages NetFlex-2 technology and only requires one EISA slot

Compatibility
Complies with IEEE 802.5 standard and supports 4 or 16 Mb/s

Manageability
Network Interface Fault Recover Tracking: Compaq Insight Manager provides monitoring and alerting features, tracking numerous failure indication parameters such as alignment errors, lost frames, and frame copy errors

Compatibility and Integration Testing
Fully tested on a wide variety of Compaq products including ProSignia, Systempro/LT, and ProLiant

Option Kit Contents
One EISA adapter with two RJ-45 for UTP and one DB connector, one single-to-dual converter cable with two DB-9 connectors for STP, software support CD and diskettes, user guide, product quality statements, and warranty information

Warranty
Maximum: The remaining warranty of the Compaq PC Product in which it is installed (to a maximum three-year[1] limited warranty)
Minimum: One-year[1] limited warranty

SPECIFICATIONS

Network Interface
Two Token Ring Interfaces on a single controller card

Expansion Bus Architecture
32-Bit EISA

Data Transfer Method
32-Bit bus master

Network Transfer Rate
4 or 16 Mb/s

Connectors
Two RJ-45 supporting UTP (unshielded twisted pair); two 9-pin D-shell through a DB-26 STP (shielded twisted pair) breakout cable (included)

Equipment Requirements
One EISA bus master slot

I/O Address
z000h-z000Fh, z020h-z02Fh, zC80h, z080h-zC87h where z=slot #

Interrupt
Channels 11, 10, 9, 5, 3; software-selectable; level-triggered

Environmental Requirements
Operating: 10°-50° C; 20%-80% humidity (noncondensing); 3,048 m alt.
Non Operating: 10°-50° C; 5%-90% humidity (noncondensing); 9,144 m alt.
Shipping: 30°-50° C; 20%-80% humidity (noncondensing); 3,084 m alt.

Communication Processors
Two Texas Instruments TMS380C26 Super Eagle
Two Texas Instruments TMS380FPA Packet Blasters

Standard Compliance
IEEE 802.5 compliant

O/S Driver Support
Novell NetWare Server: ODI, ODI 3.3, Compliant
Novell NetWare DOS and OS/2 Client: ODI, ODI 3.3 Compliant
MS LAN Manager: DOS NDIS and OS/2 NDIS Compliant
MS Windows for Workgroups: DOS NDIS Compliant
MS Windows NT Client: NDIS 3.0 Compliant
MS Windows NT Adv. Server: NDIS 3.0 Compliant
IBM LAN Server: DOS NDIS and OS/2 NDIS Compliant
SCO UNIX 3.2V4: LLI Compliant
SCO Open DeskTop: LLI Compliant

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

RELATED OPTIONS

NetFlex ENET-TR[2]	142014-001
NetFlex-2 ENET-TR[2]	142213-001
NetFlex-2 DualPort ENET	142131-001
NetFlex-3/E	169800-001
NetFlex-3/P	169810-001
100Base-TX UTP Module	169804-001
100VG-AnyLAN UTP Module	169802-001
NetFlex-2 TR	199520-001
NetFlex-2 DualPort TR	142132-001
Netelligent 10/100 TX PCI UTP Controller	169845-001
Netelligent 10 T PCI UTP Controller	242500-001
Netelligent 4/16 TR PCI IBM UTP/STP	199762-001
DualSpeed Token Ring Module[3]	142015-001
AUI to BNC Transceiver[4]	142108-001

[1] Certain rstrictions and exclusions apply. Consult the Compaq Customer Support Center for details.
[2] NetFlex ENET-TR and NetFlex-2 ENET-TR also support Token Ring environments with the addition of the optional DualSpeed Token Ring Module.
[3] For use in converting NetFlex ENET-TR and NetFlex-2 ENET-TR to Token Ring.
[4] Converts AUI Ethernet ports to 10Base2 thinnet coax compatibility.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP