ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *HP J4908A* at our website: *Click HERE*

ProCurve Switch gl 20-Port 10/100/1000 Module

» ProCurve Networking by HP

» ProCurve Products
» Networking Services

» My ProCurve
» Our Vision
» Why ProCurve?
» What's new

» Technical support
» Software updates
» Design Center

» ProCurve Partners
» ProCurve Alliance
» How to Buy

» ProCurve Solutions
  » Security
  » Convergence
  » Mobility

» Network training
» Customer stories
» Reference library
» News and information

» Contact ProCurve


ProCurve Switch gl 20-Port 10/100/1000 Module (J4908A)

ProCurve Switch gl 20-Port 10/100/1000 Module (J4908A)
with 20 10/100/1000 ports and 2 mini-GBIC slots

How To Buy »


» Call me now

Ports
2 open mini-GBIC slots
20 auto-sensing 10/100/1000 ports (IEEE 802.3 Type 10Base-T; 802.3u Type 100Base-TX; 802.3ab Type 1000Base-T)
HP Auto-MDIX: yes
Duplex: half or full
Connector: RJ-45

Physical characteristics
Dimensions: 8.97 x 8.0 x 1.75 in. (22.78 x 20.32 x 4.45 cm)
Weight: 1.25 lb. (0.56 kg)

Mini-GBICs supported (ordered separately)
- J4858B ProCurve Gigabit-SX-LC Mini-GBIC
- J4859B ProCurve Gigabit-LX-LC Mini-GBIC
- J4860B ProCurve Gigabit-LH-LC Mini-GBIC
- J8177B ProCurve Gigabit 1000Base-T Mini-GBIC

Cabling
Type:
- 10Base-T: Category 3 (or better) 100 Ω differential unshielded twisted pair (UTP) or shielded twisted pair (STP), complying with IEEE 802.3 Type 10Base-T
- 100Base-TX: Category 5 (or better), 100 Ω differential unshielded twisted pair (UTP) or shielded twisted pair (STP), complying with IEEE 802.3u 100Base-TX
- 1000Base-T: Category 5 (5E or better recommended), 100 Ω differential 4-pair unshielded twisted pair (UTP) or shielded twisted pair (STP) balanced, complying with IEEE 802.3ab 1000Base-T

Maximum distance: 100 m

» Return to Accessories

Printable version

Privacy statement Using this site means you accept its terms
© 2007 Hewlett-Packard Development Company, L.P.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP