ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *IBM SCSI-2* at our website: *Click HERE*

M

Enhanced Differential SCSI Fast/Wide Adapter FRU 52G3380 (RS6K 4-C)

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com



CR1 LED
J1 FW SE SCSI connector
J2 50 pin SE SCSI connector
J3 C-68 DFW SCSI connector
J5 Leave open. Not used.
J6 Boot Enable
J7 Factory use
RN1,2,3 Used for RS6K stuff
TR1 PTC resistor for internal bus
TR2 PTC resistor for external bus
U1 88G1094, SCSI BIOS, Odd
U2 88G1095, SCSI BIOS, Even
U4 82G2645 Int SE SCSI ctrlr
U5,18 Nat'l Semi DS36954
U9,10 Sony CXK581000AM-70LL
U11 AMD AM186 EM-40VC
U12 88G1092
U13 88G1093
U16 61G2323 MCA Bus interface
U17 52G9707 Ext Diff SCSI ctrlr
Y1 40.0000 MHz osc
0

DS36954 - Quad Differential Bus Transceiver
AN-904: Application Note 904 An Introduction to the Differential SCSI Interface

The SCSI-2 Differential Fast/Wide Adapter/A is a dual-ported, fast and wide (two bytes wide) SCSI Micro Channel adapter that provides synchronous SCSI bus data rates of up to 20MBps. The internal SE port is capable of addressing up to seven SE SCSI devices and the differential external port is capable of addressing up to seven differential SCSI devices, providing a maximum of 14 devices per adapter. The number of physical devices attached to each port is limited by SCSI bus cabling restrictions. The external differential port can support a total cable length of 25 meters (82 feet).

Additional system, subsystem and high-availability connections are also available with the differential system-to-system and Y-cable features.
SPOCK-206 NT driver testing.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP