

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.


Visit our website - *Click HERE*

ROCKY-3701BX

PICMG Bus Socket-370 Base CPU Card
With 4 COM, 1 DOC Socket & 1 CF + Type II Socket


ROCKY-3702EV

PICMG Bus Socket-370 Base CPU Card
With 10/100Mbps Ethernet & VGA



ROCKY-3701BX





ROCKY-3702EV

SPECIFICATIONS

- CPU : Socket 370 base 66/100/133MHz FSB CPU Celeron™ / Pentium® III
- System Chipset : Intel® 440BX
- System Memory : Four 168-pin DIMM sockets up to 1GB SDRAM
- SSD : One DiskOnChip™ Socket and one CF+ Type II socket on solder side
- I/O :
  - 4 x RS-232 serial port (16C550 UARTs compatible)
  - 1 x parallel port (SPP/EPP/ECP)
  - 2 x USB 1.1 (1 by Pin header)
  - 1 x IrDA (SIR)
  - 1 x FDD port, support 1.44MB, 2.88MB, 3-mode function
  - 2 x ATA-66 IDE channels
- WDT : software programmable, support 1~ 255 sec. system reset
- LM78 hardware monitoring chip on board
- ISA Plus™ : Designed to enhance the ISA bus drive capability
- Supports ATX power control function
- Power Consumption : +5V@6.8A, +12V@170mA, -12V@60mA
  (Celeron 333MHz CPU and 512MB SDRAM)
- Operating Temperature : 0~60°C (CPU cooler required)
- Relative Humidity : 5~95%, non-condensing
- GW: 900g

ORDERING INFORMATION

- **ROCKY-3701BX**
  PICMG Socket-370 Base CPU card, Intel 440BX Chipset, FSB 100MHz

SPECIFICATIONS

- CPU : Socket 370 base support Celeron™ /Pentium® III up to 100MHz FSB
- System Chipset : Intel 440BX
- System Memory : 4 x 168-pin DIMM sockets up to 1GB SDRAM
- Display :
  - S3 Trio3D
  - Bus : AGP 2x
  - V-RAM : 4MB
  - Resolution :1600 x 1200 (64k colors)
  - Connector : DB-15 for CRT display
- Ethernet : Realtek RTL8100BL 10/100Mbps Ethernet chip with RJ-45 connector
- SSD : One DiskOnChip™ socket
- I/O :
  - 2 x RS-232 serial port (16C550 UARTs compatible)
  - 1 x parallel port (SPP/EPP/ECP)
  - 2 x USB 1.1 (Pin header)
  - 1 x IrDA (SIR)
  - 1 x FDD port, support 1.44MB, 2.88MB, 3-mode unction
  - 2 x ATA-66 IDE channels
- WDT : software programmable, support 1~ 255 sec. system reset
- LM78 hardware monitoring chip on board
- ISA Plus™ : Designed to enhance the ISA bus drive capability
- E²Key™ : A non-volatile 1Kbit EEPROM is provided to retain application critical read/write data
- Supports ATX power control function
- Power Consumption : +5V@6.8A, +12V@170mA, -12V @60mA
  (Celeron™ 333MHz CPU and 512MB SDRAM)
- Operating Temperature : 0~60°C (CPU cooler required)
- Relative Humidity : 5~95%, non-condensing
- GW : 900g

ORDERING INFORMATION

- **ROCKY-3702EV-R6**
  PICMG bus Socket-370 base CPU card with 4MB VGA memory & 10/100Mbps Ethernet
- **ROCKY-3702EV-R6V8**
  PICMG bus Socket-370 base CPU card with 8MB VGA memory & 10/100Mbps Ethernet
- **CB-USB02**
  Dual ports USB cable with bracket

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP