



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)

## Data Sheet

Heating/Tempering / Heating Baths



### HBR 4 digital Heating bath

The digital heating bath is characterized by the following features:

- Cylindrical bath shape
- High-grade recyclable materials
- The heating elements are situated underneath the bath vessel
- Either low viscosity oil or water can be used as the heat transfer fluid
- Useful volume of 4 liters
- Heat output 1,000 W
- Adjustable safety temperature limiter acc. to DIN 12876
- The safety elements are checked when the unit is switched on
- Double jacket and carrying handles provide protection against burns
- Digital display presents rated, actual and safety temperature as well as speed
- Fuzzy logic control
- Integrated magnetic stirring drive to circulate the tempering fluid, which contributes to improved heat distribution

Accessories: H 11 Mains cable Euro plug, H 240 Ring set, H 159 Intermediate bottom, H 11 Mains cable CH plug, H 11 Mains cable USA plug, H 11 Mains cable UK plug, IKAFLON® 30 Magnetic stirring bar

Technical Data	
Heat output [W]	1000
Heating temperature range [°C]	room temp. - 200
Heat control	stepless
Controller oscillation (3 l water / 90 °C) [±K]	1
Controller oscillation (3 l Marlotherm oil / 150 °C) [±K]	2
Speed display	LCD
Speed control	stepless
Speed range [1/min]	100 - 800
Motor rating input [W]	5
Motor rating output [W]	1
Bath volume max. [l]	5
Filling point min. [mm]	20
Material in contact with medium	stainless steel 1.4301
Adjustable safety circuit min. [°C]	50
Adjustable safety circuit max. [°C]	210
Safety class DIN 12877	II
Outer diameter [mm]	250
Inner diameter [mm]	200
Outer height [mm]	250
Inner height [mm]	160
Dimensions (W x H x D) [mm]	340 x 250 x 340
Weight [kg]	4.4
Permissible ambient temperature max. [°C]	40
Permissible relative moisture [%]	80
Protection class according to DIN EN 60529	IP 21
Voltage [V]	230 / 115 / 100
Frequency [Hz]	50/60
Power input [W]	1020
<b>Ident. No.</b>	<b>2602300</b>



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)