



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

Data Sheet

Crushing / Dispersers



T 65 D ULTRA-TURRAX®

The high-performance T 65 D dispersing instrument has been designed for typical pilot plant stations quantities from 2 - 50 l (H₂O).

- Three rotor-stator configurations for a variety of applications (not included with delivery)
- Plug-in connectors facilitate exchange of dispersing elements
- Dispersing instruments for the production area: ask for our process technology catalogs
- Cables and plugs not included with delivery

Accessories: S 65 KG - HH - G 65 G Dispersing element, S 65 KG - HH - G 65 M Dispersing element, S 65 KG - HH - G 65 F Dispersing element, T 653 Telescopic stand

| Technical Data | |
|--|---------------------|
| Motor rating input [W] | 1800 |
| Motor rating output [W] | 1500 |
| Volume range min. (H ₂ O) [l] | 2 |
| Volume range max. (H ₂ O) [l] | 50 |
| Viscosity max. [mPas] | 5000 |
| Speed max. [1/min] | 7200 |
| Noise without element [dB(A)] | 75 |
| Process type | batch |
| Dimensions (W x H x D) [mm] | 190 x 380 x 580 |
| Weight [kg] | 28 |
| Permissible ambient temperature [°C] | 5 - 40 |
| Permissible relative moisture [%] | 80 |
| Protection class according to DIN EN 60529 | IP 54 |
| Voltage [V] | 3 x 400 Y / 3 x 230 |
| Frequency [Hz] | 50 |
| Power input [W] | 1800 |
| Ident. No. | 1602800 |



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com