ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Newport / ILX Lightwave FOM-7900B* at our website: ***Click HERE***

Wavelength Accuracy of the FOS-79800 DFB Source Module

TECH NOTE

At a fixed temperature, the wavelength of a laser diode shifts as the drive current changes. A firmware algorithm in the FOS-79800 DFB Source Module maintains a constant wavelength while the output power is changed over its dynamic range.

This technical note describes the wavelength accuracy of the FOS-79800 DFB Source Module using a 1550 nm DFB laser diode. The test described here was performed at the source's center wavelength.




Figure 1. Measurement Setup.

MEASUREMENT SETUP

The setup for measuring wavelength accuracy is shown in Figure 1 above. The output of the FOS-79800 DFB Source Module was connected to a Hewlett-Packard® HP86120 Multi-Wavelength Meter. The FOM-7900/ FOS-79800 was allowed to stabilize for one hour prior to the start of the test.

The wavelength was measured as the output power of the FOS-79800 was swept from +3.00 dBm to –7.00 dBm. The test was performed twice. Once with the wavelength tracking algorithm enabled and once with the wavelength tracking algorithm disabled. The results of the test are shown in Figure 2.




Figure 2. FOS-79800 Wavelength Accuracy vs. Change in Power.

RESULTS

As shown in Figure 2, the wavelength "tracking" algorithm in the FOS-79800 maintains wavelength accuracy better than 0.01 nm as the output power is changed 10 dB. Without this algorithm the wavelength would change by more than 0.1 nm over the same power range.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP