

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *VIAVI Solutions / JDSU / WWG ANT-10G* at our website: ***Click HERE***

Customer:unknown
SYSTEM CONFIGURATION

Customer Infos
  Customer

  Comment

  Date - Time
    Fri May 09 15:40:59 2014

Device Infos
  Reference status
    Item No. of Master Version: 3035-9380.153
    Date: 07/30/2001
  Device
    Device number :   AY-125
General
  Software Version
    User Interface :   8.36
    Base Module :   8.36
  Version
    Instrument Version :   ANT-20 3035/22
    Edition :   3060/28 ANT-10G SONET
  SKA
    Id :   0028
    Ini :   C:\ANT20\ANT20_ED\28.INI
    Text :   3060/28 ANT-10G SONET
    BUP :   C:\ANT20\ANT20_ED\ANT_10G.BUP
  Existing Options
    3035/90.01   Mapping C12
    3035/90.02   34 Mbps in C3 Mapping
    3035/90.03   Mapping C4
    3035/90.04   Mapping C11
    3035/90.05   45 Mbps in C3 Mapping
    3035/90.06   Mapping C2
    3035/90.10   Mapping VT1.5 SPE
    3035/90.11   Mapping VT6 SPE
    3035/90.12   DS3 in STS-1 SPE Mapping
    3035/90.13   E1 in VT2 SPE Mapping
    3035/90.15   Extended Overhead Analysis
    3035/90.20   Drop & Insert
    3035/90.33   Bit Error Test 2/8/34/140 Mbps
    3035/90.34   Bit Error Test 1,5/45 Mbps
    3035/90.90   OC-12c/STM-4c BERT
    3035/90.93   OC-48c/STM-4c BERT
    3035/90.94   OC-192c/STM64c BERT
    3035/91.45   Optics STM-64, OC-192 Generator/Analyzer 1550nm
    3035/91.48   Electrical Interface for Optics STM-64, OC-192
    3035/92.10   GPIB Remote Control
Base Module
    Series :   AY-125
    Dongle :   01DD2E2C0600
    Edition :   0C01/0258
Interface
    Edition :   0C01/0161
Flex Mux
    Edition :   0C01/0654
Optics STM-1/4
    not installed
Optics STM-16
    not installed
Optics STM-64 TX

```
    Edition :    0C01/7057
    Dongle  :    011227E20700
    Serial No. :         L-0023
Optics STM-64 RX
    Edition :    0C01/8058
    Dongle  :    01CE4AF60700
    Serial No. :         L-0023
Miniflex
    not installed
Jittermodule for DS-1 to STM-4/OC-12
  Jitter Interface
    Series :     AH-009
    Dongle :     01E648F60700
  TX Jitter STM-1
    Edition :    5
  RX Jitter STM-1
    Edition :    5
  Mixer (RX Jitter STM-4)
    Edition :    0
  Existing Options
    3035/90.81   O.172 Jitter Generator up to 155 Mbit/s
    3035/90.85   O.172 Wander Generator up to 155/622 Mbit/s
    3035/91.62   O.172 Wander Generator 9953 Mbit/s
Jittermodule for STM-16/OC-48
    not installed
Jittermodule for STM-64/OC-192
    Series :     H-0004
    Dongle :     01DD80FD0700
    Edition :    0C07/1011
  Existing Options
    3035/91.60   O.172 Jitter Generator/Analyzer 9953 Mbit/s
    3035/91.61   O.172 Wander Analyzer 9953 Mbit/s
BAG Module (ATM SVC Tester)
    not installed
Operating Computer
  CPU
    Intel Pentium
  CMOS-Ram
    Byte 00 - 0F :   02  01  41  33  15  18  01  09  05  14  26  02  50  80  00  00

    Byte 10 - 1F :   40  A8  F0  20  03  80  02  00  7C  2F  00  00  00  00  00  00

    Byte 20 - 2F :   00  00  00  00  00  00  A0  18  10  FF  FF  9F  18  3F  06  E4

    Byte 30 - 3F :   00  7C  20  80  00  05  00  A0  82  D8  00  03  10  9B  A0  18

    Byte 40 - 4F :   8B  89  4D  00  80  EB  81  1D  43  0A  00  00  00  C0  33  00

    Byte 50 - 5F :   09  00  00  F7  0F  5F  71  36  00  00  00  00  00  00  00  00

    Byte 60 - 6F :   00  00  00  00  41  00  00  00  00  00  00  00  00  00  00  00

    Byte 70 - 7F :   00  00  00  00  00  00  00  00  00  00  D0  00  00  00  07  D0  00

  Memory
    32 MByte
  Video mode
    80 x 25 color
  Video Configuration
    X pixels :  640
    Y pixels :  480
    Color bits / pixel :        16
  Number of floppy-disk drives
```

```
    1 installed
  Direct Memory Access (DMA) chip
    installed
  Number of RS232 serial ports
    2 installed
  Number of parallel ports
    3 installed
  Operating System
    DOS version :       7.10
    Windows version :   3.95 (863)
Registry
  Windows Version
    Windows  95 4.00.1111   B
Configuration (pf90uif.ini)
  [MISC]
    STM16-ID=""
    OVERHEAD=64
    TXOVERHEAD=64
    STM64-RX-ID="0C01/8058"
    STM64-TX-ID="0C01/7057"
  [ConfigDirectories]
    virtinst=.\cfg\virtinst
    mbsi=.\cfg\mbsi
  [MBSIs]
    mbsi=JITMBSI.INI
    mbsi=J64MBSI.INI
    mbsi=J16MBSI.INI
    mbsi=BASEMBSI.INI
    mbsi=ATMMBSI.INI
  [Settings]
    Operation Mode=0
    AmCompact=1
    MainWndPos=0,1,171,408,59,125,0,-8,640,26
    StoreMode=STORE_OFF
  [Instruments]
    vi=JIT_O172.INI
    vi=JIT.INI
    vi=SOHTX.INI
    vi=SOHRX.INI
    vi=PTRGEN.INI
    vi=PTRANAL.INI
    vi=PDH.INI
    vi=PAN.INI
    vi=MEAS.INI
    vi=FRAMEED.INI
    vi=DAINS.INI
    vi=ATA.INI
    vi=ASS.INI
    vi=ACS.INI
    vi=ACR.INI
    vi=ACC.INI
    vi=ABG.INI
  [ErrorWnd]
    ShowOnError=ON
    TopOnError=ON
  [Recent File List]
    File1=C:\ANT20\MEASAPP\AT_START.APL
System Memory
    Free memory space :  32903168
    Free user resources :        94%
    Free gdi resources :         94%
Working directory
    working directory :  C:\ANT20\APPLS
```

```
Files
  EXE:
    ANTSTART.EXE
    WGWSSERV.EXE          Vers. 8.36
    STM64SPY.EXE          Vers. 8.36
    J16MBSI.EXE   Vers. 8.36
    J64MBSI.EXE   Vers. 8.36
    PDH.EXE       Vers. 8.36
    GSW.EXE       Vers. 2.5.1.0
    ATMMBSI.EXE   Vers. 8.36
    ASS.EXE       Vers. 8.36
    ABG.EXE       Vers. 8.36
    PTRGEN.EXE    Vers. 8.36
    SOHTX.EXE     Vers. 8.36
    BASEMBSI.EXE          Vers. 8.36
    SOHRX.EXE     Vers. 8.36
    PTR_ANAL.EXE          Vers. 8.36
    PAN.EXE       Vers. 8.36
    ACS.EXE       Vers. 8.36
    PF90UIF.EXE   Vers. 8.36
    DAINS.EXE     Vers. 8.36
    ATA.EXE       Vers. 8.36
    ACR.EXE       Vers. 8.36
    MEAS.EXE      Vers. 8.36
    ACC.EXE       Vers. 8.36
    FRAMEED.EXE   Vers. 8.36
    JITMBSI.EXE   Vers. 8.36
    JIT.EXE       Vers. 8.36
    JIT_O172.EXE          Vers. 8.36
  DLL:
    AMHOOK.DLL
    ANTTIMER.DLL
    VEPPAPI.DLL
    PARS_DLL.DLL
    DIBAPI.DLL
    GSWDLL.DLL    Vers. 2.5.1.0
    COMMOD.DLL
    ASCIKEYB.DLL
    WGWSDRVW.DLL
    ANTKEYB.DLL
    SYSOBJCT.DLL
    WGWSCOMM.DLL
    ANT_DLGS.DLL          Vers. 8.36
    BWCC.DLL
    DBS_DLL.DLL
    APM_SERV.DLL
    MBSIARCH.DLL
    MFCOLEUI.DLL          Vers. 2.00
    APPL_DLL.DLL
    PF90ARCH.DLL
    ATMMOD.DLL
    CB5.DLL
    BASEMOD.DLL
    JITTER.DLL
Running Applications
    Antinfo
    ANT Info - AY-125
    DDE Server Window
    WIN95 RPC Wmsg Window
    Battery Meter
    Hello World!
    OleMainThreadWndName
    DDE Server Window
```

```
    OleRpcNotifyOxfff034bf
    Program Manager
Measurement Computer
Configuration (C:\ANT20\mb\ant20cnf.ini)
  [System]
    BIOSVersion=15
    EPLDVersion=33
    RAMSize=40
  [Modules]
    Module0=3073,128    ; C01,80
    Module1=3073,112    ; C01,70
    Module2=3079,0      ; C07,00
    Module3=3073,1      ; C01,01
    Module4=3073,2      ; C01,02
    Module5=3075,0      ; C03,00
```

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP