

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Instek PSP-405* at our website: ***Click HERE***

Programmable Switching D.C. Power Supply



CE

FEATURES

* LCD Display
* Output ON/OFF Control
* 3 Steps Fan Speed Control
* Setting of Voltage/Current/Power
* Key Lock to Avoid Error Operation
* Normal , +% & -% Output Operation Key
* Standard Interface : RS-232C
* Optional European Jack Type Terminal

PSP-Series

SPECIFICATIONS				
OUTPUT	Model	PSP-603	PSP-405	PSP-2010
	Voltage Current	0 ~ 60V 0 ~ 3.5A	0 ~ 40V 0 ~5A	0 ~ 20V 0 ~ 10A
VOLTAGE REGULATION	Load Line	≦10mV ≦0.05%	≦10mV ≦0.05%	≦10mV ≦0.05%
CURRENT REGULATION	Load Line	≦5mA ≦0.05%	≦5mA ≦0.05%	≦5mA ≦0.05%
RIPPLE	Voltage (mVrms) Current (mArms)	≦20mV ≦10mA	≦20mV ≦10mA	≦20mV ≦10mA
RESOLUTION	Voltage Current	20mV 2mA	10mV 2mA	10mV 5mA
PROGRAM ACCURACY	Voltage Current	±0.05%rdg + 20mV ±0.1%rdg + 5digits	±0.05%rdg + 20mV ±0.1%rdg + 5digits	±0.05%rdg + 20mV ±0.3%rdg + 10digits
READBACK (METER) RESOLUTION	Voltage Current	As Resolution As Resolution	As Resolution As Resolution	As Resolution As Resolution
READBACK (METER) ACCURACY	Voltage Current	As Program Accuracy As Program Accuracy	As Program Accuracy As Program Accuracy	As Program Accuracy As Program Accuracy
PROTECTION	OVP/OCP/OPP/OTP	V	V	V
OUTPUT ON/OFF CONTROL		V	V	V
DISPLAY	LCD			
INTERFACE (STANDARD)	RS-232C			
POWER SOURCE	AC 230V ±15%, AC 115V ±10% , 50/60Hz			
ACCESSORIES	Instruction manual x 1, Power cord x 1, Test lead GTL-104 x 1m , European test lead GTL-204 x 1			
DIMENSIONS & WEIGHT	225(W) x 100(H) x 305(D) mm ; Approx. 4kg			

ORDERING INFORMATION

PSP-603	200W Programmable Switching DC Power Supply
PSP-405	200W Programmable Switching DC Power Supply
PSP-2010	200W Programmable Switching DC Power Supply

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP