ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Jencons Zippette Classic* at our website: ***Click HERE***

Zippette™ Classic Bottle-top Dispensers

- All wetted parts are fully autoclavable at 121°C, 2 bar
- New spring-lock cursor design ensures fine adjustment for exact and reproducible dispensing
- Easily removable PTFE piston for cleaning and smooth action
- Borosilicate glass barrel protected with a transparent polypropylene sleeve
- Easy to adjust calibration mechanism
- Precision valve mechanism ensures easy priming and minimum waste with no leakage back into the reservoir – the Zippette™ stays fully primed all day
- Optional safe anti-tip amber glass reservoirs with side filler neck
- Chemically resistant liquid pathway
- Anti-drip tap
- Three year warranty



263-003

262-086
or
262-103

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Zippette™ Classic Bottle-top Dispenser

Available in five fully adjustable sizes: 2.5ml, 5ml, 10ml, 30ml and 50ml. The autoclavable Zippette™ variable volume bottletop dispenser has an accuracy of delivery within ±0.3% on maximum delivery and a precision better than 0.1% CV.

All models are fitted with an anti-drip safety valve, a feature which guards against drips when the Zippette™ is not in use. A fine adjustment mechanism allows for even greater reproducibility for repeat dispensing while the new right-angled delivery spout ensures accurate dispensing into narrow neck containers.

Manufactured to ISO9001:2000 quality system standards, each unit is supplied with an individual calibration certificate.

Unlike other bottle-top dispensers, the Zippette's glass barrel can be disassembled from the pedestal for thorough cleaning. This also ensures that, in the unlikely event of damage, you can replace individual parts rather than have to buy a new dispenser.

Cat. No.	Description	Max. vol., ml	Incr., ml
263-000	Zippette™ bottle-top dispenser	2.5	0.05
263-001	Zippette™ bottle-top dispenser	5	0.1
263-002	Zippette™ bottle-top dispenser	10	0.2
263-003	Zippette™ bottle-top dispenser	30	1.0
263-004	Zippette™ bottle-top dispenser	50	1.0

Please note that the Zippette™ is not supplied with a reservoir. It has a standard 30mm neck fitting and is supplied with 38, 40 and 45mm bottle neck adaptors.

Features



Extendable Delivery Jet

An optional PTFE extendable delivery jet gives versatility to your dispensing.

The delivery jet stylus slots into the right-angled spout for 'hands-off' use.



Fine adjustment slot on cap allows for user calibration



New cursor design for even greater precision on volume

Accessories

Cat. No.	Description
263-058	Extendable delivery jet
262-140	Spare 33mm threaded polypropylene bottle adaptor
262-129	Spare 38mm threaded polypropylene bottle adaptor
262-128	Spare 40mm threaded polypropylene bottle adaptor
262-130	Spare 45mm threaded polypropylene bottle adaptor
262-085	Funnel with offset stem for filling reservoir side neck

Anti-tip Reservoirs (Non autoclavable)

Cat. No.	Description	Capacity, liters	Neck Size (mm)
262-086	Amber squat reservoir with side filler neck	1.4	30
262-103	Amber squat reservoir with side filler neck	2.5	45
262-087	Amber Winchester reservoir with side filler neck	2.5	30
262-096	Clear glass reservoir with plastic coating and fingergrip handle (single neck)	2.5	38
262-097	Amber glass reservoir with plastic coating, fingergrip handle and adaptor (single neck)	4.5	38



*Note: Adapters are included with dispenser, not the reservoir.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Zippette Pro™ Bottle-top Dispenser

- Dispense volume is simply adjusted by turning the top knob to move the cursor to the desired volume setting
- All wetted parts are fully autoclavable at 121°C, 2 bar
- Spring-loaded Zippette Pro™ requires no priming, you just press to deliver and the dispenser refills itself
- Easily removable PTFE piston for smooth action and easy cleaning
- Safety pedestal valve allows the Zippette Pro™ to be turned off to prevent accidental delivery, while ensuring it is drip-free
- Convenient right-angled spout design
- Borosilicate glass barrel protected with a transparent polypropylene sleeve
- Safe anti-tip amber glass reservoirs with side filler neck available as an option
- Chemically resistant liquid pathway
- Bubble-free dispensing
- Three year warranty



263-027

262-086
or
262-103

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Zippette Pro™ Bottle-top Dispenser

The Zippette Pro™ is a variable volume bottle-top dispenser of 0–30ml capacity, with an accuracy of delivery within ±0.3% on maximum delivery and a precision better than 0.1% CV.

Zippette Pro™ is available in two configurations. It can be used as a simple manually primed unit or, once fitted with the supplied spring, converted to a fully self-priming dispenser.


Each unit is manufactured to ISO9001:2000 quality system standards and is supplied with an individual calibration certificate.

Unlike other bottle-top dispensers, the Zippette Pro's glass barrel can be disassembled from the pedestal for thorough cleaning. This also ensures that, in the unlikely event of damage, you can replace the glass barrel as a spare part rather than have to buy a new dispenser.

Cat. No.	Description	Increment, ml
263-027	Zippette Pro™ 0–30ml, self-priming, bottle-top dispenser	1.0

Please note that the Zippette Pro™ is not supplied with reservoir. It has a standard 30mm neck fitting and is supplied with 38, 40 and 45mm bottle neck adaptors.

Features



Extendable Delivery Jet

An optional PTFE extendable delivery jet gives versatility to your dispensing.

The delivery jet stylus slots into the right-angled spout for 'hands-off' use.



Dispense volume simply adjusted by turning top button



Safety pedestal valve prevents drips

Accessories

Cat. No.	Description
263-058	Extendable delivery jet
262-140	Spare 33mm threaded polypropylene bottle adaptor
262-129	Spare 38mm threaded polypropylene bottle adaptor
262-128	Spare 40mm threaded polypropylene bottle adaptor
262-130	Spare 45mm threaded polypropylene bottle adaptor
262-085	Funnel with offset stem for filling reservoir side neck

Anti-tip Reservoirs (Non autoclavable)

Cat. No.	Description	Capacity, liters	Neck Size (mm)
262-086	Amber squat reservoir with side filler neck	1.4	30
262-103	Amber squat reservoir with side filler neck	2.5	45
262-087	Amber Winchester reservoir with side filler neck	2.5	30
262-096	Clear glass reservoir with plastic coating and fingergrip handle (single neck)	2.5	38
262-097	Amber glass reservoir with plastic coating, fingergrip handle and adaptor (single neck)	4.5	38



*Note: Adapters are included with dispenser, not the reservoir.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Zippette Digital™ Bottle-top Dispenser

- Chemically resistant liquid pathway allows a wide range of liquids to be safely dispensed
- Large digital volume display for easy and precise volume setting
- Display resolution of 0.1ml
- Spring-loaded Zippette Digital™ requires no priming, you just press to deliver and this dispenser refills itself
- All wetted parts are fully autoclavable at 121°C, 2 bar
- Quickly removable PTFE piston for cleaning and smooth action
- Safety pedestal valve allows the Zippette Digital™ to be turned off to prevent accidental delivery
- Simple user calibration via front panel buttons
- Safe and convenient right-angled spout design
- Borosilicate glass barrel protected with a transparent polypropylene sleeve
- Safe anti-tip amber glass reservoirs with side filler neck option
- Auto-off function - Zippette Digital™ will switch to 'sleep' mode after 3 minutes of inactivity
- Bubble-free dispensing
- Three year warranty



263-029

262-086
or
262-103

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Zippette Digital™ Bottle-top Dispenser

A unique dispenser offering the very best in accuracy and repeatability. The Zippette Digital ™ is a variable volume bottle-top dispenser of 0–30ml capacity, with an accuracy of delivery within ±0.3% on maximum delivery and a precision better than 0.1% CV.

Zippette Digital™ is available in two configurations. It can be used as a simple manually primed unit or, once fitted with the supplied spring, converted to a fully self-priming dispenser.

The Zippette Digital™ has an easy-to-read LCD and is fitted with an anti-drip safety valve. Volumes are simply adjusted by turning the top knob, activating the digital LCD to the desired volume setting. Each unit is manufactured to ISO9001:2000 quality system standards and is supplied with an individual calibration certificate.

Unlike other bottle-top dispensers, the Zippette Digital's glass barrel can be disassembled from the pedestal for thorough cleaning. This also ensures that, in the unlikely event of damage, you can replace the glass barrel as a spare part rather than have to buy a new dispenser.

Cat. No.	Description	Increment, ml
263-029	Zippette Digital™ 0–30ml dispenser	0.1

Please note that the Zippette Digital™ is not supplied with a reservoir. It has a standard 30mm neck fitting and is supplied with 38, 40 and 45mm bottle neck adaptors.

Features



Extendable Delivery Jet

An optional PTFE extendable delivery jet gives versatility to your dispensing.

The delivery jet stylus slots into the right-angled spout for 'hands-off' use.



Dispense volume simply adjusted by turning top knob



Large LCD screen shows specific volume to be dispensed

Accessories

Cat. No.	Description
263-058	Extendable delivery jet
262-140	Spare 33mm threaded polypropylene bottle adaptor
262-129	Spare 38mm threaded polypropylene bottle adaptor
262-128	Spare 40mm threaded polypropylene bottle adaptor
262-130	Spare 45mm threaded polypropylene bottle adaptor
262-085	Funnel with offset stem for filling reservoir side neck
800-116	Replacement Lithium battery

Anti-tip Reservoirs (Non autoclavable)

Cat. No.	Description	Capacity, liters	Neck Size (mm)
262-086	Amber squat reservoir with side filler neck	1.4	30
262-103	Amber squat reservoir with side filler neck	2.5	45
262-087	Amber Winchester reservoir with side filler neck	2.5	30
262-096	Clear glass reservoir with plastic coating and fingergrip handle (single neck)	2.5	38
262-097	Amber glass reservoir with plastic coating, fingergrip handle and adaptor (single neck)	4.5	38



*Note: Adapters are included with dispenser, not the reservoir.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

MicroZippette™ Hand-held Dispensers

The MicroZippette™ is a spring-loaded, self-priming, hand-held dispenser. Ideal for rapid multi-dispensing of reagents as an alternative to micropipettors. Four dual fixed volume models are available: 100/250µl, 500/750µl, 500/1000µl and 1000/2000µl.

- Inaccuracy ±1%, Imprecision 0.2%
- Positive lock volume adjustment
- Excellent precision and accuracy
- May be conveniently stored in a refrigerator
- Chemically resistant fluid pathway
- Supplied complete with dispense tube, intake tube and plastic coated safety bottle
- Fully autoclavable
- Three year warranty



Cat. No.	Description
268-005N	MicroZippette™ 100 and 250µl volumes supplied with bottle
268-006N	MicroZippette™ 500 and 750µl volumes supplied with bottle
268-029N	MicroZippette™ 500 and 1000µl volumes supplied with bottle
268-007N	MicroZippette™ 1000 and 2000µl volumes supplied with bottle

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP