

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Jorway 174* at our website: ***Click HERE***

PRODUCT SELECTION GUIDE

The Product Summary identifies products available from the Jorway Corporation. Please CONTACT the factory for full details on a specific product of interest.

Specific data sheets on some of our more popular products are available for viewing on this web site:

Model 73A Full SCSI CAMAC Crate Controller

The Jorway Model 73A allows up to 7 CAMAC Crates to be controlled by a personal computer or workstation using the popular Small Computer System Interface (SCSI) Bus (ANSI Standard X3.131).

[Product summary] [Complete data sheet in pdf format - 119k]

Model Aurora 14 6 Channel 1 MHz Transient Recorder

The Aurora 14 Transient Recorder is fully self contained analog waveform digitizer capable of simultaneous sampling of data on six separate channels all at rates up to 1 MHz. Housed in a single width CAMAC module, each channel contains a separate differential amplifier, sample/hold, 12 bit Analog to Digital Converter, and up to 1024K word memory. With a separate A to D converter per channel, no analog multiplexer is required, resulting in excellent reduction of crosstalk between channels. Overloading of one channel has a negligible effect on other channels.

[Product summary] [Complete data sheet in pdf format - 513]

PRODUCT SUMMARY

*** CAMAC IEEE STANDARD HIGHWAY DRIVERS FOR PROCESSORS WITH SCSI BUS PORTS ***

MODEL	DESCRIPTION
411-2572	ENHANCED SERIAL HIGHWAY, 3 1/2 INCH HIGH 19 INCH RACK MOUNT
OPTION 1	411 OPTION 1, POWERED SINGLE CAMAC MODULE SLOT
	CONVERSION OF EXISTING 411's TO SCSI BUS

*** CAMAC CRATE CONTROLLERS and support modules ***

MODEL	DESCRIPTION
SCSI Controllers (Small Computer System Interface Bus)	
73A	FULL PROTOCOL SCSI CRATE CONTROLLER with LAM MASK and MAIL BOX MEMORY
73A-1	MODEL 73A, with Option 1: selectable for MASTER OR AUXILIARY operation
Option 2	with Option 2 Model 73A is equipped to perform FASTCAMAC level 1 read operations

SCSI Cables, Maximum distance 6 Meters (other cable lengths available on request)

A5541-4	CABLE, MODEL 73A SCSI HIGH DENSITY TO LO DENSITY MALE, 4m
A5560-4	CABLE, SCSI, HIGH DENSITY MALE to HIGH DENSITY MALE, 4M

MODEL	DESCRIPTION
PARALLEL HIGHWAY, IEEE STD 596	
71B	TYPE A-2 CRATE CONTROLLER
71B-1	TYPE A-2 selectable for MASTER OR AUXILIARY operation
w/options -2 &-3	TYPE A-2 WITH MAILBOX MEMORY AND LAM MASK
270	LAM SCANNER AUXILIARY CONTROLLER

PARALLEL BRANCH HIGHWAY CABLE

CUSTOM CABLE ANY LENGTH,#24AWG 66 TWISTED PAIR CABLE WITH OVERALL

FOIL SHIELD AND PVC FLEXIBLE JACKET

SERIAL HIGHWAY, IEEE STD 595

74RG TYPE L-2 SERIAL CRATE CONTROLLER WITH REQUEST GRANT ARBITRATION
74B TYPE L-2 SERIAL CRATE CONTROLLER
174 TYPE L-2 SERIAL CRATE CONTROLLER WITH ENHANCED BLOCK TRANSFER MODES
with Option 2 ANY TYPE L-2 WITH OPTION 2, HIGH GAUSS MAGNETIC FIELD RELAYS
176 BYTE SERIAL HIGHWAY BYPASS OPTICALLY ISOLATED
176-R BYTE SERIAL HIGHWAY BYPASS NON ISOLATED
275 SERIAL HIGHWAY REQUEST GRANT ADAPTER

*** CAMAC MODULES ***

MODEL DESCRIPTION

DIGITAL INPUT and OUTPUT

45 16 BIT TTL INPUT, 16 BIT TTL OUTPUT
45-S1 16 BIT OPTICAL ISOLATED INPUT, 16 BIT RELAY OUTPUT

DIGITAL INPUT

60A DUAL CHANNEL, 24 BIT REGISTER
63 NIM INTERRUPT REGISTER + MASK
64 TTL INTERRUPT REGISTER + MASK
66 ADC/TDC INTERFACE

DIGITAL OUTPUT

40A DUAL CHANNEL, 24 BIT REGISTER, TTL OPEN COL., LOGIC "1" LOW,
26 PIN RIBBON TYPE CONNECTOR WITH EJECTORS
ALTERNATE OUTPUTS:
40A-1 TTL TOTEM POLE LOGIC "1" LOW
40A-2 OPEN COL. 300ma SINK, LOGIC "1" LOW
40A-3 OPEN COL. 300ma SINK, LOGIC "1" HIGH
40A-4 TTL TOTEM POLE , LOGIC "1" HIGH
40A-5 TTL OPEN COL., LOGIC "1" HIGH
40A-8 TTL TOTEM POLE (74S38), LOGIC "1" LOW
ALTERNATE CONNECTORS
OPTION A STD 26 PIN IDC RIBBON TYPE WITH EJECTORS
OPTION.B 31 PIN DOUBLE DENSITY 2DA31P
OPTION C 52 PIN DOUBLE DENSITY 2DB52P
OPTION D 34 PIN IDC RIBBON TYPE
SPECIAL FEATURES
OPTION V 24 LED VISUAL DISPLAY EACH CHANNEL

41 REGISTER, 12 BIT, NIM LEVEL

ANALOG INPUT AND TRANSIENT RECORDERS

AURORA 14 6 CHANNEL X 128K,1 MHz 12BIT TRANSIENT RECORDER
with Option 1 Memory increased to 512k words per channel
with Option 2 Memory increased to 1.024 mega words per channel
30B ADC, 12BIT
32 DUAL ADC, 12BIT

ANALOG OUTPUT

33 DUAL DAC, 12BIT
232 8 CHANNEL, 12BIT, DAC
232-2 232, 2 PIN LEMO FRONT PANEL OUTPUTS
232-3 232, 50 PIN CONNECTOR FRONT PANEL OUTPUT
232-4 232, DIFFERENTIAL OUTPUTS

CLOCK TIMING AND SEQUENCING MODULES

217-1 GATED CLOCK GENERATOR WITH CONTROL REGISTER
221 12 CHANNEL TIMING AND SEQUENCE, 1K MEMORY
221-1 4K MEMORY CAPACITY
221-L SINGLE WIDTH LEMO PANEL FOR MODEL 221 OUTPUTS
222 12 CHANNEL 5 VOLT 50 OHM DRIVER(includes connecting cable A5139)
224 TIMED BASE (TRANSIENT RECORDER BURST CLOCK)

SERVICE AND DIAGNOSTIC MODULES

11A MODULE EXTENDER
11A-2 11A WITH 36 PIN OPTION
201-4 MANUAL INPUT-OUTPUT WITH WRITE-READ REGISTER
203 DIAGNOSTIC DATAWAY DISPLAY WITH REGISTER READBACK

*** POWER CAMAC CRATES ***

[Home] [Model 73A] [Model Aurora 14]

Last modified: December 05, 2000

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP