

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Kelvinator Scientific BT660* at our website: *Click HERE*





Kelvinator SCIENTIFIC®

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Kelvinator SCIENTIFIC

Undercounter Refrigerators & Freezers

BT650



Model:	BT650
Capacity: (cu. Ft.)	5.3 (R) / 0.7 (F)
(litres)	150 (R) / 20 (F)
Temperature Range:	0ºC/13ºF (R), -12ºC/+10ºF (F)
Exterior: (in.) HWD	34 1/2 x 23 7/8 x 23 3/4
(cm)	88 x 61 x 60
Interior: (in.) HWD	25 1/4 x 21 x 20 1/2
(cm)	64 x 53 x 52
Doors: Keylock	Solid single
Legs:	Glides
Shelves:	2 shelves
Interior Lighting:	None
Insulation: Urethane	1 1/8"
Refrigerant:	R-134A
Compressor:	1/10 hp
Condenser:	Fin and tube, forced air
Air Circulation:	Gravity
Refrigerant Control:	Capillary tube
Evaporator:	Plate and tube
Thermostat:	Adjustable
Defrost:	Manual
Voltage: Domestic	115/60/1
Export	230/50/1
Running Amps:	3.3
Supply Plug:	5-15 NEMA
Shipping: Cubic Ft.	14.5
Weight: (lbs.) Domestic	120
International:	160

Standard Features:

- Manual defrost
- Lockable door
- 1 1/8 non-CFC foam insulation
- 2 each shelves

Optional Accessories:

- Alarm system with port
- Lockable casters

national REFRIGERATION COMPANY

"Manufacturers of Kelvinator Commercial Refrigeration Products"

563 Corbin Road • Honea Path, SC 29654 • 800-486-8369 • Fax: 864-369-1668

www.kelvinator.us

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Kelvinator SCIENTIFIC

Undercounter Refrigerators & Freezers

BT660



Model:	BT660
Capacity: (cu. Ft.)	6.1
(litres)	172.8
Temperature Range:	.6ºC to 7.2ºC, 33ºF to 45ºF
Exterior: (in.) HWD	34 1/2 x 23 7/8 x 23 3/4
(cm)	88 x 61 x 60
Interior: (in.) HWD	28 x 21 x 20
(cm)	72 x 53 x 52
Doors: Keylock	Solid single
Legs:	Glides
Shelves:	2 shelves
Interior Lighting:	None
Insulation: Urethane	1 1/8" foam
Refrigerant:	R-134A
Compressor:	1/10 hp
Condenser:	Fin and tube, forced air
Air Circulation:	Gravity
Refrigerant Control:	Capillary tube
Evaporator:	Plate and tube
Thermostat:	Adjustable
Defrost:	Cycle
Voltage: Domestic	115/60/1
Export	230/50/1
Running Amps:	3.3
Supply Plug:	5-15 NEMA
Shipping: Cubic Ft.	14.5
Weight: (lbs.) Domestic	120
International:	160

Standard Features:

- Cycle defrost
- Lockable door
- 1 1/8" non-CFC foam insulation
- 2 each shelves

Optional Accessories:

- Alarm system with port
- Lockable casters

national REFRIGERATION COMPANY

"Manufacturers of Kelvinator Commercial Refrigeration Products"

563 Corbin Road • Honea Path, SC 29654 • 800-486-8369 • Fax: 864-369-1668

www.kelvinator.us

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Kelvinator SCIENTIFIC

Undercounter Refrigerators & Freezers

BT680



Standard Features:

- Manual defrost
- Lockable door
- 1 1/8" non-CFC foam insulation
- 2 each shelves

Optional Accessories:

- Alarm system with port
- Lockable casters

Model:	BT680
Capacity: (cu. Ft.)	6.1
(litres)	172.8
Temperature Range:	-6.7°C to -12°C, +20°F to +10°F
Exterior: (in.) HWD	34 1/2 x 23 7/8 x 23 3/4
(cm)	88 x 61 x 60
Interior: (in.) HWD	28 x 21 x 20
(cm)	71 x 53 x 52
Doors: Keylock	Solid single
Legs:	Glides
Shelves:	2 shelves
Interior Lighting:	None
Insulation: Urethane	1 1/8" foam
Refrigerant:	R-134A
Compressor:	1/10 hp
Condenser:	Fin and tube, forced air
Air Circulation:	Gravity
Refrigerant Control:	Capillary tube
Evaporator:	Plate and tube
Thermostat:	Adjustable
Defrost:	Manual
Voltage: Domestic	115/60/1
Export	230/50/1
Running Amps:	3.3
Supply Plug:	5-15 NEMA
Shipping: Cubic Ft.	14.5
Weight: (lbs.) Domestic	120
International:	160

national REFRIGERATION COMPANY

"Manufacturers of Kelvinator Commercial Refrigeration Products"

563 Corbin Road • Honea Path, SC 29654 • 800-486-8369 • Fax: 864-369-1668
www.kelvinator.us

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Kelvinator SCIENTIFIC

Undercounter Refrigerators & Freezers

BT450



Standard Features:

- Manual defrost
- Lockable door
- 2 1/2" non-CFC foam insulation
- 2 each shelves

Optional Accessories:

- Alarm system with port
- Lockable casters

Model:	BT450
Capacity: (cu. Ft.)	4.5
(litres)	127.5
Temperature Range:	-20ºC to -23ºC, 5ºF to -10ºF
Exterior: (in.) HWD	34 1/2 x 23 7/8 x 23 3/4
(cm)	88 x 61 x 60
Interior: (in.) HWD	24 x 18 3/4 x 18
(cm)	61 x 47.6 x 45.7
Doors: Keylock	Solid single
Legs:	Glides
Shelves:	2 shelves
Interior Lighting:	None
Insulation: Urethane	2 1/2" foam
Refrigerant:	R-134A
Compressor:	1/10 hp
Condenser:	Fin and tube, forced air
Air Circulation:	Gravity
Refrigerant Control:	Capillary tube
Evaporator:	Plate and tube
Thermostat:	Adjustable
Defrost:	Manual
Voltage: Domestic	115/60/1
Export	230/50/1
Running Amps:	3.3
Supply Plug:	5-15 NEMA
Shipping: Cubic Ft.	14.5
Weight: (lbs.) Domestic	120
International:	160

national REFRIGERATION COMPANY

"Manufacturers of Kelvinator Commercial Refrigeration Products"

563 Corbin Road • Honea Path, SC 29654 • 800-486-8369 • Fax: 864-369-1668

www.kelvinator.us

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Kelvinator SCIENTIFIC

Undercounter Refrigerators & Freezers

BT1.5FS



Standard Features:

- Manual defrost
- Lockable door
- 1 1/4" non-CFC foam insulation

Optional Accessories:

- Alarm system with port

Model:	BT1.5FS
Capacity: (cu. Ft.)	1.5
(litres)	42.5
Temperature Range:	-20°C (-4°F)
Exterior: (in.) HWD	24 1/4 x 14 7/8 x 22 1/8
(cm)	62 x 38 x 52
Interior: (in.) HWD	12 x 11 1/4 x 17 5/8
(cm)	30 x 29 x 45
Doors: Keylock	1 each with lock
Legs:	None
Shelves:	None
Interior Lighting:	None
Insulation: Urethane	1 1/4" foam
Refrigerant:	R-134A
Compressor:	Bottom-mounted / 457 BTU
Condenser:	Fin and tube, forced air
Air Circulation:	Natural convection evaporator / fan forced air condenser
Refrigerant Control:	Fixed capillary tube
Evaporator:	Aluminum plate type
Thermostat:	Mechanical vapor pressure
Defrost:	Manual
Voltage: Domestic	115/60/1
Export	Not available
Running Amps:	3.3
Supply Plug:	NEMA-5
Shipping: Cubic Ft.	6.6
Weight: (lbs.) Domestic	110
International:	Not available

national REFRIGERATION COMPANY

"Manufacturers of Kelvinator Commercial Refrigeration Products"

563 Corbin Road • Honea Path, SC 29654 • 800-486-8369 • Fax: 864-369-1668

www.kelvinator.us

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

national

REFRIGERATION COMPANY

563 Corbin Road • Honea Path, SC 29654 • 800-486-8369 • Fax: 864-369-1668 • www.kelvinator.us

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP