



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

Focused-beam Photoelectric Sensor

PZ-101

Features

- Detecting distance of 0 to 100 mm 3.94"
- Red LED as light source
- Visible beam spot as small as 5 x 5 mm 0.20" x 0.20"
- Visible beam allows easy alignment with target.

Detecting Distance

Focused-beam – 0 to 100 mm (0 to 3.94")




Description


Small visible beam spot

The PZ-101 utilizes a special lens to create the small beam spot. The red LED light source enables you to visibly confirm the detection spot position.

- Detecting distance of 0 to 100 mm 3.94"




- Visible beam spot as small as 5 x 5 mm 0.20" x 0.20"




Detection possible from break or opening in conveyor

Since the emitted beam is very narrow, the sensor can be placed in a location of limited space to detect an object through a break or opening in an assembly line.







Clearly distinguishes between black and white

The sensor's small beam spot can determine whether an object is black or white. Therefore, the PZ-101 may also be used as a mark sensor.



Focused-beam Photoelectric Sensor PZ-101

Applications




Specifications


Type		Focused-beam
Model	NPN	PZ-101
	PNP	PZ-101P
Detecting distance		0 to 100 mm 3.94"
Detectable object		Transparent and opaque materials
Hysteresis		20% max. of detecting distance
Response time		1 ms max. (2 ms in alternate frequency mode)
Light source		Infrared LED
Sensitivity adjustment		1-turn trimmer (240°)
Operation mode		LIGHT-ON/DARK-ON (selectable by wiring)
Indicators		Output: Red LED, Stable operation: Green LED, Power supply: Red LED
Control output		NPN or PNP: 100 mA (40 V) max.
Alarm output (NPN type only)		NPN: 100 mA (40 V) max.
Power supply		12 to 24 VDC ±10%
Current consumption		30 mA max.
Enclosure rating		IP-67
Ambient light		Incandescent lamp: 5,000 lux max., Sunlight: 20,000 lux max.
Ambient temperature		-20 to +55°C
Housing		Glass-fiber reinforced resin
Weight (including 2-m 6.6' cable)		Approx. 75g

Characteristics


Receiver excess gain vs. distance (Typical)



Operating distance vs. detecting distance (Typical)



Detecting distance vs. object size (Typical)



* For connection and dimension information, refer to the PZ-41 information of the PZ Series.



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com