

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Keysight / Agilent 10897C* at our website: ***Click HERE***



Images

10897C High-Resolution VMEbus Laser Axis Board

This product is no longer available

View Technical Overview

Visit Technical Support

A replacement for this product is available:

- 10897D High-Resolution VMEbus Laser Axis Board

Overview & Features | Options & Accessories | Document Library

Description

The Keysight 10897C VMEbus laser axis board offers the highest measurement resolution commercially available in positioning systems. With resolution up to 0.3 nm, it provides ultra-precise position (or distance) information for advanced products such as IC fabrication equipment. The Keysight 10897C is tested at frequencies equivalent to 0.7 m/s plane mirror slew rates.

The register-programmed position axis board provides a 36-bit position word in fractional wavelengths. The word is readable over the VMEbus and is also available from a real-time hardware output on the A and C rows of the P2 connector. Its very high data rates accommodate high-bandwidth, high-performance closed-loop applications. Configured with appropriate laser and optics components, the Keysight 10897C supplies unsurpassed positioning accuracy for dynamic measurements.

- VMEbus Position Output
- Data Format:
- Units: fractions of a wavelength
- 2's Complement: choose any 32 of 35 bits to read
- Positive Logic
- Data Rate Over Backplane: >100 kHz
- Sample Data Age:
- Fixed: After a synchronous sample operation, the value in the position register will reflect the actual position that occurred approximately X ns before the sample operation was initiated. There are two user-selectable values of X, 290 ns and 790 ns.
- Sample Delay:
- The position register may be read 100 ns or 600 ns after a hardware sample operation, via the sample delay register bit.
- P2 Connector Hardware Position Output
- Data Age:
- Fixed: The data on the hardware output line will reflect the position that occurred approximately 1.2 us before the next rising edge of the 10 MHz clock.
- General Information
- VME Compliance:
- A16 Data Transfer Cycles
- D16 Data Transfer Cycles
- A24 Data Transfer Cycles
- D32 Data Transfer Cycles
- D08(O) Interrupt Acknowledge Cycles
- Power Requirements:
- 5 Vdc + 0.25 V/-0.125 V at less than 3.5 A
- +12 V +/-0.5 V at less than 0.1A
- -12 V +/-0.5V at less than 0.025A
- Cooling Requirements:
- 19 linear meters (60 linear feet) per minute for 0-40 degrees C operation 76 linear meters (250 linear feet) per minute minimum for 0-55 degrees C operation
- Reduced data age ambiguity ensures dynamic accuracy
- Low noise rating improves repeatability
- Full electrical and mechanical compliance with VMEbus specifications
- Programmable signal routing
- High reliability backed by three-year warranty
- Integrated board functions reduce system size, complexity, development time, and cost

Product Support Center

- Technical Support
  manuals, drivers, application notes, firmware, software, ...
- Parts
- Repair & Calibration Services

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP