

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

Syringe Description							Syringe Volume and Agilent Part Number								
Syringe Application	Needle Type	Needle Style	Point Style	Gauge	Plunger	Unit	0.5µL	1µL	5µL	10µL	25µL	50µL	100µL	250µL	500µL
GC Autosampler 7673/7683	Fixed	Tapered	HP	23-26s	Standard	1 ea 6/pk			5181-1273 5181-8810	5181-1267 5181-3360					
			HP	23-26s	Teflon-Tip	1 ea 6/pk				5181-3354 5181-3361		5183-0314	5183-2042		
		Straight	HP	26s	Standard	1 ea 6/pk			9301-0891 5183-4728	9301-0714 5183-4729					
			HP	23	Standard	1 ea 6/pk			9301-0892 5182-0875	9301-0713 9301-0725					
			HP	23	Teflon-Tip	1 ea 6/pk				5181-8809 5183-4730	5183-0316	5183-0318	5183-2058		
	Removable	Tapered	HP	23-26s	Standard	1 ea			5182-0835	5181-3321					
				23-26s	Teflon-Tip	1 ea				5181-3356					
		Straight	HP	23	Standard	1 ea			5182-0834	5181-8806					
				23	Teflon-Tip	1 ea				5181-8813					
GC Autosampler 7673/7683 On-Column	Removable	Barrel Only		Choose	Standard	1ea			5182-0836						
GC Autosampler 7670/71/72	Fixed	Straight	HP	23	Standard	1ea				5182-9734					
				23	Teflon-Tip	1ea				5182-9799					
	Removable	Straight	HP	23	Standard	1ea				5182-9626					
			2	23	Standard	1ea		5182-9622							
GC Manual Standard Syringes	Fixed	Straight	2	26s	Standard	1ea				5182-3499					
						10/pk				5182-3428					
				25	Standard	1ea					5182-9625	5182-9636	5182-9615	5182-9640	5182-9641
	Removable	Straight	HP	23	In-Needle	1ea	5182-9651								
				26	In-Needle	1ea		5182-9605							
				23	In-Needle	1ea		5182-9627	5182-9623						
GC Manual SuperfleX	Fixed	Straight	2	26s	SuperfleX	1ea				5182-3496					
						6/pk				5182-3495					
	Removable	Straight	2	26s	SuperfleX	1ea			5182-3498						
GC Manual Gas-Tight Syringes	Fixed	Straight	2	26s	Teflon-Tip	1ea				5182-9606					
				25s	Teflon-Tip	1ea					5182-9629	5182-9612	5182-9610	5182-9608	
				25	Teflon-Tip	1ea									5182-9609
GC Manual On-Column	Removable	SS Needle		0.23mm	Standard	1ea				5182-9633					
LC Manual Syringes	Fixed	Straight	3	22	Standard	1ea				5182-9644	5182-9628	5182-9619	5182-9613	5182-9624	5182-9658
	Removable	Straight	3	22	Standard	1ea				5182-9725	5182-9719	5183-4538	5183-4539	5182-9720	5183-4540
				22	Teflon-Tip	1ea									5183-4547

Syringe Application	Needle Type	Needle Style	Point Style	Gauge	Plunger	Unit	1.0mL	2.5mL	5mL	10mL	25mL	50mL	Needles and Part No.
GC Manual Gas Tight & LC syringes	Luer Lock	Choose			Teflon-Tip	1ea	5182-9710	5182-9711	5182-9630	5182-9620	5182-9639		Luer Lock Needles: 23G/50mm/2pt 5183-4606 5/pk 23G/50mm/5pt 5183-4613 2/pk 22G/51mm/3pt 5183-4614 2/pk
	Luer Lock	Choose			Teflon-Tip	1ea	5183-4549	5183-4550	5183-4551	5183-4552	5183-4553	5183-4554	
GC Manual Gas-Tight Syringes	Fixed	Straight	2	23	Teflon-Tip	1ea	5182-9604	5182-9642	5182-9638	5182-9643			

Replacement Parts and Agilent Part Numbers

Syringe Application	Syringe Volume	Plunger	Gauge	Needle Style	Replacement Needles	Replacement Plunger for Fixed Needle Syringe	Replacement Plunger Removable Needle Syringe
GC Autosampler 7673/7683	5µL	Standard	23-26s	Tapered	5182-0832 3/pk		
			23	Straight	5182-0830 3/pk		
	10µL	Standard	23-26s	Tapered	5181-3319 3/pk		
			23	Straight	5181-8811 3/pk		
	10µL	Teflon-Tip	23-26s	Tapered	5181-3319 3/pk	5181-3365 1ea	5181-3358 1ea
			23	Straight	5181-8811 3/pk	5181-8808 1ea	5181-3358 1ea
GC Autosampler 7673/7683 On-Column	5µL	Standard	0.53 mm columns		5182-0832 3/pk		
			0.32 mm columns		5182-0831 3/pk		
			0.25 mm columns		5182-0833 3/pk		
GC Manual Standard Syringes	1µL	In-Needle	26	Straight	5182-9635 1ea		
	1µL	In-Needle	23	Straight	5182-9712 1ea		
	5µL	In-Needle	23	Straight	5182-9683 1ea		
GC Manual On-Column	10µL	Standard	0.23 mm	SS Needle	5182-9645 3/pk		
GC Manual Gas-Tight and LC Luer Lock syringes	10µL	Teflon-Tip	26s	Straight		5182-9621 1ea	
	1mL	Teflon-Tip	23	Straight	See table above	5182-9661 1ea	5182-9661 1ea
	2.5mL	Teflon-Tip	23	Straight	See table above	5182-9671 1ea	5182-9671 1ea
	10mL	Teflon-Tip	23	Straight	See table above	5182-9709 1ea	5182-9709 1ea
LC Manual Syringes	25-500µL	Standard	22		5182-9654 3/pk		
		Teflon-Tip	22		5183-4548 1ea		

KEY:

Tapered Needle = 23 Gauge at base, 26s Gauge at tip; HP-style point, can be used universally.
Straight Needle = Same Gauge over entire length of needle; available with various point styles.
Needle Point Styles: 2 = beveled sharp point, 3 = blunt point for LC, 5 = side-hole, for large volume or gaseous samples, HP point = cone-shaped point which extends septum life.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP