

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Keysight / Agilent 6681A* at our website: ***Click HERE***

Keysight Technologies
6680A Series Single-Output, 5000 W DC Power Supplies, GPIB

Data Sheet



Reliable DC power for manufacturing test and long-term burn-in

- Low output ripple and noise
- Selectable compensation for inductive loads
- Analog control of output voltage and current
- Fan-speed control to minimize acoustic noise
- Built-in measurements and advanced programmable features
- Protection features to ensure DUT safety

KEYSIGHT TECHNOLOGIES

Unlocking Measurement Insights

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Introduction

This series of 5000 watt DC power supplies has the exceptional, proven reliability that test system engineers look for. It also has the features needed for easy test system integration.

Programming of the DC output and the extensive protection features can be done either from the front panel or using industry standard SCPI commands via the GPIB. Using the serial link, up to 16 power supplies can be connected through one GPIB address. Test system integration can be further simplified by using the VXIplug&play drivers.

The output voltage and current can also be controlled with analog signals. This is helpful for certain types of noisy environments, and also immediate reactions to process changes.

The 6680A series has extremely low ripple and noise for a 5000 watt DC power supply. This helps the built-in measurement system make extremely accurate current and voltage measurements.

Selectable compensation is provided for problem-free powering of inductive loads.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Specifications

Specifications (at 0 ° to 55 °C unless otherwise specified)	**6680A**	**6681A**	**6682A**	**6683A**	**6684A**	**6680A-J04 Special order option**
Number of outputs	1	1	1	1	1	1
GPIB	Yes	Yes	Yes	Yes	Yes	Yes
Output ratings Output voltage Output current	 0 to 5 V 0 to 875 A	 0 to 8 V 0 to 580 A	 0 to 21 V 0 to 240 A	 0 to 32 V 0 to 160 A	 0 to 40 V 0 to 128 A	 0 to 3.3 V 0 to 1000 A
Programming accuracy (at 25 °C ± 5 °C) Voltage 0.04% + Current 0.1% +	 5 mV 450 mA	 8 mV 300 mA	 21 mV 125 mA	 32 mV 85 mA	 40 mV 65 mA	 5 V 450 A
Ripple and noise constant voltage mode from 20 Hz to 20 MHz Voltage rms peak-to-peak	 1.5 mV 15 mV	 1.5 mV 10 mV	 1.5 mV 10 mV	 1.0 mV 10 mV	 1.0 mV 10 mV	 3.4 mV 15 mV
Readback accuracy at 25 °C ± 5 °C (percent of reading plus fixed) Voltage 0.05% + ±Current 0.1% +	 7.5 mV 600 mA	 12 mV 400 mA	 32 mV 165 mA	 48 mV 110 mA	 60 mV 90 mA	 7.5 mV 600 mA
Load and line regulation Voltage 0.002% + Current 0.005% +	 0.19 mV 65 mA	 0.3 mV 40 mA	 0.65 mV 17 mA	 1.1 mV 12 mA	 1.5 mV 9 mA	 0.19 mV 77 mA
Transient response time	Less than 900 µs for the output voltage to recover to within 150 mV following a change in load from 100% to 50% or 50% to 100% of the output current rating of the supply					

Supplemental Characteristics (Non-warranted characteristics determined by design and useful in applying the product)	**6680A**	**6681A**	**6682A**	**6683A**	**6684A**	**6680A-J04** Special order option
Ripple and noise constant voltage mode from 20 Hz to 20 MHz Current rms	 290 mA	 190 mA	 40 mA	 28 mA	 23 mA	 –
Average programming resolution Voltage Current OVP	 1.35 mV 235 mA 30 mV	 2.15 mV 155 mA 45 mV	 5.7 mV 64 mA 120 mV	 8.6 mV 43 mA 180 mV	 10.8 mV 34 mA 225 mV	 12 mV 260 mA 25 mV
Output voltage programming response time* (excluding command processing time)	9 ms	12 ms	45 ms	60 ms	60 ms	9 ms
Output common-mode noise current (to signal-ground binding post) rms peak-to-peak	 1.5 mA 10 mA	 1.5 mA 10 mA	 3 mA 20 mA	 3 mA 20 mA	 3 mA 20 mA	 2.0 mA 12.5 mA

* Full load programming rise/fall time (10% to 90% or 90% to 10%) with full resistive load equal to rated output voltage/rated output current.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Supplemental characteristics for all model numbers

DC floating voltage: Output terminals can be floated up to ± 60 VDC from chassis ground

Remote sensing: Up to half the rated output voltage can be dropped in each load lead. The drop in the load leads subtracts from the voltage available for the load.

Command processing time: Average time required for the output voltage to begin to change following receipt of digital data is 20 ms for power supplies connected directly to the GPIB.

Modulation: (Analog programming of output voltage and current):

Input signal: 0 to –5 V for voltage, 0 to +5 V for current
Input impedance: 30 kΩ or greater

AC input (47 to 63 Hz):
180 to 235 VAC (line-to-line, 3 phase),
27.7 A rms maximum worst case,
21.4 A rms nominal; 360 to 440 VAC,
14.3 A rms maximum worst case,
10.7 A rms nominal (maximum line current includes 5% unbalanced phase voltage condition.) Output voltage derated 5% at 50 Hz and below 200 VAC

Input power: 7350 VA and 6000 W maximum; 160 W at no load

GPIB interface capabilities: SH1, AH1, T6, L4, SR1, RL1, PP0, DC1, DT1, E1, and C0. IEEE-488.2 and SCPI command set.


Software driver:
- IVI-COM
- VXIplug&play

Size: 425.5 mm W x 221.5 mm H x 674.7 mm D
(16.75 in x 8.75 in x 25.56 in)

Weight: Net, 51.3 kg (113 lbs); shipping, 63.6 kg (140 lbs)

Warranty: One year

Keysight Technologies, Inc. Models: 6680A, 6681A, 6682A, 6683A, 6684A



Ordering information

The 6680A power supplies come with full documentation on CD-ROM. The CD-ROM includes user's guide, programming guide, service manual, quick start guide, and application notes.

Opt 208	180 to 235 VAC, 3 phase, 47 to 63 Hz
Opt 400	360 to 440 VAC, 3 phase, 47 to 63 Hz
Opt 602	Two bus bar spacers for paralleling power supplies (p/n 5060-3514)
Opt 0L1	Printed user's and programming guides
Opt 0B3	Printed service manual

Accessories

1CM028A* Rack mount flange kit 88.1 mm H (3U) and 132.6 mm H (2U) – 4 brackets (5U total)

1CP014A* Double rack mount flange and handle kit 88.1 mm H (2U) and 132.6 mm H (3U)

E3663AC Support rails for Keysight rack cabinets

P/n 5080-2148 Serial link cable 2 m (6.6 ft.)

P/n 5060-3513 Three 30 A replacement fuses for 180 to 235 VAC line

P/n 5060-3512 Three 16 A replacement fuses for 360 to 440 VAC line

Application notes

6671A/72A/81A/82A/90A System DC Power Supplies Product Overview, 5988-3050EN

Keysight DC Power Supplies for Base Station Testing, 5988-2386EN


10 Practical Tips You Need to Know About Your Power Products, 5965-8239E

*Support rails required

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

From Hewlett-Packard through Agilent to Keysight

For more than 75 years, we've been helping you unlock measurement insights. Our unique combination of hardware, software and people can help you reach your next breakthrough. Unlocking measurement insights since 1939.



www.keysight.com/find/6680

myKeysight

myKeysight

www.keysight.com/find/mykeysight
A personalized view into the information most relevant to you.

Three-Year Warranty

www.keysight.com/find/ThreeYearWarranty
Keysight's committed to superior product quality and lower total cost of ownership. Keysight is the only test and measurement company with three-year warranty standard on all instruments, worldwide. And, we provide a one-year warranty on many accessories, calibration devices, systems and custom products.

Keysight Assurance Plans

www.keysight.com/find/AssurancePlans
Up to ten years of protection and no budgetary surprises to ensure your instruments are operating to specification, so you can rely on accurate measurements.

Keysight Infoline

www.keysight.com/find/service
Keysight's insight to best in class information management. Free access to your Keysight equipment company reports and e-library.

Keysight Channel Partners

www.keysight.com/find/channelpartners
Get the best of both worlds: Keysight's measurement expertise and product breadth, combined with channel partner convenience.

www.keysight.com/find/6680

For more information on Keysight Technologies' products, applications or services, please contact your local Keysight office. The complete list is available at:
www.keysight.com/find/contactus

Americas

Canada	(877) 894 4414
Brazil	55 11 3351 7010
Mexico	001 800 254 2440
United States	(800) 829 4444

Asia Pacific

Australia	1 800 629 485
China	800 810 0189
Hong Kong	800 938 693
India	1 800 11 2626
Japan	0120 (421) 345
Korea	080 769 0800
Malaysia	1 800 888 848
Singapore	1 800 375 8100
Taiwan	0800 047 866
Other AP Countries	(65) 6375 8100

Europe & Middle East

Austria	0800 001122
Belgium	0800 58580
Finland	0800 523252
France	0805 980333
Germany	0800 6270999
Ireland	1800 832700
Israel	1 809 343051
Italy	800 599100
Luxembourg	+32 800 58580
Netherlands	0800 0233200
Russia	8800 5009286
Spain	800 000154
Sweden	0200 882255
Switzerland	0800 805353 Opt. 1 (DE) Opt. 2 (FR) Opt. 3 (IT)
United Kingdom	0800 0260637

For other unlisted countries:
www.keysight.com/find/contactus
(BP-02-10-16)

DEKRA Certified
ISO9001 Quality Management System

www.keysight.com/go/quality
Keysight Technologies, Inc.
DEKRA Certified ISO 9001:2015
Quality Management System

KEYSIGHT TECHNOLOGIES
Unlocking Measurement Insights

This information is subject to change without notice.
© Keysight Technologies, 2012 - 2016
Published in USA, June 3, 2016
5990-9307EN
www.keysight.com

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP