

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Keysight / Agilent E1506A* at our website: ***Click HERE***


Agilent E1506A, E1507A 120 Ω and 350 Ω Strain Completion and Excitation SCPs

Data Sheet

- **Use with Agilent E1413C/E1415A/E1419A**
- **120 Ω and 350 Ω strain completion and excitation**
- **Connections for quarter, half, and full bridges**
- **Requires an input SCP to make strain gage measurements**



Agilent E1506A



Agilent E1507A

Description

The Agilent Technologies E1506A and E1507A 8-Channel Strain Completion & Excitation SCPs provide strain completion and excitation voltages for 120 Ω and 350 Ω strain bridges. Connections can be made for quarter-bridge, half-bridge, and full-bridge strain gage measurements.

Two SCPs are required to make strain gage measurements. The E1506A or E1507A SCP provides the excitation signals and bridge connections. The other SCP, the "sense" SCP, makes the measurement connections (e.g., E1501A, E1502A, E1503A, E1508A, or E1509A).

The E1506A or E1507A supplies the bridge excitation voltage for all bridge configurations. In quarter-bridge and half-bridge configurations, the E1506A or E1507A supplies the strain completion circuitry.

Use the E1506A or E1507A with the following VXI modules:

Model	Description
E1413C	64-Channel Scanning A/D Converter
E1415A	Algorithmic Closed Loop Controller
E1419A	Multifunction Measurement and Control Module

Refer to the Agilent Technologies Website for recent product updates, if applicable.

Agilent Technologies


Downloaded from DatasheetLib.com - datasheet search engine
Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com


Product Specifications


Excitation Voltage	
Accuracy: (90 day) 23 ± 1° C with *CAL done after 1 hr warm-up. Measured with the E1501A Direct Input SCP.	3.9000 V nominal ±512 µV
Temp coeff:	39 µV/° C
Noise (3σ):	
A/D filter off:	450 µV
A/D filter on:	366 µV
Completion Resistors	
Power:	0.125 W @ 125 ° C
Tolerance:	0.05%
TCR:	± 5 ppm/° C
Offsets	
Bridge offsets:	
Quarter bridge:	± 1° C of tare cal
Offset:	± 40 µV
System Strain Accuracies	
Gain + offset error:	40 µε
Noise error:	
A/D filter off:	27 µε
A/D filter on:	20 µε


Strain Measurement Accuracy


These specifications for the E1506A and E1507A reflect the combined performance of the scanning A/D plus the E1506A or E1507A for various bridge configurations.













Downloaded from DatasheetLib.com - datasheet search engine
Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Half Bridge Poisson




— E1508A
···· E1509A

Full Bridge Poisson




— E1508A
···· E1509A

Full Bridge Bending




—- E1501A
···· E1502A
— E1503Ax8
-- E1503Ax64

Full Bridge Bending Poisson




—- E1501A
···· E1502A
— E1503Ax8
-- E1503Ax64

Full Bridge Bending




— E1508A
···· E1509A

Full Bridge Bending Poisson



— E1508A
···· E1509A

Full Bridge Poisson



—- E1501A
···· E1502A
— E1503Ax8
-- E1503Ax64

Current Requirements (Amps)

	5 V typ	5 V max	24 V typ	24 V max	–24 V typ	–24 V max
E1506A:	0.28	0.28	.026	.032	.023	.027
E1507A:	0.09	0.09	.026	.032	.023	.027

Ordering Information

Description	Product No.
8-Channel 120 Ω Strain Completion & Excitation SCP	E1506A
8-Channel 350 Ω Strain Completion & Excitation SCP	E1507A

Downloaded from DatasheetLib.com - datasheet search engine
Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Agilent Technologies' Test and Measurement Support, Services, and Assistance

Agilent Technologies aims to maximize the value you receive, while minimizing your risk and problems. We strive to ensure that you get the test and measurement capabilities you paid for and obtain the support you need. Our extensive support resources and services can help you choose the right Agilent products for your applications and apply them successfully. Every instrument and system we sell has a global warranty. Support is available for at least five years beyond the production life of the product. Two concepts underlie Agilent's overall support policy: "Our Promise" and "Your Advantage."

Our Promise
Our Promise means your Agilent test and measurement equipment will meet its advertised performance and functionality. When you are choosing new equipment, we will help you with product information, including realistic performance specifications and practical recommendations from experienced test engineers. When you use Agilent equipment, we can verify that it works properly, help with product operation, and provide basic measurement assistance for the use of specified capabilities, at no extra cost upon request. Many self-help tools are available.

Your Advantage
Your Advantage means that Agilent offers a wide range of additional expert test and measurement services, which you can purchase according to your unique technical and business needs. Solve problems efficiently and gain a competitive edge by contracting with us for calibration, extra-cost upgrades, out-of-warranty repairs, and on-site education and training, as well as design, system integration, project management, and other professional engineering services. Experienced Agilent engineers and technicians worldwide can help you maximize your productivity, optimize the return on investment of your Agilent instruments and systems, and obtain dependable measurement accuracy for the life of those products.

By internet, phone, or fax, get assistance with all your test & measurement needs.

Online assistance:
www.agilent.com/find/assist

Phone or Fax
United States:
(tel) 1 800 452 4844

Canada:
(tel) 1 877 894 4414
(fax) (905) 282 6495

China:
(tel) 800 810 0189
(fax) 1 0800 650 0121

Europe:
(tel) (31 20) 547 2323
(fax) (31 20) 547 2390

Japan:
(tel) (81) 426 56 7832
(fax) (81) 426 56 7840

Korea:
(tel) (82 2) 2004 5004
(fax) (82 2) 2004 5115

Latin America:
(tel) (305) 269 7500
(fax) (305) 269 7599

Taiwan:
(tel) 080 004 7866
(fax) (886 2) 2545 6723

Other Asia Pacific Countries:
(tel) (65) 375 8100
(fax) (65) 836 0252
Email: tm_asia@agilent.com

Product specifications and descriptions in this document subject to change without notice.

© Agilent Technologies, Inc. 2001
Printed in USA September 1, 2001
5988-2340EN

Agilent Technologies

Downloaded from DatasheetLib.com - datasheet search engine
Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP