

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

Broad Band Type N 2.0 to 12.4 GHz



Features

- Smooth, Continuous Operation Over Full Range
- Duo-Dial Drive for Easier Resetting and Positive Locking
- High Attenuation Over a Broad Frequency Range
- Designed for Panel Mounting

Models


- 791F (M/F), 792F (M/F)

Model	791F (M/F)	792F (M/F)
Low Frequency (GHz)	2.0	2.0
High Frequency (GHz)	12.4	12.4
Attenuation Range	N/A	N/A
Attenuation Range (2 - 2.5 GHz)	0-35	0-17.5
Attenuation Range (2.5 - 12.4 GHz)	0-37.5	0-20
Power Input (Max Avg.) in W	10	10
Power Input (Max Peak) in kW	5	5
VSWR (max)	1.30	1.30
Insertion Loss dB (max)	1.5	1.0
Maximum Weight (oz)	92.8	40.0
Weight (max) in kg	2.63	1.13
Special Notes:	A , B , C	A , B , C

Special Notes:
A: Connectors are Type N stainless steel.
B: All units are supplied with a female input connector and your choice of output.
C: Specify "M" for male output connector (ie 791FM) and "F" for female output connector (ie 791FF)

435 Moreland Road • Hauppauge, New York 11788
TEL: (631) 231-1700 • FAX: (631) 231-1711
www.nardamicrowave.com • EMAIL: nardaeast@L-3com.com

Broad Band Type N 2.0 to 12.4 GHz



Outline Drawings For Models : 791F (M/F), 792F (M/F)

Units	A	B	C	D	E	F	G	H	I	J	K	L	M (Dia.)
791F (M/F)													
in.	9.19	5.63	4.61	2.82	8.750	4.39	1.000	.51	.75	.78	4.61	.78	.92
mm	233.43	143.00	117.09	71.63	222.250	111.51	25.400	12.95	19.05	19.81	117.09	19.81	23.37
792F (M/F)													
in.	5.01	4.01	2.51	2.15	4.375	2.20	0.875	.45	.75	1.13	4.61	.92	.250
mm	127.25	101.85	63.75	54.61	111.125	55.88	22.225	11.43	19.05	28.70	117.09	23.37	6.350

Notes:

Dimensions are maximum and for reference only. Contact the factory for detailed specifications and outline drawing.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP