

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.


Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*



2-18 GHz

Multi-Octave Type N 2- and 4-Way Power Dividers

- Precision, Multi-Octave Units Covering 2 to 18 GHz
- Excellent Phase and Amplitude Tracking
- Low Input VSWR
- High Isolation Between Output Ports

Specifications

Type N (F), 2-Way, 2 to 18 GHz, 30 W

FREQUENCY RANGE (GHz)	MODEL	BAND SEGMENTS (GHz)	VSWR (max.) INPUT	VSWR (max.) OUTPUT	INSERTION LOSS (dB max.)	ISOLATION (dB min.)	AMPLITUDE BALANCE (dB max.)	PHASE BALANCE (max.)	AVERAGE POWER* (W max.) A	AVERAGE POWER* (W max.) B	AVERAGE POWER* (W max.) C	WEIGHT oz.	WEIGHT gr.
2-8	3324-2	2-4	1.35	1.25	0.7	20	0.2	3°	30	10	1	5.0	140
		4-8	1.35	1.25	0.7	20	0.3	4°	30	10	1		
6-18	3326B-2**	6-12.4	1.60	1.50	0.6	20	0.2	3°	30	10	1	4.8	135
		12.4-18	1.60	1.50	1.1	17	0.3	6°	30	10	1		
2-18	3456B-2	2-8	1.50	1.40	0.7	20	0.3	6°	30	10	1	7.1	200
		8-18	1.50	1.40	1.5	19	0.5	9°	30	10	1		


Type N (F), 4-Way, 2 to 18 GHz, 30 W

FREQUENCY RANGE (GHz)	MODEL	BAND SEGMENTS (GHz)	VSWR (max.) INPUT	VSWR (max.) OUTPUT	INSERTION LOSS (dB max.)	ISOLATION (dB min.)	AMPLITUDE BALANCE (dB max.)	PHASE BALANCE (max.)	AVERAGE POWER* (W max.) A	AVERAGE POWER* (W max.) B	AVERAGE POWER* (W max.) C	WEIGHT oz.	WEIGHT gr.
2-8	3324-4	2-8	1.45	1.35	0.9	18	0.4	7°	30	10	1	9.7	275
5-18	3326B-4**	5-12.4	1.50	1.45	1.4	18	0.5	7°	30	20	1	8.9	250
		12.4-18	1.65	1.45	1.4	18	0.5	7°	30	20	1		


* Average Power Rating into a load VSWR of (A) 1.2 to 1, (B) 2 to 1 and (C) ∞VSWR
** Custom-order basis: minimum quantity may apply

Power Dividers


Outline Drawings



MODEL	A	B
3324-2	.84	1.69
3326B-2	.50	1.00



MODEL 3456B-2



MODEL	A	B
3324-4	3.44	1.72
3326B-4	1.42	0.71

Allow .020 for sealant build-up per surface.
Dimensions in inches (mm in parentheses), unless otherwise specified.

narda microwave-east an L3 company
www.nardamicrowave.com **E-MAIL:** nardaeast@L-3com.com **TEL:** +1 631 231-1700

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP