

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

LH RESEARCH


World's largest switching regulated

Tiny-MITE™ TM Series

UL-Recognized


Economical, open-frame, convection-cooled, low-power, 100 - 175 watts, 1 - 4 outputs fully regulated and adjustable, UL-recognized. Input — 92 - 130 V AC or 184 - 260 V AC, 47 - 440 Hz.

100 Watts — TM 11



One output — 5 - 28 V DC
9.5" L x 4" W x 2.5" H.


150 Watts — TM 22



New Pin-Fin Chassis!

Two outputs — Primary 5 V DC @ 20 amps; auxiliary 5 - 28 V DC @ up to 8 amps.
12" L x 5.15" W x 2.8" H.

150 Watts — TM 23



New Pin-Fin Chassis!

Three outputs — Primary 5 V DC @ 20 amps; auxiliary 5 - 28 V DC @ up to 5 amps.
12" L x 5.15" W x 2.8" H.


Dyna-MITE™ DM Series

NEW

DC Input


DC input, convection-cooled, medium-power, 250 - 550 watts, 1 - 4 outputs. Input — 42 - 56 V DC.

250 Watts — DM 11




One output — 2 - 28 V DC.
12.12" L x 5.05" W x 4" H.

300 Watts — DM 23



Three outputs — Primary 5 V DC @ 50 amps; auxiliary 2 - 28 V DC @ up to 9 amps.
12.12" L x 5.05" W x 6.45" H.

300 Watts — DM 24




Four outputs — Primary 5 V DC @ 50 amps; auxiliary 2 - 28 V DC @ up to 5 amps.
12.12" L x 5.05" W x 6.45" H.

Little-MITE™ LM Series

NEW

Convection-cooled, medium-power, 250 - 600 watts, 1 - 4 outputs, UL-designed.
Input — 92 - 130 V AC or 184 - 260 V AC, 47 - 440 Hz.

250 Watts — LM 11




One output — 2 - 28 V DC.
12.12" L x 5.05" W x 4" H.

300 Watts — LM 23



Three outputs — Primary 5 V DC @ 50 amps; auxiliary 2 - 28 V DC @ up to 9 amps.
12.12" L x 5.05" W x 6.45" H.

300 Watts — LM 24




Four outputs — Primary 5 V DC @ 50 amps; auxiliary 2 - 28 V DC @ up to 5 amps.
12.12" L x 5.05" W x 6.45" H.

Mighty-MITE™ MM Series

UL-Recognized

Fan-cooled, medium-to-high-power, 375 - 750 watts, 1 - 7 outputs, UL-recognized.
Input — 115 ±10% V AC or 230 ±10% V AC, 47 - 63 Hz; 115/230 ±10% V AC, 47 - 63 Hz (optional).

375 Watts — MM 11




One output — 2 - 28 V DC
12.12" L x 5" W x 3.9" H.

375 Watts — MMX 22



Two outputs — Primary 5 V DC @ 75 amps; auxiliary 2 - 24 V DC @ up to 20 amps.
15.25" L x 5" W x 3.9" H.

375 Watts — MM 23




Three outputs — Primary 5 V DC @ 75 amps; auxiliary 2 - 24 V DC @ up to 10 amps.
15.25" L x 5" W x 3.9" H.

600 Watts — MML 46




Six outputs — Primary 5 V DC @ 75 amps; auxiliary 2 - 24 V DC: 2nd, 3rd and 4th outputs @ up to 12 amps; 5th and 6th outputs @ up to 5 amps.
13.5" L x 8.5" W x 5.1" H.

600 Watts — MML 47




Seven outputs — Primary 5 V DC @ 75 amps; auxiliary 2 - 24 V DC: 2nd and 3rd outputs @ up to 12 amps; 4th, 5th, 6th and 7th outputs @ up to 5 amps.
13.5" L x 8.5" W x 5.1" H.

750 Watts — MM 31



One output — 2 - 28 V DC.
12.75" L x 5.1" W x 5.1" H.

750 Watts — MMX 42



Two outputs — Primary 5 V DC @ 150 amps; auxiliary 2 - 24 V DC @ up to 24 amps.
12.75" L x 7" W x 5.1" H.

750 Watts — MM 43



Three outputs — Primary 5 V DC @ 150 amps; auxiliary 2 - 24 V DC @ up to 12 amps.
12.75" L x 7" W x 5.1" H.

LH Series


Convection- and fan-cooled, 250 - 1500 watts, 1 - 4 outputs.
Input — 115 ±10% V AC or 230 ±10% V AC, 47 - 440 Hz. (externally selectable), 47 - 63 Hz (for LH-700 and LH-800 Series).

250 Watts — LH 250S



One output — 2 - 28 V DC.
12.25" L x 5.05" W x 3.65" H.

300 Watts — LH 300D



Two outputs — Primary 5 - 24 V DC; auxiliary 5 - 24 V DC @ up to 8 amps.
16.25" L x 5.05" W x 3.65" H.

300 Watts — LH 400D



Two outputs — Primary 5 - 24 V DC; auxiliary 5 - 24 V DC @ up to 8 amps.
12.25" L x 7.5" W x 3.9" H.

600 Watts — LH 600D



Two outputs — Primary 5 V DC @ 100 amps; auxiliary 5 - 24 V DC @ up to 8 amps.
16.25" L x 7.5" W x 3.9" H.

600 Watts — LH 600T



Three outputs — Primary 5 V DC @ 100 amps; auxiliary 5 - 24 V DC @ up to 8 amps.
16.25" L x 7.5" W x 3.9" H.


600 Watts — LH 600Q



Four outputs — Primary 5 V DC @ 100 amps; auxiliary 5 - 24 V DC: 2nd and 3rd outputs @ up to 8 amps; 4th output @ up to 2 amps.
16.25" L x 7.5" W x 3.9" H.

600 Watts — LH 700S

UL-Recognized



One output — 2 - 24 V DC.
10" L x 8" W x 5" H.

600 Watts — LH 700D

UL-Recognized




Two outputs — Primary 5 V DC @ 120 amps; auxiliary 5 - 24 V DC @ up to 8 amps.
10" L x 8" W x 5" H.

Super-MITE™ SM Series


Fan-cooled, high-power, 750 - 1000 watts, 1 - 4 outputs, UL-pending.
Input — 85 - 130 V AC or 166 - 260 V AC, 47 - 63 Hz.

750 Watts — SM 71




One output — 2 - 15 V DC.
11" L x 8" W x 5" H.

1000 Watts — SM 11



One output — 2 - 15 V DC.
11" L x 8" W x 5" H.

1000 Watts — SM 22




Two outputs — Primary 5 V DC @ 150 amps; 2nd output 2 - 28 V DC @ up to 18 amps.
11" L x 8" W x 6" H.

manufacturer of power supplies presents...

Teeny-Tiny-MITE™ TTM Series


Economical, plug-in printed circuit board switcher, convection-cooled, 75 watts, 1 - 4 outputs, UL-designed. Input — 92 - 130 V AC or 184 - 260 V AC, 47 - 440 Hz.

175 Watts TM 34




Four outputs — Primary 5 V DC @ 20 amps; 2nd and 3rd outputs 5 - 28 V DC @ up to 5 amps, 4th output 2 - 15 V DC @ up to 1.5 amps.
13" L x 6.15" W x 2.75" H.

75 Watts TTM 11




One output — 5 - 28 V DC.
10.5" L x 3.5" W x 2" H.

75 Watts TTM 20s




Two - Four outputs — Primary 5 V DC @ 10 amps; auxiliary 5 - 24 V DC @ up to 1.5 amps.
10.5" L x 7" W x 2" H (tentative).

350 Watts DM 33




Three outputs — Primary 5 V DC @ 50 amps; auxiliary 2 - 28 V DC @ up to 10 amps.
16" L x 7.5" W x 4.13" H.

350 Watts DM 34



Four outputs — Primary 5 V DC @ 50 amps; auxiliary 2 - 28 V DC @ up to 10 amps.
16" L x 7.5" W x 4.13" H.

500 Watts DM 41



One output — 2 - 28 V DC.
16" L x 7.5" W x 4.13" H.

500 Watts DM 53




Three outputs — Primary 5 V DC @ 100 amps; auxiliary 2 - 28 V DC @ up to 16 amps.
16" L x 7.5" W x 6" H.

500 Watts DM 54




Four outputs — Primary 5 V DC @ 100 amps; auxiliary 2 - 28 V DC @ up to 10 amps.
16" L x 7.5" W x 6" H.

350 Watts LM 33




Three outputs — Primary 5 V DC @ 50 amps; auxiliary 2 - 28 V DC @ up to 10 amps.
16" L x 7.5" W x 4.13" H.

350 Watts LM 34




Four outputs — Primary 5 V DC @ 50 amps; auxiliary 2 - 28 V DC @ up to 10 amps.
16" L x 7.5" W x 4.13" H.

500 Watts LM 41




One output — 2 - 28 V DC.
16" L x 7.5" W x 4.13" H.

600 Watts LM 53



Three outputs — Primary 5 V DC @ 100 amps; auxiliary 2 - 28 V DC @ up to 16 amps.
16" L x 7.5" W x 6" H.

600 Watts LM 54



Four outputs — Primary 5 V DC @ 100 amps; auxiliary 2 - 28 V DC @ up to 10 amps.
16" L x 7.5" W x 6" H.

375 Watts MM 24




Four outputs — Primary 5 V DC @ 75 amps; 2nd output 2 - 24 V DC @ up to 10 amps, 3rd and 4th outputs 5 - 24 V DC @ up to 5 amps.
15.25" L x 5" W x 3.9" H.

375 Watts MM 25




Five outputs — Primary 5 V DC @ 75 amps; auxiliary 2 - 24 V DC @ up to 5 amps.
15.25" L x 5" W x 3.9" H.

375 Watts MMX 72




"Flat Pak"
Two outputs — Primary 5 V DC @ 75 amps; auxiliary 2 - 24 V DC @ up to 24 amps.
13" L x 9.5" W x 3" H.

375 Watts MM 73



"Flat Pak"
Three outputs — Primary 5 V DC @ 75 amps; auxiliary 2 - 24 V DC @ up to 12 amps.
13" L x 9.5" W x 3" H.

600 Watts MML 45




Five outputs — Primary 5 V DC @ 75 amps; auxiliary 2 - 24 V DC @ up to 12 amps.
13.5" L x 8.5" W x 5.1" H.

750 Watts MM 44




Four outputs — Primary 5 V DC @ 150 amps; auxiliary 2 - 24 V DC: 2nd output @ up to 12 amps; 3rd and 4th outputs @ up to 5 amps.
12.5" L x 7" W x 5.1" H.

750 Watts MM 52




Two 375-watt outputs — 2 - 24 V DC @ up to 75 amps.
13.5" L x 6.5" W x 5.1" H.

750 Watts MMX 63



Three outputs — 2 high-power, 2 - 24 V DC @ up to 75 amps; 3rd output, 2 - 24 V DC @ up to 24 amps.
13.5" L x 8.5" W x 5.1" H.

750 Watts MM 64




Four outputs — 2 high-power, 2 - 24 V DC @ up to 75 amps; 2 low-power, 2 - 24 V DC @ up to 12 amps.
13.5" L x 8.5" W x 5.1" H.

750 Watts MM 65



Five outputs — 2 high-power, 2 - 24 V DC @ up to 75 amps; 3 low-power, 2 - 24 V DC: 3rd output @ up to 12 amps; 4th and 5th outputs @ up to 5 amps.
13.5" L x 8.5" W x 5.1" H.

300 Watts LH 300T



Three outputs — Primary 5 V DC @ 50 amps; auxiliary 5 - 24 V DC @ up to 8 amps.
16.25" L x 5.05" W x 3.65" H.

300 Watts LH 400T



Three outputs — Primary 5 V DC @ 50 amps; auxiliary 5 - 24 V DC @ up to 8 amps.
12.25" L x 7.5" W x 3.9" H.

300 Watts LH 400Q



Four outputs — Primary 5 V DC @ 50 amps; auxiliary 5 - 24 V DC: 2nd and 3rd outputs @ up to 8 amps; 4th output @ up to 2 amps.
12.25" L x 7.5" W x 3.9" H.

500 Watts LH 500S



One output — 5 - 24 V DC.
20.25" L x 5.05" W x 3.65" H.

500 Watts LH 550S



One output — 5 - 24 V DC.
16.25" L x 7.5" W x 3.9" H.

600 Watts LH 700T

UL-Recognized




Three outputs — Primary 5 V DC @ 110 amps; auxiliary 5 - 24 V DC @ up to 8 amps.
10" L x 8" W x 5" H.

1500 Watts LH 800S



One output — 2 - 24 V DC.
14" L x 9" W x 5" H.

1000 Watts SM 23



Three outputs — Primary 5 V DC @ 150 amps; auxiliary 2 - 28 V DC: 2nd output @ up to 18 amps; 3rd output @ up to 5 amps.
11" L x 8" W x 6" H.

1000 Watts SM 24



Four outputs — Primary 5 V DC @ 150 amps; auxiliary 2 - 28 V DC: 2nd and 3rd outputs @ up to 10 amps; 4th output @ up to 5 amps.
11" L x 8" W x 6" H.

LH Research, Inc. 1821 Langley Avenue, Irvine, CA 92714
Attn: Dick De Rose

LH RESEARCH

Gentlemen:

I've spotted the switcher that just might work for me. Send complete technical data on the following:

PHONE: (714) 546-5279
TWX: 910-595-2540

- ☐ TTM Series, Model _____
- ☐ TM Series, Model _____
- ☐ DM Series, Model _____
- ☐ LM Series, Model _____
- ☐ MM Series, Model _____
- ☐ LH Series, Model _____
- ☐ SM Series, Model _____
- ☐ Please have an applications engineer contact me to discuss a custom switcher requirement.

My application is _____

Name _____

Company _____

Address _____ Phone ( ) _____

City _____ State _____ Zip _____

Circle 24 on Reader Inquiry Card

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP