

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

**Artisan Technology Group**
(217) 352-9330 | sales@artisantg.com | artisantg.com

**Full-service, independent repair center**
with experienced engineers and technicians on staff.

**We buy your excess, underutilized, and idle equipment**
along with credit for buybacks and trade-ins.

**Custom engineering**
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

**Expert team | Trust guarantee | 100% satisfaction**

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

**Visit our website - *Click HERE***

LINKSYS

# Linksys High Power PoE Injector




LACPI30

## Key Features

- Gigabit Ethernet speeds
- Up to 100 meter range
- Up to 30W power
- Fast, easy setup and installation
- Desktop, shelf, and wall-mounting options
- Two-year warranty

## Reduce the wiring cost of AC power by using standard CAT5 cable to carry both power and data to Power over Ethernet (PoE) devices such as cameras and access points, up to 100 meters away.

- Supports all PoE devices that comply with IEEE 802.3at and IEEE 802.3af, including access points, VoIP phones, and IP cameras.
- Delivers up to 30 Watts of power to compatible, connected devices.

## Specifications

| | |
|---|---|
| **Standards** | IEEE802.3 10Base-T, IEEE802.3u 100Base-TX<br>IEEE2.3ab 1000Base-T, IEEE802.3af, IEEE802.3at |
| **Ethernet Ports** | 10/100/1000 port<br>10/100/1000 port with 30 Watts PoE |
| **LEDs** | System LED (blue), PoE LED (green) |
| **Power** | 100~240V AC, 50~60 Hz, (2A max) |
| **Enclosure Type** | Metal |
| **Dimensions (L x W x H)** | 154 x 73 x 36 mm |
| **Weight** | 393.5 grams (13.87 oz) |
| **Mounting** | Wall mount |
| **Operating Temperature** | 0°C to 40°C (32°F to 104°F) |
| **Non-operating Temperature** | -40°C to 70°C (-40°F to 158°F) |
| **Operating Humidity** | 10% to 90% non-condensing |
| **Non-operating Humidity** | 5% to 90% non-condensing |
| **Regulatory Certification** | FCC Class A, CE Class A, IC, UI/cUL, CB |
| **Warranty** | 2-year limited warranty |

Learn more at **Linksys.com/business**

© 2014 Belkin International, Inc. All rights reserved.

**Artisan Technology Group** is an independent supplier of quality pre-owned equipment

## Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

## Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP