

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

Series 5 Chemical Pumps



March Pump Series 5 are centrifugal magnetic drive pumps which have a maximum flow of 15GPM and a maximum head of 29 feet. They are available in Polypropylene, Kynar, Virgin Kynar, and Stainless Steel materials. They are available with 1 inch inlets and 1/2 inch outlets. They use 1/8 and 1/5 horsepower motors, and are available in 115V or 230V, 115/230V single phase, or 230/460V three phase. Submersible models, explosion proof motors for hazardous locations, and Air Power motors are additional options.

5C-MD Magnetic Drive Pump (Submersible Only) (https://www.marchpump.com/pump/5c-md-magnetic-drive-pump/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-5c-md-600x642.jpg)

Unit System	60Hz	50Hz
Max Flow	14.5 GPM	54.8 LPM
Max Head	27 FT	6 M

More Details » (https://www.marchpump.com/pump/5c-md-magnetic-drive-pump/)

Electrical/Air: 115V 50/60Hz or 230V 50/60Hz

Inlet: 1"FPT

Outlet: 1/2"MPT

Material: Polypropylene (Front and Rear Housing, Impeller), Buna N (O-Ring), Ceramic (Shaft, Thrust Washers), Ceramic Magnet

Submersible: Yes

More Details » (https://www.marchpump.com/pump/5c-md-magnetic-drive-pump/)

LC-5C-MD Magnetic Drive Pump (https://www.marchpump.com/pump/lc-5c-md-magnetic-drive-pump/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-lc-5c-md-600x642.jpg)

Unit System	60Hz	50Hz
Max Flow	14.5 GPM	54.8 LPM
Max Head	27 FT	6 M

More Details » (https://www.marchpump.com/pump/lc-5c-md-magnetic-drive-pump/)

Electrical/Air: 115V 50/60Hz or 230V 50/60Hz

Inlet: 1"FPT

Outlet: 1/2"MPT

Material: Polypropylene (Front and Rear Housing, Impeller), Buna N (O-Ring, Cooling Tube Seal), 316 Stainless Steel (Cooling Tube), Ceramic (Shaft, Thrust Washers), Ceramic Magnet

Submersible: Yes

More Details » (https://www.marchpump.com/pump/lc-5c-md-magnetic-drive-pump/)

AC-5A-MD Magnetic Drive Pump (https://www.marchpump.com/pump/ac-5a-md-magnetic-drive-pump/)

Click for Photo 📷 **(https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-ac-5a-md-600x642.jpg)**

Unit System	60Hz	50Hz
Max Flow	17 GPM	60 LPM
Max Head	27 FT	6 M

More Details » (https://www.marchpump.com/pump/ac-5a-md-magnetic-drive-pump/)

Electrical/Air: 115V 50/60Hz or 230V 50/60Hz

Inlet: 1"OD

Outlet: 3/4"OD

Material: Polypropylene (Front and Rear Housing, Impeller), Buna N (O-Ring), Ceramic (Shaft, Thrust Washers), Ceramic Magnet

More Details » (https://www.marchpump.com/pump/ac-5a-md-magnetic-drive-pump/)

AC-5C-MD Magnetic Drive Pump (https://www.marchpump.com/pump/ac-5c-md-magnetic-drive-pump/)

Click for Photo 📷 **(https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-ac-5c-md-600x642.jpg)**

Unit System	60Hz	50Hz
Max Flow	17 GPM	60 LPM
Max Head	27 FT	6 M

More Details » (https://www.marchpump.com/pump/ac-5c-md-magnetic-drive-pump/)

Electrical/Air: 115V 50/60Hz or 230V 50/60Hz

Inlet: 1"FPT

Outlet: 1/2"MPT

Material: Polypropylene (Front and Rear Housing, Impeller), Buna N (O-Ring), Ceramic (Shaft, Thrust Washers), Ceramic Magnet

More Details » (https://www.marchpump.com/pump/ac-5c-md-magnetic-drive-pump/)

TE-5C-MD-AC Magnetic Drive Pump (https://www.marchpump.com/pump/te-5c-md-ac-magnetic-drive-pump/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-ac-5c-md-600x642.jpg)

Unit System	60Hz	50Hz
Max Flow	17 GPM	60 LPM
Max Head	27 FT	6 M

More Details » (https://www.marchpump.com/pump/te-5c-md-ac-magnetic-drive-pump/)

Electrical/Air: 115V 50/60Hz or 230V 50/60Hz

Inlet: 1"FPT

Outlet: 1/2"MPT

Material: Polypropylene (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers)

More Details » (https://www.marchpump.com/pump/te-5c-md-ac-magnetic-drive-pump/)

TE-5K-MD-AC Magnetic Drive Pump (https://www.marchpump.com/pump/te-5k-md-ac-magnetic-drive-pump/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-ac-5c-md-600x642.jpg)

Unit System	60Hz	50Hz
Max Flow	17 GPM	60 LPM
Max Head	27 FT	6 M

More Details » (https://www.marchpump.com/pump/te-5k-md-ac-magnetic-drive-pump/)

Electrical/Air: 115V 50/60Hz or 230V 50/60Hz

Inlet: 1"FPT

Outlet: 1/2"MPT

Material: Glass Filled Kynar (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers)

More Details » (https://www.marchpump.com/pump/te-5k-md-ac-magnetic-drive-pump/)

TE-5A-MD 1&3 Ph Magnetic Drive Pump (https://www.marchpump.com/pump/te-5a-md-13-ph-magnetic-drive-pump/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-te-5a-md-600x642.jpg)

Unit System	60Hz	50Hz
Max Flow	18 GPM	60.5 LPM
Max Head	29 FT	6.3 M

More Details » (https://www.marchpump.com/pump/te-5a-md-13-ph-magnetic-drive-pump/)

Electrical/Air: 1Ph 115/230V 60Hz, 1Ph 110/220V 50Hz or 3Ph 230/460V 50/60Hz

Inlet: 1"OD

Outlet: 3/4"OD

Material: Polypropylene (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers)

More Details » (https://www.marchpump.com/pump/te-5a-md-13-ph-magnetic-drive-pump/)

TE-5C-MD 1&3 Ph Magnetic Drive Pump (https://www.marchpump.com/pump/te-5c-md-13-ph-magnetic-drive-pump/)

Click for Photo  **(https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-te-5c-md-600x642.jpg)**

Unit System	60Hz	50Hz
Max Flow	18 GPM	60.5 LPM
Max Head	29 FT	6.3 M

More Details » (https://www.marchpump.com/pump/te-5c-md-13-ph-magnetic-drive-pump/)

Electrical/Air: 1Ph 115/230V 60Hz, 1Ph 110/220V 50Hz, or 3Ph 230/460V 50/60Hz
Inlet: 1"FPT
Outlet: 1/2"MPT
Material: Polypropylene (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers)

More Details » (https://www.marchpump.com/pump/te-5c-md-13-ph-magnetic-drive-pump/)

TE-5K-MD 1&3 Ph Magnetic Drive Pump (https://www.marchpump.com/pump/te-5k-md-13-ph-magnetic-drive-pump/)

Click for Photo  **(https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-te-5k-md-600x642.jpg)**

Unit System	60Hz	50Hz
Max Flow	18 GPM	60.5 LPM
Max Head	29 FT	6.3 M

More Details » (https://www.marchpump.com/pump/te-5k-md-13-ph-magnetic-drive-pump/)

Electrical/Air: 1Ph 115/230V 60Hz, 1Ph 110/220V 50Hz, or 3Ph 230/460V 50/60Hz
Inlet: 1"FPT

Outlet: 1/2"MPT
Material: Glass Filled Kynar (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers)

More Details » (https://www.marchpump.com/pump/te-5k-md-13-ph-magnetic-drive-pump/)

TE-5NK-MD 1&3 Ph Magnetic Drive Pump (https://www.marchpump.com/pump/te-5nk-md-13-ph-magnetic-drive-pump/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-te-5nk-md-600x642.jpg)

Unit System	60Hz	50Hz
Max Flow	18 GPM	60.5 LPM
Max Head	29 FT	6.3 M

More Details » (https://www.marchpump.com/pump/te-5nk-md-13-ph-magnetic-drive-pump/)

Electrical/Air: 1Ph 115/230V 60Hz, 1Ph 110/220V 50Hz or 3Ph 230/460V 50/60Hz
Inlet: 1"FPT
Outlet: 1/2"MPT
Material: Natural Kynar (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers)

More Details » (https://www.marchpump.com/pump/te-5nk-md-13-ph-magnetic-drive-pump/)

TE-5R-MD 1&3 Ph Magnetic Drive Pump (https://www.marchpump.com/pump/te-5r-md-13-ph-magnetic-drive-pump/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2021/04/te-5r-md-600x450.jpg)

Unit System	60Hz	50Hz
Max Flow	18 GPM	60.5 LPM
Max Head	29 FT	6.3 M

More Details » (https://www.marchpump.com/pump/te-5r-md-13-ph-magnetic-drive-pump/)

Electrical/Air: 1Ph 115/230V 60Hz, 1Ph 110/220V 50Hz, or 3Ph 230/460V 50/60Hz

Inlet: 1"FPT

Outlet: 1"FPT

Material: Ryton (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers)

More Details » (https://www.marchpump.com/pump/te-5r-md-13-ph-magnetic-drive-pump/)

TE-5S-MD 1&3 Ph Magnetic Drive Pump (https://www.marchpump.com/pump/te-5s-md-13-ph-magnetic-drive-pump/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-te-5s-md-600x642.jpg)

Unit System	60Hz	50Hz
Max Flow	18 GPM	60 LPM
Max Head	29 FT	6.3 M

More Details » (https://www.marchpump.com/pump/te-5s-md-13-ph-magnetic-drive-pump/)

Electrical/Air: 1Ph 115/230V 60Hz, 1Ph 110/220V 50Hz, or 3Ph 230/460V 50/60Hz

Inlet: 1"FPT

Outlet: 1/2"MPT

Material: 316 Stainless Steel (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers), Carbon (Bushing)

More Details » (https://www.marchpump.com/pump/te-5s-md-13-ph-magnetic-drive-pump/)

TE-5C-MD-AM Magnetic Drive Pump (https://www.marchpump.com/pump/te-5c-md-am-magnetic-drive-pump/)

Click for Photo  **(https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-te-5c-md-am-600x642.jpg)**

System	US	Metric
Max Flow	18 GPM	68 LPM
Max Head	50 FT	15.2 M

More Details » (https://www.marchpump.com/pump/te-5c-md-am-magnetic-drive-pump/)

Electrical/Air: 60PSI and 7CFM

Inlet: 1"FPT

Outlet: 1/2"MPT

Material: Polypropylene (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers)

More Details » (https://www.marchpump.com/pump/te-5c-md-am-magnetic-drive-pump/)

TE-5K-MD-AM Magnetic Drive Pump (https://www.marchpump.com/pump/te-5k-md-am-magnetic-drive-pump/)

Click for Photo  **(https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-te-5k-md-am-600x642.jpg)**

System	US	Metric
Max Flow	18 GPM	68 LPM
Max Head	50 FT	15.2 M

More Details » (https://www.marchpump.com/pump/te-5k-md-am-magnetic-drive-pump/)

Electrical/Air: 60PSI and 7CFM

Inlet: 1"FPT

Outlet: 1/2"MPT

Material: Glass Filled Kynar (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers)

More Details » (https://www.marchpump.com/pump/te-5k-md-am-magnetic-drive-pump/)

TE-5S-MD-AM Magnetic Drive Pump (https://www.marchpump.com/pump/te-5s-md-am-magnetic-drive-pump/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-te-5s-md-am-600x642.jpg)

System	US	Metric
Max Flow	18 GPM	68 LPM
Max Head	50 FT	15.2 M

More Details » (https://www.marchpump.com/pump/te-5s-md-am-magnetic-drive-pump/)

Electrical/Air: 60PSI and 7CFM

Inlet: 1"FPT

Outlet: 1/2"MPT

Material: 316 Stainless Steel (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers), Carbon (Bushing)

More Details » (https://www.marchpump.com/pump/te-5s-md-am-magnetic-drive-pump/)

AC-5B-MD Mag Drive Pump (https://www.marchpump.com/pump/ac-5b-md-magnetic-drive-pump/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2019/07/march-pump-ac-5b-md-600x642.jpg)

Unit System	60Hz	50Hz
Max Flow	17 GPM	64.4 LPM
Max Head	27 FT	8.2 M

More Details » (https://www.marchpump.com/pump/ac-5b-md-magnetic-drive-pump/)

Electrical/Air: 115V 50/60Hz or 230V 50/60Hz

Inlet: 1"FPT

Outlet: 1/2"MPT

Material: Polysulfone (Front and Rear Housing, Impeller), Stainless Steel (Magnet Shell, Shaft), Buna N (O-Ring), Ceramic (Thrust Washers)

More Details » (https://www.marchpump.com/pump/ac-5b-md-magnetic-drive-pump/)

AC-5SSB-MD Magnetic Drive Pump (https://www.marchpump.com/pump/ac-5ssb-md-magnetic-drive-pump/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2019/07/march-pump-ac-5ssb-md-600x642.jpg)

Unit System	60Hz	50Hz
Max Flow	17 GPM	64.4 LPM
Max Head	27 FT	8.2 M

More Details » (https://www.marchpump.com/pump/ac-5ssb-md-magnetic-drive-pump/)

Electrical/Air: 115V 50/60Hz or 230V 50/60Hz

Inlet: 1"FPT

Outlet: 1/2"MPT

Material: Polysulfone (Impeller), 316 Stainless Steel (Front and Rear Housing, Magnet Shell, Shaft), Buna N (O-Ring), Ceramic (Thrust Washers), Carbon (Bushing)

More Details » (https://www.marchpump.com/pump/ac-5ssb-md-magnetic-drive-pump/)

TE-5SSB-MD Beer Magnetic Drive Pump (https://www.marchpump.com/pump/te-5ssb-md-magnetic-drive-pump/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2019/06/march-pump-te-5s-md-600x642.jpg)

Unit System	60Hz	50Hz
Max Flow	18 GPM	60 LPM
Max Head	29 FT	8.9 M

More Details » (https://www.marchpump.com/pump/te-5ssb-md-magnetic-drive-pump/)

Electrical/Air: 1Ph 115/230V 60Hz, 1Ph 110/220V 50Hz

Inlet: 1"FPT

Outlet: 1/2"MPT

Material: Polysulfone (Impeller), 316 Stainless Steel (Front and Rear Housing, Magnet Shell, Shaft), Buna N (O-Ring), Ceramic (Thrust Washers), Carbon (Bushing)

More Details » (https://www.marchpump.com/pump/te-5ssb-md-magnetic-drive-pump/)

TE-5C-MD with 750 Self Priming Chamber (https://www.marchpump.com/pump/te-5c-md-with-750-self-priming-chamber/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2019/11/march-te-5c-md-with-750-self-priming-chamber-e1573835352502-600x337.jpg)

Unit System	60Hz	50Hz
Max Flow	18 GPM	60.5 LPM
Max Head	29 FT	6.3 M

More Details » (https://www.marchpump.com/pump/te-5c-md-with-750-self-priming-chamber/)

Electrical/Air: 1Ph 115/230V 60Hz, 1Ph 110/220V 50Hz, or 3Ph 230/460V 50/60Hz, or 3Ph 575V 60Hz

Inlet: 1"MPT (750 Self Priming Chamber)

Outlet: 1/2"MPT (Pump Outlet)

Material: Polypropylene (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers), High Density Polyethylene (Self Priming Chamber)

Washers), High Density Polyethylene (Self Priming Chamber)

More Details » (https://www.marchpump.com/pump/te-5c-md-with-750-self-priming-chamber/)

TE-5K-MD with 750 Self Priming Chamber (https://www.marchpump.com/pump/te-5k-md-with-750-self-priming-chamber/)

Click for Photo (https://www.marchpump.com/wp-content/uploads/2020/01/march-te-5k-md-with-750-chamber-scaled-600x337.jpg)

Unit System	60Hz	50Hz
Max Flow	18 GPM	60.5 LPM
Max Head	29 FT	6.3 M

More Details » (https://www.marchpump.com/pump/te-5k-md-with-750-self-priming-chamber/)

Electrical/Air: 1Ph 115/230V 60Hz, 1Ph 110/220V 50Hz, or 3Ph 230/460V 50/60Hz, or 3Ph 575V 60Hz
Inlet: 1"MPT (750 Self Priming Chamber)
Outlet: 1/2"MPT (Pump Outlet)
Material: Glass Filled Kynar (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers), High Density Polyethylene (Self Priming Chamber)

More Details » (https://www.marchpump.com/pump/te-5k-md-with-750-self-priming-chamber/)

TE-5C-MD-AM with 750 Self Priming Chamber (https://www.marchpump.com/pump/te-5c-md-am-with-750-self-priming-chamber/)

Click for Photo 📷 **(https://www.marchpump.com/wp-content/uploads/2020/03/march-pump-air-power-with-750-chamber-scaled-600x337.jpg)**

System	US	Metric
Max Flow	18 GPM	68 LPM
Max Head	50 FT	15.2 M

More Details » (https://www.marchpump.com/pump/te-5c-md-am-with-750-self-priming-chamber/)

Electrical/Air: 60PSI and 7CFM

Inlet: 1"MPT (750 Self Priming Chamber)

Outlet: 1/2"MPT

Material: Polypropylene (Front and Rear Housing, Impeller), Viton (O-Ring), Ceramic (Shaft, Thrust Washers)

More Details » (https://www.marchpump.com/pump/te-5c-md-am-with-750-self-priming-chamber/)

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP