



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com



SERIOUS ABOUT STANDARDS

- Our Products >
- Sales and Services >
- Product Specials
- About Marvel Scientific
- Dealer Locator
- FAQ
- Contact Us >
- Press Releases

freezers

4CAF General Purpose

4FAF Flammable Material

4EAF Hazardous Location

The 4CAF, 4FAF and 4EAF are 4.5 cubic foot freezers that fit easily under lab benches and casework. The 4CAF features forced air ventilation, eliminating the need for clearance space in built-in applications. The 4FAF and 4EAF require additional clearance.* A manual defrost system protects freezer contents from auto defrost thaws and dehydration.

4CAF

- Commercial UL and C-UL Listed.
- Uses non-CFC refrigerant.

4FAF

- Listed in Underwriters Laboratories File SA7488(N)
- Meets National Fire Protection Association Standard 99
- Complies with OSHA Article No. CFR1910.308

4EAF

- Listed by Underwriters Laboratories for Class 1, Group C and D applications
- Wiring complies with National Electrical Code, Article 501-4 for Class 1, Division 1 and 2

Features

- Flat door liner
- One wire shelf
- Adjustable microprocessor-based thermostat
- Leveling legs
- Door handle
- Manual defrost
- Removable shelf



4CAF Options


- Door that accepts 1/4" panel
- Full wrap door
- Interior light
- Casters
- Door lock
- 230V/50Hz compressor
- Probe port
- Temperature monitor/alarm and relay

4FAF Options


- Stainless steel door panel
- Stainless steel cabinet
- Castors
- Door lock

4EAF Options

- Stainless steel door panel
- Stainless steel cabinet
- Door lock

 Request Product Literature


 Question

 800-223-3900

 Email

Specifications

Temperature Range:	
4CAF:	-10° to 0° F -23° to -18° C
4FAF:	-0° to 5° F -18° to -15° C
4EAF:	-0° to 5° F -18° to -15° C
Volume:	4.5 cubic feet, 127 liters
Exterior Dimensions:	H x W x D*
Inches:	34 x 23 7/8 x 24
Centimeters:	86 x 61 x 61
	(Model 4FAF, 4EAF Depth 26 inches, 66 Centimeters)
Interior Dimensions:	H x W x D
Inches:	24 3/4 x 19 x 18 1/4
Centimeters:	63 x 48 x 46
Electrical:	115V/60Hz/3.3Amps
Shipping Weight:	120 lbs., 55 kg.

 *Hazardous location and flammable material storage models feature condensers and need an additional 1" clearance from top and sides and 1 1/2" from back for proper condenser ventilation when recessed.



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com