ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Northland-Marvel / Marvel Scientific 4CAF7002* at our website: *Click HERE*

freezers

4CAF General Purpose
4FAF Flammable Material
4EAF Hazardous Location



The 4CAF, 4FAF and 4EAF are 4.5 cubic foot freezers that fit easily under lab benches and casework. The 4CAF features forced air ventilation, eliminating the need for clearance space in built-in applications. The 4FAF and 4EAF require additional clearance.* A manual defrost system protects freezer contents from auto defrost thaws and dehydration.

4CAF

- Commercial UL and C-UL Listed.
- Uses non-CFC refrigerant.

4FAF

- Listed in Underwriters Laboratories File SA7488(N)
- Meets National Fire Protection Association Standard 99
- Complies with OSHA Article No. CFR1910.308

4EAF

- Listed by Underwriters Laboratories for Class 1, Group C and D applications
- Wiring complies with National Electrical Code, Article 501-4 for Class 1, Division 1 and 2

Features

- Flat door liner
- One wire shelf
- Adjustable microprocessor-based thermostat
- Leveling legs
- Door handle
- Manual defrost
- Removable shelf

4CAF Options

- Door that accepts 1/4” panel
- Full wrap door
- Interior light
- Casters
- Door lock
- 230V/50Hz compressor
- Probe port
- Temperature monitor/alarm and relay

4FAF Options

- Stainless steel door panel
- Stainless steel cabinet
- Castors
- Door lock

4EAF Options

- Stainless steel door panel
- Stainless steel cabinet
- Door lock

Request Product Literature

Question

800-223-3900

Email

Specifications

Temperature Range:	
4CAF:	-10° to 0° F -23° to -18° C
4FAF:	-0° to 5° F -18° to -15° C
4EAF:	-0° to 5° F -18° to -15° C
Volume:	4.5 cubic feet, 127 liters
Exterior Dimensions:	H x W x D*
Inches:	34 x 23 7/8 x 24
Centimeters:	86 x 61 x 61
	(Model 4FAF, 4EAF Depth 26 inches, 66 Centimeters)
Interior Dimensions:	H x W x D
Inches:	24 3/4 x 19 x 18 1/4
Centimeters:	63 x 48 x 46
Electrical:	115V/60Hz/3.3Amps
Shipping Weight:	120 lbs., 55 kg.


*Hazardous location and flammable material storage models feature condensers and need an additional 1” clearance from top and sides and 1 1/2” from back for proper condenser ventilation when recessed.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP