

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Measurement Computing / IOtech DBK20* at our website: *Click HERE*

DBK20 & DBK21

48-Channel General-Purpose Digital I/O Cards

MEASUREMENT COMPUTING

Features


- **Offer 48 I/O lines expandable in 8-bit groups as inputs or outputs**

The DBK20 and DBK21 general-purpose digital I/O cards expand the number of digital I/O lines by 48 per card. The DBK20 and DBK21 connect to the P2 digital I/O connector.

Please note that when either the DBK20 or DBK21 is connected, the P2 digital I/O lines do not function as digital I/O lines for user-connected digital signals. Thus, for example, the first DBK20 or DBK21 card attached increases the system's number of usable digital I/O lines from 24 to 48, and subsequent cards each add 48 additional lines of user-programmable digital I/O.

Up to four DBK20 or DBK21 cards can be attached to the P2 port of a system for a total of 192 lines.

The DBK20 and DBK21 differ only in that the DBK20 features screw-terminals for signal outputs, whereas the DBK21 provides DB37 male connectors for signal outputs.



The DBK20 and DBK21 provide additional digital I/O capacity for LogBook, DaqBook, DaqBoard/2000 Series, and DaqScan

Specifications

48 I/O channels programmable in 8-bit groups as inputs or outputs
Connector: DB37 male, mates with P2* (attachment to the DaqBoard's P2 further requires the use of an optional CA-60 cable); DBK20 offers screw-terminals for signal outputs; DBK21 offers DB37 male connectors for signal outputs
Device: 82C55 x 2**
Output Voltage Levels
Minimum "1" Voltage: 3.0 @ 2.5 mA sourcing
Maximum "0" Voltage: 0.4 @ 2.5 mA sinking
Output Currents
Maximum Source Current: 2.5 mA
Maximum Sink Current: -2.5 mA
Input Voltage Levels
Minimum Required "1" Voltage Level: 2V
Maximum Allowed "0" Voltage Level: 0.8V
Output Float Leakage Current: 10 µA
Power Consumption: 50 mW

Cables

For use with DBK10, use CA-37-x ribbon cable, or contact factory of additional cabling options
For use with DBK60 or LogBook/360, no cable is required (except from DBK60 or LogBook/360 to the A/D mainframe)
For use with no enclosure, use CA-37-x where x is the number of DBK devices attached
For use with DaqLab Series (internal slots), use CA-255-2T with one board, or CA-37-2 for use with two DBK cards (or contact factory for additional cabling options)

Product Compatibility

✔ LogBook
✔ DaqBook
✔ DaqLab
✔ DaqScan
✔ DaqBoard/2000 Series

Ordering Information

Description	Part No.
48-channel general-purpose digital I/O card with screw-terminal connectors	DBK20
48-channel general-purpose digital I/O card with male DB37 connectors	DBK21

* Attachment to the DaqBoard/2000 Series requires a DBK202, DBK203A, DBK209, DBK213, or DBK214
** Pull-up resistor configuration must be installed externally

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP