

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

PT/PR-145M-0	FM Video Module (30 MHz) 850nm MM
PT/PR-145M-2	FM Video Module (30 MHz) Laser SM
PT/PR-145R-0	FM Video Card (30 MHz) 850nm MM
PT/PR-145R-0D	FM Video (30 MHz) Card 850nm MM, with Diagnostics
PT/PR-145R-1	FM Video (30 MHz) Card 1300nm MM
PT/PR-145R-1D	FM Video Card (30 MHz) 1300nm MM, with Diagnostics
PT/PR-145R-1H	FM Video Card (30 MHz) H/O 1300nm, MM, >4Km
PT/PR-145R-1HD	FM Video Card (30 MHz) H/O 1300nm, MM, >4Km, with Diagnostics
PT/PR-145R-2	FM Video Card (30 MHz) Laser SM
PT/PR-145R-2D	FM Video Card (30 MHz) with Diagnostics Laser SM
PT/PR-146R-1	FM Video (30 MHz) Card with Noise Reduction Circuit and internal 75 Ohm termination on Rx unit, 1300nm, MM
PT/PR-147R-1	FM Video (30 MHz) Card with Noise Reduction Circuit, 50 Ohm In/Out Impedance and internal 50 Ohm termination on Rx unit, 1300nm, MM
PT/PR-190R-0	FM 3 Chan Video Card 850nm, 3 Fiber MM
PT/PR-190R-0D	FM 3 Chan Video Card with Diagnostics 850nm, 3 Fiber MM
PT/PR-190R-1	FM 3 Chan Video Card 1300nm, 3 Fiber MM
PT/PR-190R-1D	FM 3 Chan Video Card with Diagnostics 1300nm, 3 Fiber MM
PT/PR-190R-1H	FM 3 Chan Video Card H/O 1300nm, 3 Fiber MM, >4Km
PT/PR-190R-2	FM 3 chan Video Card Laser, 3 Fiber SM
PT/PR-190R-2D	FM 3 chan Video Card with diagnostics Laser, 3 Fiber SM
PT/PR-195R-0	FM 3 chan Video Card (30 MHz) 850nm, 3 Fiber MM
PT/PR-195R-0D	FM 3 chan Video Card (30 MHz) 850nm, 3 Fiber MM, with Diagnostics
PT/PR-195R-1	FM 3 chan Video Card (30 MHz) 1300nm, 3 Fiber MM
PT/PR-195R-1D	FM 3 chan Video Card (30 MHz) 1300nm, 3 Fiber MM, with Diagnostics
PT/PR-195R-1H	FM 3 chan Video Card (30 MHz) H/O 1300nm, 3 Fiber MM, > 4Km
PT/PR-195R-2	FM 3 chan Video Card (30 MHz) Laser, 3 Fiber SM
PT/PR-195R-2D	FM 3 chan Video Card (30 MHz) Laser, 3 Fiber SM, with Diagnostics
PT/PR-3000R-0	160 MHz Card 850 nm, MM, 2 fiber
PT/PR-3000R-1	160 MHz Card 1300nm, MM, 2 fiber
PT/PR-3000R-2	160 MHz Card Laser SM
PT/PR-9000R-0	3 Channels High Resolution RGB Video System, MM, 850 nm, 50um or 62.5um fiber, 3 Fibers

FM VIDEO/DATA SYSTEMS

FM VIDEO/DATA SYSTEMS - ANALOG PRODUCT FAMILY

PT/PR-160R-V3-0	FM Video w/RS-232 data Rx, MM, 850nm
PT/PR-160R-V3-1	FM Video w/RS-232 data Rx, MM, 1300nm
PT/PR-160R-V3-2	FM Video w/RS-232 data Rx, SM
PT/PR-160R-V4-0	FM Video w/RS-422 data Rx, MM,850nm
PT/PR-160R-V4-1	FM Video w/RS-422 data Rx, MM,1300nm
PT/PR-160R-V4-2	FM Video w/RS-422 data Rx, SM
PT/PR-170R-V33-0	FM Video, 2 RS-232 Data Rx, 850nm MM
PT/PR-170R-V33-1	FM Video, 2 RS-232 Data Tx, 1300nm MM
PT/PR-170R-V33-2	FM Video, 2 RS-232 Data Tx, 1310nm, singlemode
PT/PR-170R-V44-0	FM Video, 2 RS-422 Data Rx, 850nm MM
PT/PR-170R-V44-1	FM Video, 2 RS-422 Data Tx, 1300nm MM
PT/PR-170R-V44-2	FM Video, 2 RS-422 Data Tx, 1310nm, singlemode
PT/PR-200R-V/2A-0	FM Video Tx -> <- Pelco Coaxitron (return), 850nm, MM, 2 fiber
PT/PR-200R-V/2A-0D	FM Video Tx -> <- Pelco Coaxitron (return), 850nm, MM, 2 fiber, with Diagnostics
PT/PR-200R-V/2A-1	FM Video Tx -> <- Pelco Coaxitron (return), 1300nm, MM, 2 fiber
PT/PR-200R-V/2A-1D	FM Video Tx -> <- Pelco Coaxitron (return), 1300nm, MM, 2 fiber, with Diagnostics
PT/PR-200R-V/2A-2	FM Video Tx -> <- Pelco Coaxitron (return), 1310nm, SM, 2 fiber
PT/PR-200R-V/2A-2D	FM Video Tx -> <- Pelco Coaxitron (return), 1310nm, SM, 2 fiber, with Diagnostics
PT/PR-200R-V/3-0	FM Video Tx -> <- RS-232 data (return), 850nm, MM, 2 fiber

FM Video Tx -> <- RS-232 data (return), 850nm, MM, 2 fiber, with Diagnostics

PT/PR-200R-V/3-0D	
PT/PR-200R-V/3-1	FM Video Tx -> <- RS-232 data (return), 1300nm, MM, 2 fiber
PT/PR-200R-V/3-1D	FM Video Tx -> <- RS-232 data (return), 1300nm, MM, 2 fiber, with Diagnostics
PT/PR-200R-V/3-2	FM Video Tx -> <- RS-232 data (return), 1310nm, SM, 2 fiber
PT/PR-200R-V/3-2D	FM Video Tx -> <- RS-232 data (return), 1310nm, SM, 2 fiber, with Diagnostics
PT/PR-200R-V/4-0	FM Video Tx -> <- RS-422 data (return), 850nm, MM, 2 fiber
PT/PR-200R-V/4-0D	FM Video Tx -> <- RS-422 data (return), 850nm, MM, 2 fiber, with Diagnostics
PT/PR-200R-V/4-1	FM Video Tx -> <- RS-422 data (return), 1300nm, MM, 2 fiber
PT/PR-200R-V/4-1D	FM Video Tx -> <- RS-422 data (return), 1300nm, MM, 2 fiber, with Diagnostics
PT/PR-200R-V/4-2	FM Video Tx -> <- RS-422 data (return), 1310nm, SM, 2 fiber
PT/PR-200R-V/4-2D	FM Video Tx -> <- RS-422 data (return), 1310nm, SM, 2 fiber, with Diagnostics
PT/PR-200iR-V/2A-0	FM Video Tx -> <- Pelco Coaxitron (return), MM
PT/PR-200iR-V/2A-0D	FM Video Tx -> <- Pelco Coaxitron (return), MM, with Diagnostics
PT/PR-200iR-V/2A-1	FM Video Tx -> <- Pelco Coaxitron (return), SM
PT/PR-200iR-V/2A-1D	FM Video Tx -> <- Pelco Coaxitron (return), SM, with Diagnostics
PT/PR-200iR-V/3-0	FM Video Tx -> <- RS-232 data (return), MM
PT/PR-200iR-V/3-0D	FM Video Tx -> <- RS-232 data (return), MM, with Diagnostics
PT/PR-200iR-V/3-1	FM Video Tx -> <- RS-232 data (return), SM
PT/PR-200iR-V/3-1D	FM Video Tx -> <- RS-232 data (return), SM, with Diagnostics
PT/PR-200iR-V/4-0	FM Video Tx -> <- RS-422 data (return), MM
PT/PR-200iR-V/4-0D	FM Video Tx -> <- RS-422 data (return), MM, with Diagnostics
PT/PR-200iR-V/4-1	FM Video Tx -> <- RS-422 data (return), SM
PT/PR-200iR-V/4-1D	FM Video Tx -> <- RS-422 data (return), SM, with Diagnostics
PT/PR-300R-V3/3-0	FM Video, RS-232 -> <- RS-232 MM
PT/PR-300R-V3/3-0D	FM Video, RS-232 -> <- RS-232 MM, with Diagnostics
PT/PR-300R-V3/3-1	FM Video, RS-232 -> <- RS-232 MM
PT/PR-300R-V3/3-1D	FM Video, RS-232 -> <- RS-232 MM, with Diagnostics
PT/PR-300R-V3/3-2	FM Video, RS-232 -> <- RS-232 SM
PT/PR-300R-V3/3-2D	FM Video, RS-232 -> <- RS-232 SM, with Diagnostics
PT/PR-300R-V4/4-0	FM Video, RS-422 -> <- RS-422 MM
PT/PR-300R-V4/4-0D	FM Video, RS-422 -> <- RS-422 MM, with Diagnostics
PT/PR-300R-V4/4-1	FM Video, RS-422 -> <- RS-422 MM
PT/PR-300R-V4/4-1D	FM Video, RS-422 -> <- RS-422 MM, with Diagnostics
PT/PR-300R-V4/4-2	FM Video, RS-422 -> <- RS-422 SM
PT/PR-300R-V4/4-2D	FM Video, RS-422 -> <- RS-422 SM, with Diagnostics
PT/PR-300R-V8/8-0	FM Video, RS-485 (2-wire) -> <- RS-485 (2-wire) MM
PT/PR-300R-V8/8-0D	FM Video, RS-485 (2-wire) -> <- RS-485 (2-wire) MM, with Diagnostics
PT/PR-300R-V8/8-1	FM Video, RS-485 (2-wire) -> <- RS-485 (2-wire) MM
PT/PR-300R-V8/8-1D	FM Video, RS-485 (2-wire) -> <- RS-485 (2-wire) MM, with Diagnostics
PT/PR-300R-V8/8-2	FM Video, RS-485 (2-wire) -> <- RS-485 (2-wire) SM
PT/PR-300R-V8/8-2D	FM Video, RS-485 (2-wire) -> <- RS-485 (2-wire) SM, with Diagnostics
PT/PR-300iR-V3/3-0	FM Video, RS-232>
PT/PR-300iR-V3/3-0D	FM Video, RS-232>
PT/PR-300iR-V3/3-1	FM Video, RS-232>
PT/PR-300iR-V3/3-1D	FM Video, RS-232>
PT/PR-300iR-V4/4-0	FM Video, RS-422>
PT/PR-300iR-V4/4-0D	FM Video, RS-422>
PT/PR-300iR-V4/4-1	FM Video, RS-422>
PT/PR-300iR-V4/4-1D	FM Video, RS-422>
PT/PR-300iR-V8/8-0	FM Video, RS-485 (2-wire)>
PT/PR-300iR-V8/8-0D	FM Video, RS-485 (2-wire)>
PT/PR-300iR-V8/8-1	FM Video, RS-485 (2-wire)>
PT/PR-300iR-V8/8-1D	FM Video, RS-485 (2-wire)>
PT/PR-301iR-V8/8-0	FM Video, RS-485 Data -> <- RS-485 Data, MM (4 wire), 1-fiber

PT/PR-301iR-V8/8-0D	FM Video, RS-485 Data -> <- RS-485 Data, MM (4 wire), with Diagnostics, 1-fiber
PT/PR-301iR-V8/8-1	FM Video, RS-485 Data -> <- RS-485 Data, Laser SM (4 wire), 1-fiber
PT/PR-301iR-V8/8-1D	FM Video, RS-485 Data -> <- RS-485 Data, Laser SM (4 wire), with Diagnostics, 1-fiber
PT/PR-500iR-V33/33-0	FM Video, 2-channel RS-232 -> <- RS-232 (2-ch), Multimode
PT/PR-500iR-V33/33-1	FM Video, 2-channel RS-232 -> <- RS-232 (2-ch), Singlemode
PT/PR-500iR-V44/44-0	FM Video, 2-channel RS-422 -> <- RS-422 (2-ch), Multimode
PT/PR-500iR-V44/44-1	FM Video, 2-channel RS-422 -> <- RS-422 (2-ch), Singlemode
PT/PR-600iR-V/2D-0	FM Video> < Panasonic & VD2 Data, MM
PT/PR-600iR-V/2D-1	FM Video> < Panasonic & VD2 Data SM

FM VIDEO/AUDIO SYSTEMS

FM VIDEO/AUDIO SYSTEMS - ANALOG PRODUCT FAMILY

PT/PR-160R-V5A-0	FM Video, 1 Audio Rx, MM, 850nm
PT/PR-160R-V5A-1	FM Video, 1 Audio Rx, MM, 1300nm
PT/PR-160R-V5A-2	FM Video, 1 Audio Rx, SM
PT/PR-170R-V5A5A-0	FM Video w/2 Audio Rx, 850nm
PT/PR-170R-V5A5A-1	FM Video w/2 Audio Tx, 1300nm
PT/PR-170R-V5A5A-2	FM Video w/2 Audio Tx, 1310nm, singlemode
PT/PR-200R-V/5A-0	FM Video Tx -> <- Audio (return), 850nm, MM, 2 fiber
PT/PR-200R-V/5A-0D	FM Video Tx -> <- Audio (return), 850nm, MM, 2 fiber, with Diagnostics
PT/PR-200R-V/5A-1	FM Video Tx -> <- Audio (return), 1300nm, MM, 2 fiber
PT/PR-200R-V/5A-1D	FM Video Tx -> <- Audio (return), 1300nm, MM, 2 fiber, with Diagnostics
PT/PR-200R-V/5A-2	FM Video Tx -> <- Audio (return), 1310nm, SM, 2 fiber
PT/PR-200R-V/5A-2D	FM Video Tx -> <- Audio (return), 1310nm, SM, 2 fiber, with Diagnostics
PT/PR-200iR-V/5A-0	FM Video Tx -> <- Audio (return), MM
PT/PR-200iR-V/5A-0D	FM Video Tx -> <- Audio (return), MM, with Diagnostics
PT/PR-200iR-V/5A-1	FM Video Tx -> <- Audio (return), SM
PT/PR-200iR-V/5A-1D	FM Video Tx -> <- Audio (return), SM, with Diagnostics

FM VIDEO/AUDIO/DATA SYSTEMS

FM VIDEO/AUDIO/DATA SYSTEMS - ANALOG PRODUCT FAMILY

PT/PR-500iR-V5A3/5A3-0E9	FM Video, 1-ch Audio, 1-ch RS-232 -> <- 1-ch Audio, 1-ch RS-232, Multimode, Power 12VDC, 2-pin Screw Terminal connector
PT/PR-500iR-V5A3/5A3-1E9	FM Video, 1-ch Audio, 1-ch RS-232 -> <- 1-ch Audio, 1-ch RS-232, Single-mode, Power 12VDC, 2-pin Screw Terminal connector
PT/PR-600iR-0	FM Video, Audio (1-ch), Data (1-ch) -> <- FM Video, Audio (1-ch), Data (1-ch) or FM Video, Data (2-ch) -> <- FM Video, Data (2-ch), Multimode
PT/PR-600iR-1	FM Video, Audio (1-ch), Data (1-ch) -> <- FM Video, Audio (1-ch), Data (1-ch) or FM Video, Data (2-ch) -> <- FM Video, Data (2-ch), Singlemode

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP