ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.


Find the *Mettler Toledo AutoChem ME-210391* at our website: *Click HERE*

Short-Form Operating instructions


METTLER TOLEDO
AT balances


Switching the fully automatic door-function on/off

x times


















Printing out weighing result















Switching the weight unit















By changing the second weighing unit, you can switch between additional weight units (for instance g ↔ oz).


Switching the readability












Possible only on semi-microbalances and DeltaRange® balances, and to a limit value depending on the model.


Setting the weighing process adapter (matching the weighing type)

x times





x times





Fine dispensing




Universal setting



Absolute weighing




Special applications




Setting the vibration adapter (matching the environment conditions)

x times





x times






Vibration-free environment



Normal conditions



Severe vibrations



P11780216


Subject to technical changes

© Mettler-Toledo GmbH 1998 11780216 Printed in Switzerland 9804/7.12

Mettler-Toledo GmbH, Laboratory & Weighing Technologies, CH-8606 Greifensee, Switzerland,
Phone +41-1-944 22 11, Fax +41-1-944 30 60, Internet: http://www.mt.com

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Program overview



Menu

Menu	Selection of the menu Selection of the menu options
Select 1	Selection of the settings
Cancel	Cancellation of the changes and retourn to the weighing mode
Set	Storage of the current menu and return to the weighing mode
Set	Switching off the balance by pressing key upward

Configuration register

Configuration	Selection of the configuration register Selection of the sectors
Select 1	Selection of the parameters
Select 2	Selection of the settings
Cancel	Cancellation of the changes and retourn to the weighing mode
Set	Storage of the current menu and return to the weighing mode

1) Appears only if weight unit 2 is set in the configuration register to percent (%) or piece (*Stk* or *PCS*).

2) Appears only if the internal adjustment (*Auto Off*) is set in the configuration register.

3) Appears only if the external adjustment (*USEr*) is set in the configuration register.

4) Appears only with semimicro and DeltaRange® balances.

5) The following appears with the AT20:
d = 0.01 mg*, 0.02 mg, 0.05 mg, 0.1 mg /dF = 2 µg*, 5 µg, 10 µg
The following appears with the AT460 DeltaRange®:
d = 1 mg*, 2 mg, 5 mg, 10 mg / dF = 0.1 mg*, 0.2 mg, 0.5 mg, 1 mg

* Factory setting

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP