ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Molex 85052-0191* at our website: ***Click HERE***

Status:
New Business Not Supported

Add to My Parts Email this page

Part Number:850520191



2.54mm Pitch DIN 41612 Receptacle, Style R Reverse, 96 Circuits

- **Series:** 85052
- **Replacement:** Contact Molex
- **Category:** Backplane Connectors
- **Overview:** DIN 41612

Check Distributor Inventory Request Design Support

Mates With/Use With Environmental Part Details

Mates With/Use With

Mates With Part(s):

DIN 41612 Headers 85003, 85013

Product Environmental Compliance

Compliance:

EU ELV: Not Relevant

EU RoHS: Compliant

China RoHS:

REACH SVHC: Not Contained Per -ECHA_01_2020 (16 January 2020

Low-Halogen Status: Not Low-Halogen

Documents:

EU RoHS Certificate of Compliance (PDF)

Multiple Part Product Compliance Statements
EU RoHS, REACH SVHC, & Low-Halogen

Multiple Part Industry Compliance Documents
*IPC 1752A Class C
*IPC 1752A Class D
*Molex Product Compliance Declaration
*IEC-62474
*chemSHERPA (xml)

Request Molex's CMRT from conflictminerals@molex.com

Part Details Expand All

General

Status	New Business Not Supported
Replacement Part Number	Contact Molex
Category	Backplane Connectors
Series	85052
Application	Backplane
Component Type	PCB Receptacle
Overview	DIN 41612
Product Name	IEC 603-2/DIN 41612
Style	R
UPC	800753857940

Physical

Circuits (Loaded)	96
Circuits (maximum)	96
Durability (mating cycles max)	500
First Mate / Last Break	No
Flammability	94V-0
Guide to Mating Part	No
Keying to Mating Part	Yes
Material - Plating Mating	Gold
Net Weight	15.045/g
Number of Columns	32
Number of Pairs	Open Pin Field
Number of Rows	3
Orientation	Right Angle
PC Tail Length	2.80mm
PCB Locator	No
PCB Retention	Yes
PCB Thickness - Recommended	1.60mm, 3.20mm
Packaging Type	Tray
Pitch - Mating Interface	2.54mm
Pitch - Termination Interface	2.54mm

Polarized to PCB	Yes
Stackable	No
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	-55° to +125°C
Termination Interface: Style	Through Hole

Electrical

(Please review the Product Specification for specific details.)

Current - Maximum per Contact	1.0A
Data Rate	622.0 Mbps
Real Signals (per 25mm)	30
Voltage - Maximum	250V AC (RMS)

Agency Certification

(Please find UL Certificates by searching the UL Database using the Molex Series Number.) **Click here to visit the UL Database**

CSA	LR19980
UL	E29179

Solder Process Data

Solderability Shelf Life Statement

Lead-freeProcess Capability N/A

Do you have any questions?

Contact Us

California Proposition 65 Information

This product contains Prop 65 substances, the following warning may be required based on application and use:



WARNING: This product can expose you to , known to the State of California to cause .

For more information go to www.P65Warnings.ca.gov

REACH Information

- Not Contained Per -ECHA_01_2020 (16 January 2020

Products+

- Product Categories
- Product Index
- Industries

Quick Links+

- Company Information
- Contact Molex
- Cross-Reference
- Investor Relations
- Koch Industries
- Literature
- Molex Ventures
- Press Room / Press Releases
- Quality Policy
- Sitemap
- Terms & Conditions

Resources+

- Supply Chain Transparency
- Business Continuity
- Compliance
- ecocare
- Help
- Jobs
- Legal | Trademarks
- Supplier Portal
- Privacy Policy
- Tradeshows
-

Stay Connected



Molex® is a registered trademark of Molex, LLC in the United States of America and may be registered in other countries; all other trademarks listed herein belong to their respective owners.

© Copyright 2020

Preview CAD Download

No preview available.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP