

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Newport / Micro-Controle M-PPL17* at our website: *Click HERE*



Thick Optical Filter Holder, Thumbscrew Clamp, Up To 12 mm Thick

MODEL: M-PPL17

Overview

The M-PPL17 clamping filter holder supports any size optical component with a thickness of up to 12 mm. The components are held securely by their edge with a clamp that is thumbscrew tightened. The clamp is equipped with a broad support roller covered with thick plastic to protect the optic. An M6 threaded hole is available for post mounting. In addition to holding filters, the M-PPL17 is useful for mounting resolution test targets, diffusers, and alignment targets.



Product Series Overview

Edge Grip Thumbscrew Clamp Filter Mounts

Technical Specs

Filter Size Circular or Square	12.7 - 50.8 mm	**Mechanism**	Thumbscrew Clamp
Maximum Thickness	12 mm	**Mounting Threads**	M6
Filter Shape	Round or Square	**Material**	Anodized Aluminum
Number of Filters	1		

Related Products

Similar

Compare		Description
☐		M-PPF50 Spring-Loaded Optical Filter Mount, 50.8 mm Square Optics
☐		FC-1 Filter Clamp, 1/2 in. Optical Post Mounted, 1/4-20 Thread
☐		FH-2S Drop-in Filter Holder, 50.8 mm Square Optics
☐		FH-1S Drop-in Optical Filter Holder, 25.4 mm Diameter Optics

Compatible

Compare		Description
☐		PS-2 Stainless Steel Optical Pedestal, 2.0 in., 1.0 in. Diameter, 8-32
☐		PS-F Slotted Clamping Fork, 1.0 in. Diameter Optical Pedestals
☐		20BPF10-660 Bandpass Filter, 50.8x50.8 mm, 660±2 nm, 11±2 nm FWHM
☐		FSQ-OD100 Absorptive Neutral Density Filter, 50.8 x 50.8 mm, 1.0 OD at 546.1 nm
☐		FSQ-OD300 Absorptive Neutral Density Filter, 50.8 x 50.8 mm, 3.0 OD at 546.1 nm

©2019 Newport Corporation. All rights reserved.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP