ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Newport / New Focus 9854* at our website: *Click HERE*



Opti-Claws

- *great for holding lenses or beamsplitters*
- *locking screw offers the secure hold of a fixed-diameter mount*
- *can be used vertically or horizontally*

Jump to **Characteristics**

With our unique Opti-Claw™, you won't have to adjust the height of the mount every time you want to use a different-diameter optic. This clever mount automatically centers any optic with a diameter from 0.10" to 2.0" to within 0.005". To use, simply retract the spring-loaded arms and slip in a lens. Once in place, a setscrew locks the jaws solidly by pushing them against the mounting plate, locking as solidly as a fixed-diameter mount. When used together, two Opti-Claws are ideal for mounting HeNe lasers or other cylindrical objects. For mounting thin optics, the jaws have V-grooves. Opti-Claws are available with adjustable or fixed-plate frames.

Isometric
Model 9832
Model 9854
Model 9872
PDF Files
Model 9832
Model 9854
Model 9854L
Model 9872
DXF Files
Model 9832
Model 9854
Model 9854L
Model 9872
Metric DXF Files
Model 9832M
Model 9854M
Model 9854ML
Model 9872M

Tiny Opti-Claw

The Model 9872-K tiny Opti-Claw is made from stainless steel for added rigidity and stability. It can hold any round object with a diameter from 0.06" (1.5 mm) to 0.63" (16 mm).

Related Products
Glan-Thompson polarizers
sheet polarizers
motorized Opti-Claws

Characteristics

Model#	9872-K	9832	9854
Style	Tiny Opti-Claw	Fixed Opti-Claw	Tilting Opti-Claw
Optic Diameter	0.06-0.63" (1.0-15.9 mm)	0.10-2.00" (2.5-50.8 mm)	0.10-2.00" (2.5-50.8 mm)
Resolution/5° turn	347 µrad	-NA-	107 µrad
100-Pitch Micrometers	N/A	N/A	add -C to Model # and US$256.00 ($281.60 International)
Allen-Key Version	N/A	N/A	add -K to Model #
Locking Version	N/A	N/A	add -L to Model # and US$50.00 ($55.00 International)
Metric Version	N/A	add M to Model #	add M to Model #

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP