

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

SQDM

Subminiature Quick Disconnect Molded Thermocouple Probes


- 6 and 12" Lengths in Stock
- Sheath Diameters from 0.010 to 0.125"
- 304 SS or INCONEL® Sheaths
- Grounded, Ungrounded or Exposed Junction
- Color-Coded SMP Subminiature Connector Termination
- Mating Connector and Cable Clamp Included
- Custom Lengths Available
- Available with PFA Teflon® Coating




In Stock:

Model	PCN
JMQSS-062G-6/C	327185
JMQSS-062U-6/C	327193
JMQSS-125G-6/C	327206
JMQSS-125U-6/C	327214
KMQSS-062G-6/C	327222
KMQSS-062U-6/C	327230
KMQSS-125G-6/C	327249
KMQSS-125U-6/C	327257

Teflon® is a registered trademark of DuPont.





U.S. and International Patents

Specifications and Ordering Information

Thermocouple Alloy		Sheath Dia. (In.)	Model 6" Length	Model 12" Length
Iron-Constantan 304 SS Sheath	J	0.010	JMQSS-010(1)-6/C	JMQSS-010(1)-12/C
		0.020	JMQSS-020(1)-6/C	JMQSS-020(1)-12/C
		0.032	JMQSS-032(1)-6/C	JMQSS-032(1)-12/C
		0.040	JMQSS-040(1)-6/C	JMQSS-040(1)-12/C
		0.062	JMQSS-062(1)-6/C	JMQSS-062(1)-12/C
		0.125	JMQSS-125(1)-6/C	JMQSS-125(1)-12/C
Chromel-Alumel 304 SS Sheath	K	0.010	KMQSS-010(1)-6/C	KMQSS-010(1)-12/C
		0.020	KMQSS-020(1)-6/C	KMQSS-020(1)-12/C
		0.032	KMQSS-032(1)-6/C	KMQSS-032(1)-12/C
		0.040	KMQSS-040(1)-6/C	KMQSS-040(1)-12/C
		0.062	KMQSS-062(1)-6/C	KMQSS-062(1)-12/C
		0.125	KMQSS-125(1)-6/C	KMQSS-125(1)-12/C
Chromel-Constanan 304 SS Sheath	E	0.010	EMQSS-010(1)-6/C	EMQSS-010(1)-12/C
		0.020	EMQSS-020(1)-6/C	EMQSS-020(1)-12/C
		0.032	EMQSS-032(1)-6/C	EMQSS-032(1)-12/C
		0.040	EMQSS-040(1)-6/C	EMQSS-040(1)-12/C
		0.062	EMQSS-062(1)-6/C	EMQSS-062(1)-12/C
		0.125	EMQSS-125(1)-6/C	EMQSS-125(1)-12/C
Copper-Constantan 304 SS Sheath	T	0.020	TMQSS-020(1)-6/C	TMQSS-020(1)-12/C
		0.032	TMQSS-032(1)-6/C	TMQSS-032(1)-12/C
		0.040	TMQSS-040(1)-6/C	TMQSS-040(1)-12/C
		0.062	TMQSS-062(1)-6/C	TMQSS-062(1)-12/C
		0.125	TMQSS-125(1)-6/C	TMQSS-125(1)-12/C
Nicrosil-Nisil INCONEL® 600 Sheath	N	0.010	NMQIN-010(1)-6/C	NMQIN-010(1)-12/C
		0.020	NMQIN-020(1)-6/C	NMQIN-020(1)-12/C
		0.032	NMQIN-032(1)-6/C	NMQIN-032(1)-12/C
		0.040	NMQIN-040(1)-6/C	NMQIN-040(1)-12/C
		0.062	NMQIN-062(1)-6/C	NMQIN-062(1)-12/C
		0.125	NMQIN-125(1)-6/C	NMQIN-125(1)-12/C

1. Specify junction type: E (Exposed), G (Grounded) or U (Ungrounded). To order with INCONEL® sheath, change "SS" in model to "IN". Probes with 0.040" diameter and up are supplied with the connector molded to probe. Smaller sized probes are supplied with removable connector. All type N probes are supplied with removable connector.

Represented By: Ross & Pethtel
Phone: 225-273-2202 Website

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP