



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

Phone: 1-800-383-0814

Fax: (978) 774-8202

E-mail (USA): sales@ophiropt.com

(Other Countries): info@ophiropt.co.il



Thermopile Surface Absorber Heads

Thermopile CW Detector Heads

Ophir thermopile surface absorber heads are spectrally flat from .19um-20um. They have a damage threshold of up to 20 KW/cm². They offer a wide dynamic range from uW to kW and a fast response time as short as 1 second.

The detector head information is stored in the EEROM of the detector head and is downloaded when the display is turned on so all heads are plug and play.



Thermopile surface absorber heads for CW and long pulse lasers 0.1mJ-300J, 60uW-8000W

Head	Features	Aperture	Spectral Range	Power Range	Energy Range
2A	very low powers	10mm	0.19 -20um	60uW - 2W	0.1mJ - 2J
10A	general purpose to 10W	16mm	0.19 -20um	6mW - 10W	1mJ - 20J
30A	general purpose to 30W.	18mm	0.19 -20um	20mW - 30W	6mJ - 30J
L30A	large aperture to 30W	29mm	0.19 -20um	80mW-30W	20mJ - 30J
30(150)A	CW to 30W. Intermittent to 150W	18mm	0.19 -20um	60mW - 150W	20mJ -100J
L40(150)A	CW to 40W. Intermittent to 150W	50mm	0.19 -20um	200mW - 150W	50mJ -200J
F150A	Fan cooled to 150W	18mm	0.19 -20um	60mW - 150W	20mJ -100J
FL250A	Fan cooled to 250W.	50mm	0.19 -20um	200mW -250W	50mJ -200J
F300A F300A-LP	Fan cooled to 300W LP has high damage threshold	25mm	0.19-20um LP:1.06,10.6 mm	120mW-300W	50mJ -200J
1500W L1500W-LP	Water cooled to 1500W. LP has high damage threshold	34mm/ 50mm	1.06um, 10.6um	20W-1500W	150mJ-200J
5000W 5000W-LP	Water cooled to 5000W. LP has high damage threshold	50mm	1.06um, 10.6um	100W-5000W	N.A.

8000W	Water cooled to 8000W	50mm	10.6um	200W-8000W	N.A.
<u>20K-W</u>	Water cooled to 30 Kilowatt	70mm	1.06um, 10.6um	300W-30,000W	N.A.
<u>Water Circulator</u>	Self contained water circulator for water cooled heads to 8000W				
Head	Features	Aperture	Spectral Range	Power Range	Energy Range



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com