

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

OUTLAND
TECHNOLOGY
INC.


0010542b

FIXED FOCUS COLOR VIDEO SYSTEM
MODEL UWS-4010/4020

(NTSC) (PAL)

COMPLETE UNDERWATER VIDEO SYSTEM

Aug.,99



STANDARD SYSTEM INCLUDES:


- UWC-400, Fixed focus, Color Camera
- UWL-200, 150 watt light
- LB-475,DH-460, mounting brackets
- C-5501, 500 ft, cable w/all connectors
- CON-3000, 10" Color Monitor, VHS VCR, Power supply. All mounted in a weather-resistant shipping case.

38190 Commercial CT., Slidell, LA. U.S.A. 70458, Ph (504)847-1104, Fax (504)847-1106, www.outlandtech.com

MODEL UWS-4010/4020 COMPLETE UNDERWATER VIDEO SYSTEM

TECHNICAL SPECIFICATIONS

CAMERA, MODEL UWC-400




MECHANICAL:
- Weight..... 30oz. (.85kg) Dry, 20 oz.(.56kg) Wet.
- Depth Rating...3300 ft. (1000m).
- Housing.....17-4 Stainless

ELECTRICAL:
- Image Device.. 1/3" CCD sensor (512)h x 492v).
- Sensitivity..... 1 lux object, .2 lux on CCD
- Resolution..... 400 TV lines standard
- Video Out..... 1.2 Vpp, NTSC standard (PAL option).
- Power..... 12 VDC @ 200 ma.

OPTICAL:
- Lens..... 4.3mm, f2., Electronic-Iris
- Focus..... Fixed, 6" to Infinity
- Angle of View..... 65 Horz. x 55 Vert. deg. (in water).


LIGHT, MODEL UWL-200



MECHANICAL:
- Weight..... 21oz. (.60kg) Dry, 20 oz.(.48kg) Wet.
- Depth Rating..... 3300 ft. (1000m).
- Housing.....17-4 Stainless


ELECTRICAL:
- Power..... up to 150 watts
- Color Temp..... 3000k
- Bulb..... Q150/cl/mc std., (75 & 100 Opt.)

CABLE, MODEL C-5501



- Conductors..... 3 ea. #18, 4 ea. #20 awg, 1 RG-59 Coax
- Length..... 500 ft. (150m) Standard
- Diameter..... .5" (12.5 mm)
- Materials..... Yellow, Polyurethane jacket.
- Interstices..... Water Blocked

CONSOLE, MODEL CON-3000



- Weight..... 90 Lbs. (40kg)
- Power..... 110 VAC/60Hz, fused at 5 amperes.
  (4020. 110/220 VAC 50/60 Hz.)
- Light Control..... Variable control 0-100%, 0-250 watts.
- Monitor..... 10" Color w/audio.
- Safety..... GFI for main power,
  LIM to monitor umbilical,
  Isolation transformer for light.
- Connections..... Front panel connections for umbilical,
  Audio & Mic.
- VCR..... VHS format (standard)

OPTIONS:

- Camera,
  1. 6mm, 12mm lens.
  2. Optional connectors
  3. Long Line Amp for up to 5Kft.
- Light,
  1. UWL-100, 250 watt light.
- Cable,
  1. User Specified cable lengths.
- Recorder,
  1. S-VHS, 400 line recorder.
  2. Hi-8mm, 400 line recorder.
- Booster,
  For cable over 1500 ft. to 3000 ft.
  Mounts in console.
- Video Typewriter,
  Time/Date, 10 pages of text,
  and digital control of all cameras.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP