ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.


Find the *Panasonic WV-CL120* at our website: ***Click HERE***

ORDER NO. AVS9205574C8

Service Manual

Colour CCTV Camera

WV-CL120



SPECIFICATIONS

Pick-up Device :	681 (H) × 582 (V) pixels, Interline Transfer CCD
Scanning Area :	6.6 (H) × 4.9 (V) mm (Equivalent to scanning area of 1/2" pick-up tube)
Synchronization :	Multiplexed vertical drive (VD2) by use of specified camera drive unit.
Scanning System :	2 : 1 interlace
Scanning :	625 Lines/50 fields/25 frames
Horizontal :	15.625 kHz
Vertical :	50 Hz
Horizontal Resolution :	430 Lines
Video Output :	1.0 Vp-p composite, 75 ohms
Signal-to-Noise Ratio :	44 dB
Automatic Light Compensation :	ALC : 1 : 12,000 with F1.4 ALC lens, AGC ON
Electronic Light Control :	Equivalent to continuous variable shutter speed between 1/50 sec. and 1/15,600 sec.
Minimum Scene Illumination :	3 lux at F1.4, AGC ON
Recommended Scene Illumination :	140 lux at F1.4
Automatic Gain Control :	Selectable ON (+14 dB) or OFF
Lens Mount :	Special C-mount (CS-mount)
Maximum Cable Length :	200 m with RG-59/U (3C-2V) or 500 m with RG6/U (5C-2V)
Power Supply :	To be supplied from the specified monitor, camera extension unit or camera drive unit.
Ambient Operating Temperature :	−10°C - +50°C
Ambient Operating Humidity :	Less than 90%
Dimensions (without lens) :	73 (W) × 58 (H) × 118 (D) mm
Weight (without lens) :	0.38kg

Weight and dimensions indicated are approximate.
Specifications are subject to change without notice.

Panasonic

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP