

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.


Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Parker CW9437* at our website: ***Click HERE***



C94 & CW94 Heavy Duty

Application

These 3-Way, 2-Position, cam operated spool valves are used to operate single acting cylinders. They can be used as normally closed or normally open, and as a 2-Way.


Mounting

Intended for inline use. Use "C" Series for mounting to horizontal surfaces. Use "CW" Series for mounting to vertical bulkheads.


Operation

De-energized or Spring Returned Position of the Spool – Pressure at inlet port "A" is blocked and port "0" is connected to port "B". When cam is activated, port "A" is connected to port "0" and port "B" is blocked. Because of the area-balanced construction of the spool, either port "A" or port "B" may be used as the inlet supply port. Pressure to port "A" valve is normally closed valve. Pressure to port "B" valve is normally open valve.

C94 and CW94 operate from either direction.



Normally Closed




Normally Open

Model Selection Information

Port Size	Description	Model Number
1/4" NPT	Base Mounted, Heavy Duty, Roller Lever	**C9425**
3/8" NPT	Base Mounted, Heavy Duty, Roller Lever	**C9437**

Port Size	Description	Model Number
1/4" NPT	Wall Mounted, Heavy Duty, Roller Lever	**CW9425**
3/8" NPT	Wall Mounted, Heavy Duty, Roller Lever	**CW9437**



C92 & CW92 Overriding Cam

Application

These 3-Way, 2-Position, cam operated spool valves are used to operate single acting cylinders. They can be used as normally closed or normally open, and as a 2-Way.


Mounting

Intended for inline use. Use "C" Series for mounting to horizontal surfaces. Use "CW" Series for mounting to vertical bulkheads.


Operation

De-energized or Spring Returned Position of the Spool – Pressure at inlet port "A" is blocked and port "0" is connected to port "B". When cam is activated, port "A" is connected to port "0" and port "B" is blocked. Because of the area-balanced construction of the spool, either port "A" or port "B" may be used as the inlet supply port. Pressure to port "A" valve is normally closed valve. Pressure to port "B" is normally open valve.

C92 and CW92 are overriding cams which operate in one direction only.



Normally Closed



Normally Open

Model Selection Information

Port Size	Description	Model Number
1/4" NPT	Base Mounted, Heavy Duty, Overriding Roller Lever	**C9225**
3/8" NPT	Base Mounted, Heavy Duty, Overriding Roller Lever	**C9237**

Port Size	Description	Model Number
1/4" NPT	Wall Mounted, Heavy Duty, Overriding Roller Lever	**CW9225**
3/8" NPT	Wall Mounted, Heavy Duty, Overriding Roller Lever	**CW9237**

Parker Hannifin Corporation
Pneumatic Division
Richland, Michigan
www.parker.com/pneumatic

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP